

INFORMATION SHARING ENVIRONMENT GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

NATIONAL SECURITY THROUGH RESPONSIBLE INFORMATION SHARING



INFORMATION SHARING ENVIRONMENT GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

INCREASED INFORMATION SHARINGTHROUGH

SPRING 2015

Prepared by the Program Manager, Information Sharing Environment

This page intentionally left blank.

Dedicated to the memory of: Douglas Nebert 1963-2014

The Geospatial Interoperability Reference Architecture (GIRA) is dedicated to the memory of Doug Nebert who was a leader in the Geospatial Industry, consummate professional, and who advanced geospatial interoperability across the industry. Many of the authoritative references upon which the GIRA is based were authored by or contributed to by Doug.

This page intentionally left blank.

CONTENTS

LIST OF FIGURES	IIX
LIST OF TABLES	X
EXECUTIVE SUMMARY	XI
1 OVERVIEW	1
1.1 Purpose	1
1.2 Background	1
1.3 Goals and Objectives	2
1.4 Benefits and Outcomes	2
1.5 Stakeholder Audience	3
1.6 Document Approach: How to Use	4
1.7 Authoritative Referencing	5
1.7.1 Geospatial	5
1.7.2 Architecture	6
1.8 Stakeholder Performance Guide	8
2 GOVERNANCE	10
2.1 Introduction	10
2.2 Governance Principles	10
2.3 Governance Structures	11
2.3.1 Executive Steering Committee	11
2.3.2 Integrated Product/Project Team	12
2.4 Investment Governance	15
2.4.1 Information Technology Acquisition Review Process	17
2.4.2 Capital Planning Investment Control Process	
2.4.3 Procurement Policy Language	21
2.5 Interagency Agreements and Service Level Agreements: Information Sharing Agreements	21
2.6 Stakeholder Performance Guide: Governance	24
3 BUSINESS REFERENCE MODEL	26
3.1 Introduction	26
3.2 Business Reference Model(s): Approach	26
3.2.1 Geospatial Profiles	27
3.3 Operational Requirements Documentation	27
3.4 Geospatial Baseline Assessment Matrix	29
3.5 Stakeholder Performance Guide: Business	33
4 DATA REFERENCE MODEL	34
4.1 Introduction	34
4.2 Data Reference Model Approach	34
4.3. Geospatial Baseline Assessment Matrix: Data Inputs and Datasets	35

4.4 Data Reference Model Alignment	37
4.4.1 Data Description	38
4.4.2 Data Context	43
4.4.2.1 Data Search and Discovery	45
4.4.3 Data Sharing	45
4.5 Data Access and Policy	45
4.6 Data Resources	47
4.6.1 Geospatial Platform	47
4.6.2 Geospatial Concept of Operations	48
4.6.3 National States Geographic Information Council GIS Inventor	ntory52
4.7 Stakeholder Performance Guidance: Data	53
5 APPLICATION/SERVICE REFERENCE MODEL	53
5.1 Introduction	53
5.2 Application/Service Reference Model(s): Approach	54
5.3 Geospatial Services Taxonomy Structures	54
5.3.1 Federal Enterprise Architecture Framework, Version 2.0.	55
5.3.2 Geospatial Profile of the Federal Enterprise Architecture	Framework, Version 2.057
5.3.3 Segment Architecture Analysis of the Geospatial Platforn	n, Version 1.058
5.3.4 Open Geospatial Consortium: OpenGIS Service Architectu	ure62
5.3.5 Spatial Data Infrastructure: Cookbook	63
5.3.6 Geospatial Taxonomy Considerations	66
5.4 Geospatial Baseline Assessment Matrix: Applications and Serv	vices66
5.5 Geospatial Applications/Services Catalogs	69
5.5.1 Geospatial Platform	70
5.5.2 GEOINT App Store	74
5.5.3 Enterprise Registry and Repository	73
5.6 Geospatial Shared Services Strategy	75
5.6.1 Shared Services Implementation Step-wise Process	76
5.7 Stakeholder Performance Guidance	76
6 INFRASTRUCTURE REFERENCE MODEL	81
6.1 Introduction	81
6.2 Alignment to the Enterprise Architecture Investment Planning	g Process81
6.3 Geospatial Baseline Assessment Matrix: Infrastructure and Te	chnology82
6.4 Digital Government Strategy Alignment	82
6.5 Geospatial 3-Tier Target Architecture	84
6.5.1 Presentation Layer	85
6.5.2 Platform/Application Layer	85
6.5.3 Information/Database Layer	85
6.6 Geospatial Target Architecture Artifacts	86
6.6.1 Unclassified/Public Domain: Geospatial Platform	86
6.6.2 For Official Use Only: Geospatial Information Infrastructu	ıre89
6.7 Geospatial Target Architecture Considerations	91
671 Cloud	0.4

	6.7.	1.1 Phase 1 Process	93
	6.7.	1.2 Phase 2 Process	93
6.	8 Sta	keholder Performance Guide: Infrastructure	94
7 :	SECL	JRITY REFERENCE MODEL	96
7.	1 Int	roduction	96
7.	2 Sec	curity Principles	96
7.	3 Sta	keholder Roles and Responsibilities	98
7.	4 Sta	keholder Performance Guide: Security and IdAM	103
8 \$	STAN	IDARDS-BASED INTEROPERABILITY	107
8.	1 Int	roduction	107
8.	2 Sta	ndards-based Interoperability: Approach	107
8.	3 Sta	ndards Value Proposition	108
8.	4 Sta	ndards View: Open Standards vs. Open Source	110
	8.4.1	Open Standards	110
	8.4.2	Open Source	111
8.	5 Sta	ndards Governance	113
	8.5.1	Geospatial Standards Development Organizations	115
8.	6 Sta	ndards-based Acquisition Guidance: Reference Sources	117
	8.6.1	A Geospatial Interoperability Reference Model	118
	8.6.2	Geospatial Profile of the Federal Enterprise Architecture, Version 2.0	118
	8.6.3	Federal Geospatial Architecture Guidance, Version 1.0	119
	8.6.4	Federal Geographic Data Committee Endorsed Standards	119
	8.6.5	Federal Geographic Data Committee Endorsed External Standards	119
	8.6.6	SDI Cookbook, Global Spatial Data Infrastructure	120
	8.6.7	GEOINT Standards	122
	8.6.8	Defense Geospatial Information Working Group (DGIWG) Standards	124
	8.6.9	Open Geospatial Consortium (OGC) Reference Model	125
	8.6.10	United Nations Global Geospatial Information Management	129
8.	7 Sta	keholder Performance Guide: Standards	130
9 1	PERF	ORMANCE REFERENCE MODEL	132
9.	1 Int	roduction	132
9.	2 Ap	olying the Performance Reference Model: Approaches	132
9.	3 Per	formance Indices	135
	9.3.1	Office of Management and Budget: Enterprise Roadmap	136
	9.3.2	ISE Information Interoperability Framework: Interoperability Maturity Model	137
	9.3.3	DHS Common Operating Picture: Key Performance Indicators and Measures	138
	9.3.4	National States Geographic Information Council: Geospatial Maturity Assessment	138
	9.3.5	Urban and Regional Information Systems Association: GIS Capability Maturity Model	139
9.	4 Sta	keholder Performance Guide: Performance	136

APPI	ENDIX A: GOVERNANCE	A-1
A.1	Executive Steering Committee Charter Template	A-1
A.2	Information Sharing Agreement Checklist	A-8
A.3	Data Access Request Process – Questionnaire	A-12
A.4	Standard Template – External Information Sharing	A-16
APPI	ENDIX B: BUSINESS REFERENCE MODEL	B-1
B.1	Baseline Geospatial Assessment Matrix: Core Capability	B-1
APPI	ENDIX C: DATA REFERENCE MODEL	C-1
C.1	Baseline Geospatial Assessment Matrix: Data Inputs	
C.2	Baseline Geospatial Assessment Matrix: Datasets	C-2
APPI	ENDIX D: APPLICATIONS/SERVICES REFERENCE MODEL	D-1
D.1	Applications and Services Functionality Categories	D-1
D.2	Functionality of Applications and Services	D-2
APPI	ENDIX E: INFRASTRUCTURE REFERENCE MODEL	E-1
E.1	Baseline Geospatial Assessment Matrix: Infrastructure	
E.2	Baseline Geospatial Assessment Matrix: Technology	
APPI	ENDIX F: SECURITY REFERENCE MODEL	F-1
	ICAM Landscape	
APPI	ENDIX G: PERFORMANCE REFERENCE MODEL	G-1
G.1	Enterprise Architecture Outcomes and Measurements Template	G-1
G.2	DHS Common Operating Picture (COP): Performance Management Scorecard	
G.3		

LIST OF FIGURES

Figure 4-1. Data Reference Model Structure	37
Figure 4-2. Data Access and Policy Wrapper	46
Figure 5-1. IT Shared Services Concept Overview	55
Figure 5-2. Federal Enterprise Architecture Framework (FEAF): Application Reference Model	56
Figure 5-3. FEAF Application Reference Model: Geospatial Information	57
Figure 5-4. Geospatial Services Framework	59
Figure 5-5. Uncle Sam's List	69
Figure 5-6. Geospatial Platform: Add Your Tool or Application	72
Figure 5-7. Shared Service Implementation Decision	76
Figure 6-1. Three-Layers/Tiers of Digital Services	84
Figure 6-2. Geospatial Platform Conceptual Model	88
Figure 6-3. Geospatial Platform Technical Architecture	89
Figure 6-4. DHS Geospatial Information Infrastructure (GII) Technical Architecture	90
Figure 6-5. DHS Common Operating Picture Aligned to DHS Geospatial Information Infrastructure	91
Figure 7-1. FICAM Conceptual Diagram	98
Figure 8-1. GEOINT Standards Pocket Guide	124
Figure 8-2. DGWIG and OGC Service Types and Profiles	125
Figure F-1. ICAM Components	F-5

LIST OF TABLES

Table 1-1. What the GIRA is and is Not	3
Table 1-2. Stakeholder Performance Guide Table Structure	8
Table 2-1. Portfolio Management Guidance Principles	17
Table 2-2. Standard Acquisition Checklist	18
Table 2-3. Types of Agreements	22
Table 2-4. Stakeholder Performance Guide: Governance	25
Table 3-1. Geospatial Baseline Assessment: Core Mission Services and Stakeholders	31
Table 3-2. Geospatial Baseline Assessment: Core Capability	32
Table 3-3. Stakeholder Performance Guide: Business	33
Table 4-1. Geospatial Baseline Assessment Matrix: Data Inputs	36
Table 4-2. Geospatial Baseline Assessment Matrix: Datasets (Extract)	36
Table 4-3. Federal Enterprise Architecture Framework V2.0: Data Categorization Methods	41
Table 4-4. Standards-based Content Search Methods	45
Table 4-5. GeoPlatform Datasets Published per Month	48
Table 4-6. GeoCONOPS Authoritative Data Matrix (Extract)	49
Table 4-7. Stakeholder Performance Guide: Data	53
Table 5-1. Geospatial Profile V2.0: Geospatial Service Components (Extract)	58
Table 5-2. Geographic Services Taxonomy	64
Table 5-3. OGC® Geospatial Services Taxonomy to ISO 19100 Series Standards Error! Bookmark	k not defined.
Table 5-4. Geospatial Baseline Assessment Matrix: Functionality Categories	67
Table 5-5. Geospatial Baseline Assessment Matrix: Applications and Services (Extract)	68
Table 5-6. GEOINT App Store Index	73
Table 5-7. Stakeholder Performance Guide: Applications/Services	78
Table 6-1. Geospatial Baseline Assessment: Infrastructure	81
Table 6-2. Geospatial Baseline Assessment: Technology (Extract)	82
Table 6-3. Stakeholder Performance Guide: Infrastructure	94
Table 7-1. Key Security Activities by SDLC Phase	103
Table 7-2. Stakeholder Performance Guide: Security	104
Table 8-1. Standards Used in Deployed SDIs	121
Table 8-2. SDI Core Standards	121
Table 8-3. SDI Supplemental Standards	121
	122
Table 8-4. SDI Future Standards	
Table 8-4. SDI Future Standards	122
Table 8-5. Types of GEOINT Standards	123
Table 8-5. Types of GEOINT Standards	123
Table 8-5. Types of GEOINT Standards	123 128 131
Table 8-5. Types of GEOINT Standards Table 8-6. GEOINT Standards Baseline Table 8-7. OGC Document Types Table 8-8. Stakeholder Performance Guide: Standards	123 128 131 136

EXECUTIVE SUMMARY

An estimated \$20 billion of the Federal Government's \$80 billion in IT spending is a potential target for migration to cloud computing solutions. The value of the inherent benefits of cloud computing is based upon the cost efficiencies of shared services through interoperable architectures based upon standards. IT investment costs decrease as you move from Build to Buy to Leverage/Reuse. A goal of the National Strategy for Information Sharing and Safeguarding is, "to optimize mission effectiveness [to] include shared services, data and network interoperability." 2

Interoperability is a term often used or implied but rarely defined. This document defines information interoperability as:

INTEROPERABILITY is the ability to transfer and use information in a uniform and efficient manner across multiple organizations and information technology systems.^{3, 4} It is the ability of two or more systems or components to exchange information and to use the information that has been exchanged.⁵

The Geospatial Interoperability Reference Architecture (GIRA) is aligned with current Federal policy, principles, and practices for Enterprise Architecture and further adds to the authoritative body of knowledge of geospatial architecture documentation. It is an unclassified document aimed at an audience consisting of; Executive Leaders, Program Managers, and Solution Architects across Federal, State, Local, Territorial and Tribal governments and private sector stakeholders. It is intended to be a practical roadmap to increase government geospatial information sharing through interoperable capabilities that result in reduced operational costs within and across mission systems. It documents geospatial and architecture policy alignment, references authoritative practices and provides practical guidance including; templates, charters, exchange agreements, baseline requirements matrices, architecture artifacts and tools.

The GIRA is expected to have the following benefits:

 Provide a reference guide for geospatial interoperable architectures to guide solutions to effectively govern, manage, support and achieve information sharing through geospatial system integration, acquisition and/or development.

¹ Office of Management and Budget's (OMB's) Federal Cloud Computing Strategy, February 8, 2011.

² White House *National Strategy for Information Sharing and Safeguarding*, December 2012.

³ Australian Information Interoperability Framework, 2006.

⁴ U.S. Code, Title 44: Public Printing and Documents (2011) U.S.C. Title 44, Chap. 36, § 3601.

⁵ IEEE Standard Computer Dictionary: A Compilation of IEEE Standard Computer Glossaries (New York, NY: 1990).

• Provide documented architecture artifacts that can be used to support geospatial program technical oversight and technical assessments for geospatial investments.

The GIRA provides a framework for the management, design and development of new or alignment of existing geospatial system/solution investments. It recommends guidance considerations in the areas of governance, business, data, applications/services, infrastructure, standards and security; and performance measures for validating and reporting results.

1 1 OVERVIEW

1.1 PURPOSE

2

9 10

11

12

13

14 15

16 17

18 19

20 21

22 23

24

- 3 The intended purpose of this document is to be a reference guide for geospatial interoperable
- 4 architecture governance, design and implementation as shared geospatial investments. It
- 5 supports key stakeholders (e.g., Executive Leadership, Program Managers, and Solution
- 6 Architects) and their responsibilities associated with geospatial systems implementation,
- 7 integration and performance to drive interoperability and reduce operational costs as they move
- 8 toward a shared service environment.

1.2 BACKGROUND

The GIRA is intended to be a compendium of artifacts to assist in the development of geospatial interoperable reference architecture(s) for enterprise investments. It provides a representation of geospatial systems that is expressed in terms of; governance practices, interoperability requirements, standards, and target implementation examples (e.g. artifacts). The GIRA builds upon and advances the foundational work of geospatial and architecture guidance documents and is complimentary to the Program Manager-Information Sharing Environment (PM-ISE)⁶ Information Interoperability Framework (I²F).⁷ The December 2005 Presidential Memorandum directed building the ISE upon existing Federal Government resources that include standards, systems, and architectures. The Memorandum included requirements to develop a common framework for the sharing of information between and among executive Departments and Agencies⁸ and state, local, and Tribal (SLT) governments, law enforcement agencies, and the private sector and define common standards for how information is acquired, accessed, shared and used within the ISE.⁹ The I²F is intended to drive long-term information sharing requirements that leverage reuse capabilities for improvement and information systems planning, investing, and integration to support the effective conduct of U.S. counterterrorism activities.

⁶ The PM-ISE was established under the authorities of the Intelligence Reform and Terrorism Prevention Act of 2004 (IRTPA), as amended.

Program Manager, Information Sharing Environment Information Interoperability Framework (I²F): National Security Through Responsible Information Sharing, Version 0.5, March, 2014, available at http://ise.gov/ise-information-interoperability-framework.

This document's use of the term "Departments and Agencies" includes Departments, Agencies, Commissions, Bureaus, and Boards and other types of organizations in the Executive Branch of the U.S. Federal Government.

Memorandum for the Heads of Executive Departments and Agencies: Guidelines and Requirements in Support of the Information Sharing Environment (White House: Washington, DC, 2005), Section 1, available at http://www.whitehouse.gov/news/releases/2005/12/20051216-10.html

1.3 GOALS AND OBJECTIVES

- The GIRA is intended to define a governance and oversight framework with which Executive Leadership will manage program and acquisition decisions and provide references to key geospatial technical architectures established across government. The GIRA is focused upon:
 - Stakeholder community: Aimed at Executive Leadership, Program Managers and Solution Architects, the GIRA provides actionable guidance to these key stakeholders in a general-to-specific manner, from providing basic management practices and processes to specific technical services and standards that are critical for geospatial data sharing and interoperability.
 - Architecture alignment: Applying established architecture frameworks and accepted practices from the Federal community to improve communication by using standardized vocabulary and provide technical architecture descriptions that help simplify complex IT environments.
 - Practical implementation: Providing target implementation examples, templates, checklists and reference artifacts to aide in making program management, technical and acquisition related decisions.

1.4 BENEFITS AND OUTCOMES

- Desired outcomes of the GIRA are to; 1) increase government geospatial information sharing of
- interoperable capabilities, 2) promote reuse of existing information assets, and 3) minimize
- 20 Department and Agency operational costs. To achieve the desired benefit, geospatial system
- 21 investments must be leveraged as shared services by providing access to common capabilities
- 22 (applications/services), and increased system integrations by establishing a technology platform
- that is services based.

1

5

6

7

8

9

10

11

12 13

14

15

16

17

25

26

27

28

29

30

31

32

33

34

35

- 24 The GIRA is expected to:
 - Define governance oversight practices and considerations to ensure collaboration and consensus to meet mission objectives and drive cost efficiencies.
 - Serve as a base-line target reference guide and resource to identify the necessary interoperability requirements within each of the key architecture elements (e.g., data, applications/services, infrastructure, security, standards and performance).
 - Provide target implementation examples, artifacts, interoperability standards, engineering designs, contract and procurement language, performance measures and procedural guidance.
 - Align and conform to the Federal Enterprise Architecture Framework (FEAF) v2, and
 The Common Approach to Federal Enterprise Architecture, Global Reference
 Architecture, Unified Architecture Framework, and notional aspects of the
 Intelligence Community architecture designs.

- 1 Each Chapter focuses upon those geospatial interoperability elements required for consideration
- 2 for that portion of the Reference Model. The document does not attempt to provide a complete
- 3 geospatial architecture reference implementation or duplicate other authoritative reference
- 4 material. Table 1-1 describes what the GIRA is and is not.

5

6 7

8

9

10

11

12

13

14 15

16 17

18

19

20

21

Table 1-1. What the GIRA Is and Is Not

GIRA IS: GIRA IS NOT: • A "how to" manual for building and maintaining ✓ A descriptive, not prescriptive, guide to geospatial interoperability investment considerations geospatial architectures ✓ A reference for framing a governance structure for · A government-wide all inclusive conceptual or geospatial investment coordination and collaboration physical geospatial model ✓ A reference for preparing and performing a common • A replacement of existing geospatial architecture baseline assessment (As-Is) of geospatial capabilities and structures within the agencies requirements across investments · An endorsement of any referenced document, ✓ A means to compare geospatial investments among and organization, process, product, service or between agencies in order to exchange, reuse, and share capability other than those required by government policy investments ✓ A reference for comparing several target implementation geospatial architectures and artifacts A reference for supporting planning and procurement activities for geospatial investments A reference supporting Office of Management and Budget (OMB) reporting activities, such as Enterprise Architecture (EA) maturity model and Roadmap ✓ A snapshot compilation reference guide that builds upon previous authoritative documentation; but intended to be on on-line collaborative resource in the future

1.5 STAKEHOLDER AUDIENCE

The GIRA is designed as an instructive guide for the three primary stakeholders; Executive Leadership, Program Managers, and Solution Architects. It provides a practical approach for the responsible governance, assessment, design/development, and implementation of interoperable geospatial investments. These three stakeholders form an interdependent role-based responsibility that *must* be sustained in order to achieve the intended mission benefit:

- Executive Leadership: is the responsible authority for the Department or Agency's policy, fiscal and human resource requirements for geospatial investments. This stakeholder group will use the GIRA as the framework in which geospatial systems are governed, reviewed, resourced, shared, and collectively managed across an enterprise consisting of other geospatial investments.
- Program Managers: are responsible for the operational implementation and oversight of geospatial capabilities to ensure they meet the functional mission requirements defined by the intended users. They must communicate to both the Executive Leadership and Solutions Architects to ensure understanding and expectations of the requirements for interoperable geospatial systems investments.

Managers are required to quantify the benefit and resource impacts, both cost and integration savings, to Executive Leadership to ensure continued support, and resource sustainment. The GIRA provides Program Managers with a description of the key capabilities, processes, services, infrastructure, standards, performance measures, and artifacts that are required of an interoperable geospatial architecture solution.

Solution Architects: are responsible for acquisition requirements, design/development and the integration of geospatial solutions in accordance with their respective organization's enterprise architecture technical and management requirements. The Solution Architects will be required to compare and quantify the technical implementation options, alternatives, and cost constraints to the Program Managers. The GIRA provides structured technical guidance and reference artifacts to assist in achieving geospatial system interoperability.

1.6 DOCUMENT APPROACH: HOW TO USE

- The GIRA) is designed as an instructive guide and practical approach for the responsible assessment, design/development, and implementation of an interoperable geospatial investment.
- 17 The GIRA is organized, in part, to align with the Federal Enterprise Architecture Framework v2's
- 18 Consolidated Reference Model (CRM). The CRM is the core of the FEAF v2, "...which equips OMB
- 19 and Federal agencies with a common language and framework to describe and analyze
- 20 investments." The CRM consists of a set of interrelated "reference models" designed to facilitate
- 21 cross-agency analysis and collaboration in a common and consistent way. The six reference
- 22 models in the CRM to be used within the GIRA include: Business, Data, Applications,
- 23 Infrastructure, Security, and Performance. The GIRA will also include a section on Open Standards
- 24 to promote interoperability.

1

2

3

4

5

6

7

8

9

10

11 12

13

14

32

33

34

- 25 By aligning with these FEAF v2's CRM structure, the GIRA provides a framework for cross-
- 26 community communication, collaboration, requirements collection, resource alignment, and
- 27 stakeholder buy-in for geospatial investments.
- 28 Each reference model Chapter of the GIRA is introduced with a description of the
- 29 'What/Why/Who/How,' along with a Stakeholder Performance Guide that frames the
- 30 requirements, responsibilities, and key questions/issues that each stakeholder must address to
- achieve an efficient and effective interoperable geospatial investment:
 - Definition/Description (What) introduces the intent of the section and the expected results that the stakeholders should derive.
 - **Purpose/Function (Why)** defines the section's content and its consideration within the geospatial system investment.

Stakeholder Performance Guide (Who & How) – provides a practical question, task
or action, from the stakeholder perspective (e.g., Executive, Program Manager
and/or Solution Architect), that is critical for an effective and efficient system
investment.

1.7 AUTHORITATIVE REFERENCING

- Over 25 years ago, the Federal Interagency Coordinating Committee on Digital Cartography (the forerunner to the Federal Geographic Data Committee) prepared guidance for evaluating and selecting a Geographic Information System:
 - This document has been prepared to assist Federal managers and technical specialists in evaluating, designing, and procuring geographic information systems (GIS's). Successful GIS implementation and application requires agency personnel to be cognizant of the capabilities and limitations of GIS technology and to carefully evaluate the needs of system users and applications. The variety of possible Federal GIS applications and users make it impractical and inappropriate to provide strict criteria for GIS implementation. However, this document provides general guidance for understanding the technology in a realistic perspective, evaluating the requirements of possible GIS users and applications, identifying applicable standards for information systems technology, selecting desirable software and hardware characteristics, and conducting benchmark tests to identify optimal hardware and software systems.¹⁰
 - The GIRA builds upon this basic premise and advances the foundational work of several subsequent geospatial and architectural guidance initiatives. The GIRA provides geospatial and architectural guidance and directs the reader to other key foundational materials that further geospatial system interoperability.

1.7.1GEOSPATIAL

• A Geospatial Interoperability Reference Model (GIRM), Version 1.1, December 2003. Federal Geographic Data Committee, Geospatial Applications, and Interoperability (GAI) Working Group. (http://www.fgdc.gov/standards/organization/GIRM)

¹⁰ A Process for Evaluating Geographic Information Systems. USGS Open File Report, 1988. 88-105, 1998, http://pubs.usgs.gov/of/1988/0105/report.pdf Purpose: "This document references standards and specifications needed for interoperability among distributed geospatial services accessible over the Internet." 11

- Geospatial Profile of the Federal Enterprise Architecture (FEA), Version 2.0, March 06, 2009. Architecture and Infrastructure Committee, Federal Chief Information Officers Council and Federal Geographic Data Committee. (http://www.fgdc.gov/geospatial-lob)
 - **Purpose:** "The Geospatial Profile is an educational resource for determining how and where geospatial approaches and associated geospatial resources fit into enterprise architectures." 12
- A Segment Architecture Analysis of the Geospatial Platform, Version 1.0, December 21, 2010. Federal Geographic Data Committee, in support of the Federal Chief Information Officers Council. (http://www.fgdc.gov/geospatial-lob/draft-segment-architecture-review/Segment-Architecture-Analysis-of-the/view)
 - **Purpose:** "The guidance offers strategies for establishing goals, target designs, implementation guidance, and utilization of shared resources and for re-useable, and standards based capabilities." ¹³
 - SDI Cookbook, Global Spatial Data Infrastructure, GSDIWiki, last modified June 5, 2014. As a part of its role in the Global Spatial Data Infrastructure (GSDI) Association, the FGDC was the principal developer of the first edition of the reference manual on "Developing Spatial Data Infrastructures: The SDI Cookbook in 2000." The second edition was subsequently published in 2004 and the current version is part of an active Wiki site: (http://www.gsdidocs.org/GSDIWiki/index.php/Main Page)
 - **Purpose:** "...this GSDI Cookbook identifies: existing and emerging standards, open-source and commercial standards-based software solutions, supportive organizational strategies, and policies, and best practices." ¹⁴
 - Homeland Security Geospatial Concept of Operations (GeoCONOPS), Version 6.0, June 2014. Department of Homeland Security (https://www.geoplatform.gov/geoconops-home)
 - **Purpose:** "The Homeland Security GeoCONOPS is intended to identify and align the geospatial resources that are required to support the National Response Framework, Emergency Support Functions, and supporting federal mission partners all in coordination with Presidential Policy Directive-8 direction." ¹⁵

¹¹ A Geospatial Interoperability Reference Model (GIRM), Version 1.1, December 2003.

 $^{^{12}}$ Geospatial Profile of the Federal Enterprise Architecture (FEA), Version 2.0, March 06, 2009.

¹³ A Segment Architecture Analysis of the Geospatial Platform, Version 1.0, December 21, 2010.

¹⁴ SDI Cookbook, Global Spatial Data Infrastructure, GSDIWiki, last modified June 5, 2014.

¹⁵ Department of Homeland Security, Geospatial Concept of Operations (GeoCONOPS), Version 5.0, June 5, 2013.

1.7.2ARCHITECTURE

• The Common Approach to Federal Enterprise Architecture, May 2, 2012.

"This [document's] common approach to Federal EA provides principles and standards for how business, information, and technology architectures should be developed across the Federal Government so they can be used consistently at various levels of scope within and between agencies, as well as with external stakeholders." ¹⁶

• Federal Information Technology Shared Services Strategy, May 2, 2012.

".... provides organizations [Federal Agencies] with policy guidance on the full range and lifecycle of intra- and inter-agency information technology (IT) shared services ... this strategy requires agencies to use a shared approach to IT service delivery."¹⁷

• Digital Government: Building a 21st Century Platform to Better Serve the American **People**, May 23, 2012.

"The [Digital Government] strategy¹⁸ ...focusing on the key priority area that requires government-wide action: *innovating with less to deliver better digital services*. It specifically draws upon the overall approach to increase return on IT investments, reduce waste and duplication, and improve the effectiveness of IT solutions defined in the Federal Shared Services Strategy."

• Federal Enterprise Architecture Framework, Version 2.0, January 29, 2013.

"The Federal Enterprise Architecture Framework v2¹⁹ describes a suite of tools to help government planners implement The Common Approach to Federal Enterprise Architecture." It contains the Collaborative Planning Methodology and is intended to be the next generation replacement for the Federal Segment Architecture Methodology (FSAM). It can be applied as a full planning and implementation lifecycle for use at all levels of scope defined in *The Common Approach to Federal Enterprise Architecture*.

• Federal Shared Services Implementation Guide, April 16, 2013.

¹⁶ Office of Management and Budget, *The Common Approach to Federal Enterprise Architecture*, May 12, 2012, available at http://www.whitehouse.gov/sites/default/files/omb/assets/egov_docs/common_approach_to_federal_ea.pdf

Office of Management and Budget, Federal Information Technology Shared Services Strategy, May 2, 2012, available at http://www.whitehouse.gov/sites/default/files/omb/assets/egov_docs/shared_services_strategy.pdf

Office of Management and Budget, Digital Government: Building a 21st Century Platform to Better Serve the American People, May 23, 2012, available at http://www.whitehouse.gov/sites/default/files/omb/egov/digital-government/digital-government-strategy.pdf

Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2, January 29, 2013, available at http://69.89.31.228/~mkerncom/wp-content/uploads/2013/02/Federal-Enterprise-Architecture-Framework-v2-as-of-Jan-29-2013.pdf

"The Federal Shared Services Guide²⁰ provides information and guidance on the provisioning and consumption of shared services in the U.S. Federal Government. The guide provides agencies with a high level process and key considerations for defining, establishing, and implementing interagency shared services to help achieve organizational goals, improve performance, increase return on investment, and promote innovation."

* ISE Information Interoperability Framework (I2F), May 2014.

The ISE I2F describes the components that enable information sharing and interoperability within a given reference implementation. The components of the ISE I2F framework allow for practitioners to organize information that defines the scope of what needs to be considered to achieve interoperability between ISE participants. Through the use of this information, ISE participants are able to identify touch points for sharing and safeguarding information in motion; while encouraging the use of interoperability within the scope of enterprise architecture concepts that are, and driven by, an organization's internal enterprise architecture framework.

1.8 STAKEHOLDER PERFORMANCE GUIDE

The Stakeholder Performance Guide serves as a quick and concise reference table (see Table 1-2) for the three stakeholders (e.g., Executives, Program Managers, and Solution Architects) and identifies the major steps or decision points that are required for each stakeholder to be successful. The Performance Guide is structured to allow each stakeholder to see their specific area of responsibility based upon an identified task/action requiring their input/decision. It provides a recommended approach to accomplishing the identified tasks expected benefits (e.g., cost, infrastructure, shared services, etc.). The Performance Guide table is one mechanism to verify and measure performance of the investment.

Table 1-2. Stakeholder Performance Guide Table Structure

	STAKEHOLDER PERFORMANCE GUIDE					
	CHAPTER 2 – GOVERNANCE					
Role	Responsibility	Approach	Benefit			
Executive Leadership	 Identify specific actions to be taken Identify the major tasks requiring go/no-go decisions 	 Define what step(s) the Exec needs to take/support to accomplish the specified action Identify dependency of tasks and necessary steps 	 Define the benefit in terms of quantifiable measures and expected outcomes (mission and resource impact) Define the negative impact if not accomplished in terms of mission and resource impact 			

Federal CIO Council, Federal Shared Services Implementation Guide, April 16, 2013, available at (https://cio.gov/wpcontent/uploads/downloads/2013/04/CIOC-Federal-Shared-Services-Implementation-Guide.pdf).

STAKEHOLDER PERFORMANCE GUIDE					
CHAPTER 2 – GOVERNANCE					
Role	Responsibility	Benefit			
Program Manager	 Identify specific actions to be taken Identify the major tasks requiring go/no-go decisions 	 Define what step(s) the PM needs to take/support to accomplish the specified action Identify how the PM supports the other two stakeholders (Executive and/or Solution Architect) in the approach 	Identify shared benefit/responsibility if cross agency (if applicable)		
Solution Architect	 Identify specific actions to be taken Identify the major tasks requiring go/no-go decisions 	 Define what step(s) the SA needs to take/support to accomplish the specified action Identify how the SA supports the other two stakeholders (Executive and/or Program Manager) in the approach 	Quantify cost avoidance, services shared, and/or technical integration/ consolidation		

2 GOVERNANCE

2.1 INTRODUCTION

- 3 Definition/Description (What) - Governance is a strategic decision-making process that grants
- 4 authority, assigns accountability, defines expectations, and verifies performance. It also
- 5 determines organizational objectives and monitors performance to ensure those objectives are
- attained.21 6

2

10

11

12

13

14

15

16

21

- 7 Purpose/Function (Why) - Provides a formal collaboration and consensus process for shared
- 8 responsibilities (e.g., Executive Leadership) that drives economies of scale by identifying, 9
 - prioritizing, and reusing investments to avoid duplicative costs. This chapter will describe how to:
 - Establish collaborative governance and management oversight body for investment planning.
 - Establish an Investment Technology Acquisition Review (ITAR) framework and checklist for portfolio management.
 - Describe how to align to the Capital Planning Investment Control (CPIC) acquisition process.
 - Provide information sharing agreement guidance for Service Level Agreements.
- 17 Stakeholder Performance Guide (Who & How) - For Executive Leadership and to a lesser degree
- 18 Program Managers responsible for policy compliance, resource planning and approval (e.g., fiscal
- 19 and human), and whom have "signature authority" to commit to program strategic direction and
- 20 resourcing.

2.2 GOVERNANCE PRINCIPLES

- 22 The ability to coordinate across mission areas and collaborate on geospatial investments is a
- 23 primary responsibility for the Executive Leadership to drive interoperability and cost efficiencies.
- 24 When a governance structure is executed effectively, it provides procedures for collaboration and
- 25 consensus-based strategic decision-making, defines accountability, sets obtainable goals and
- 26 requirements, shares resource investments, validates accomplishments, and provides measurable
- performance metrics. Effective governance structures will enable agencies to offer and reuse 27
- 28 capabilities and services for sharing across the environment, consistent with an interoperable
- 29 architecture approach.

²¹ Holistic Engineering Education, Systems Integration, Chapter 5, The MITRE Corporation, February 23, 2011.

- Without a consensus-based governance structure, achieving interoperability and the maximum value from enterprise geospatial shared service investments is impossible.
- While a "one-size-fits-all" governance model is not practical there are some common principles for successful governance:
 - Executive Leadership sponsorship, decision-making authority, commitment, and participation.
 - Defined roles and responsibilities with accountability by all members, usually through a Charter.
 - Defined goals and objectives with quantifiable performance measures to demonstrate success.
 - A systematic and repeatable approach for assessing investments and making decisions.
 - Subject matter expertise either resident or available through reach-back.
 - Inclusive discussions with consensus-based collaboration from all members.

2.3 GOVERNANCE STRUCTURES

There are numerous governance models that can be applied at varying levels of rigor depending upon an organization's complexity and/or the number and level of geospatial investments that require coordination. The following two examples can be modified or combined to meet the specific needs of the organization and its members. While there is no "one-way" to establish a governance structure; there is "no-way" to succeed without one.

Geospatial programs may exist in multiple forms, and may in some cases be distributed throughout an agency without definable governance. In such cases it will be difficult to provide useful indicators of program performance in any measurement area, especially for customer results.²²

2.3.1EXECUTIVE STEERING COMMITTEE

An Executive Steering Committee (ESC) structure should be established within and across an organization's enterprise based upon the needs of the organizations (e.g. Office, Branch, Department, etc.) to be included in the committee. There is policy guidance for cross governmental (e.g., Federal and non-Federal involvement including the public) interaction and

²² Geospatial Profile, Version 1.1, January 27, 2006. Architecture and Infrastructure Committee, Federal Chief Information Officers Council and Federal Geographic Data Committee. (no longer available)

- 1 coordination activities as defined by the Federal Advisory Committee Act (FACA). FACA became
- 2 law in 1972 and is the legal foundation defining how federal advisory committees operate. The
- 3 law has special emphasis on open meetings, chartering, public involvement, and reporting.²³ In
- 4 terms of Federal agency committees, both intra- and inter-agency coordination, committee
- 5 structures and operating procedures are based upon consensus-based collaboration, usually with
- 6 express language stating that the results or findings do not interfere with agency or governmental
- 7 policy or law.

25

- 8 Numerous definitions exist; however, most steering committees are chartered with senior
- 9 management leadership, are business-oriented and influence/direct resource investment.
- 10 Merriam-Webster defines a managing or directing committee (e.g., Steering
- 11 Committee) as "a committee that determines the order in which business will be
- taken up in a United States legislative body."24
- 13 BusinessDirectory.com defines an advisory committee: "... usually made up of
- high level stakeholders and/or experts who provide guidance on key issues such
- as company policy and objectives, budgetary control, marketing strategy,
- 16 resource allocation, and decisions involving large expenditures."25
- 17 Some organizations may have prescriptive requirements for the establishment of ESCs through
- 18 their Office of General Council or related policy or legislative affairs offices depending upon the
- 19 proposed membership of the committee (e.g., internal or external). Once policy guidance is
- 20 determined, the structuring of the ESC can occur. As the name implies, an ESC is sponsored and
- 21 lead by a decision-making level body of representatives, (see Section 1.5 Stakeholder Audience,
- 22 for the definition of Executive Leadership). The sponsoring body, office or board often chairs/co-
- 23 chairs the committee; however, member roles and responsibilities are defined by a Charter (see
- 24 Appendix A) as part of the collaborative and consensus-based approach.

2.3.2INTEGRATED PRODUCT/PROJECT TEAM

- 26 In 1995, the Secretary of Defense directed that the Department adopt Integrated Product/Project
- 27 Teams (IPTs) as the preferred approach for development, review, and oversight of the acquisition
- 28 process.²⁶ An IPT process, while generally designed for an engineering approach to a system or
- 29 "product," it can also be applied to the governance of developing an interoperable geospatial
- 30 investment either as a standalone approach or as part of the Executive Steering Committee

²³ http://www.gsa.gov/portal/content/100916

²⁴ http://www.merriam-webster.com/dictionary/steering%20committee

²⁵ http://www.businessdictionary.com/definition/steering-committee.html

²⁶ Rules of the Road: A Guide for Leading Successful Integrated Product Teams, Revision 1, October 1999. Department of Defense.

structure described above. Generally, the "P" in IPT stands for *product*; however, it is also appropriate for *project* as defined below:

The Defense University, defines an Integrated Product Team as "a multidisciplinary group of people who are collectively responsible for delivering a defined product or process."²⁷

The IT Law Wiki defines an Integrated Project Team as "composed of representatives from all appropriate functional disciplines working together with a Team Leader to build successful and balanced program, identify and resolve issues, and make sound and timely recommendations to facilitate decision-making."²⁸

IPTs are used in complex development programs/projects for review and decision making. The emphasis of the IPT is on involvement of all stakeholders in a collaborative forum. IPTs are created most often as part of structured systems engineering methodologies, focusing attention on understanding the needs and desires of each stakeholder. The IPT approach simultaneously takes advantage of all members' expertise and produces an acceptable product the first time.

Several more detailed resources are available for users to assess IPT processes and procedures to determine if the structure can be adopted/adapted for use in their geospatial governance. These documents have detailed operating principles and practices and provide example artifacts for the use to apply to meet their needs.

- Rules of the Road: A Guide For Leading Successful Integrated Product Teams, Revision 1, October 1999, Department of Defense²⁹
- Integrated Project Team (IPT) Start-up Guide, February 2009, MITRE³⁰

The following summarizes many of the practices and procedures of the authoritative sources listed above. IPTs, in general, will require operating principles and practices to include:

Chartering and Authorizing – requires the overall sponsorship and membership of the
governing body within the existing policy and protocol structure of the organization. This
may be prescribed by law, statute or other established agency specific policy and
guidance. If no authorizing structure exists, the Charter sponsorship and membership
agreement must be defined in the Charter which also defines the roles, responsibilities
and decision-making process.

²⁷ https://acc.dau.mil/CommunityBrowser.aspx?id=24675

²⁸ http://itlaw.wikia.com/wiki/Integrated Project Team#cite note-0

²⁹ http://www.navair.navy.mil/nawctsd/Resources/Library/Acqguide/IPT%20Rules%20of%20the%20Road.htm

³⁰ http://www.mitre.org/publications/technical-papers/integrated-project-team-ipt-startup-guide

Goal Alignment – to ensure an agreed upon, mutually beneficial set of objectives that are
 quantifiable to all members.

- 3. Open Discussions with No Secrets is the basis for mutual trust and collaboration. It is also a mechanism to ensure both leadership and individual members do not unduly influence the overall direction of the team.
- Empowered, Qualified Team Members ensures the best resources are applied to address the issue. This can also require 'reach-back' to subject matter experts for a limited duration to address a specific issue.
 - 5. Dedicated/Committed Proactive Participation ensures a collaborative and informed working environment without revisiting issues and unnecessary delays. The level of participation must be understood and agreed to by the member in advance to set expectations.
- 6. Issues Raised and Resolved Early pending the structure of the IPT, issues should be resolved with an inclusive approach. If issues cannot be resolved, there needs to be an escalation and resolution process to Executive Leadership for closure and advancement.
- IPTs can be very involved requiring defined requirements, process, documentation, measures, and accountability. The need for a disciplined approach includes core tenants:
 - 1. Understanding the requirements an opportunity is identified that requires IPT resolution or assistance. This could be as broad as developing an interoperable enterprise geospatial capability or as limited as determining which organization within an enterprise will be the steward for an enterprise geospatial capability.
 - 2. Outlining the approach framing the goal and objectives with roles and responsibilities (and memorialized through a Charter) with clear outcome expectations is defined.
 - 3. Planning the effort working as an IPT, team members develop a Plan Of Action & Milestones (POA&M) to fully develop detailed tasking and levels of efforts estimates to allow the appropriate allocation of resources.
 - 4. Allocating resources key stakeholders are identified and the team members are launched by senior leadership to resolve the opportunity at hand. Leveraging financial resources will be determined by the Executive Leadership.
 - 5. Executing and tracking the plan project management skills are essential along with the subject matter expertise to execute the defined tasks. Reporting based upon the POA&M schedule (scope, schedule, and budget) and the ability to address issues that will arise during the project period. Most issues should be discussed and resolved within the IPT environment. When issues cannot be resolved, problems are escalated to Executive Leadership intervention.

- 6. Delivery as issues are resolved and the POA&M executed, the IPT completes and delivers its Chartered outcome requirements.
 - 7. Reevaluation upon delivery and review with Executive Leadership, the IPT provides necessary feedback to IPT membership and evaluates the need for continuation of the IPT.
 - 8. Finite Duration if requirements are fulfilled the IPT is disbanded.
- 7 The governance of geospatial investments should be crafted based upon the complexity of the
- 8 organization(s) involved, number and level of investments, and the agreed upon value to the
- 9 mission/business.

1

2

3

4

5

6

10 11

12

13

14

15

16

17

18

19 20

21

22

23

24

25

26

27

28

29

30

31

2.4 INVESTMENT GOVERNANCE

- Governance of geospatial investments can be viewed as operating at three different levels of an organization: Program, Portfolio and Enterprise. An integrated, multi-tiered governance framework unites disparate processes to eliminate redundant and low-value investments.³¹
 - Program program-level success is defined by meeting the goal of delivering a system that meets specified, contracted-for performance, price, and schedule parameters. Program-level decisions, directions, and actions align with that view of success and influence the expectations of systems engineering provided at that level.
 - Portfolio the focus shifts to making trades among a collection of programs to achieve capability-level outcomes. The tradeoffs balance various criteria, including the importance of capabilities to be delivered and expected delivery schedule within constraints, such as availability of funding and dates operational capabilities are needed. Portfolio-level decisions can result in programs being added and accelerated, cut back and decelerated, deferred, or cancelled.
 - Enterprise result in change of environment or rules in which programs and portfolios operate including their roles and responsibilities to achieve enterprise-wide outcomes, such as joint interoperability or net-centricity. Often, this is achieved through departmental or agency-wide policies and regulations.³²
- As organizations mature from Program to Portfolio to Enterprise levels, greater technical documentation should be developed and maintained to allow each pending new investment to be assessed, aligned, and adopted. The increase in the number of investments makes the complexity

³¹ Ensuring IT Investments Deliver Their Promised Value, The Importance of Enterprise Governance, January, 2011, Office of the Chief Information Officer, DHS.

³² Department of Homeland Security, *Systems Engineering and Acquisition, Best Practices: A Portal Companion*, Version 1.0, September 2012. Developed by the Home Security Systems Engineering and Development Institute.

- 1 and challenge greater but also more important. At the individual Program level, the acquisition 2 process may only use the existing Procurement Office procedures required of all investments 3 within an organization. At the Portfolio level, a baseline assessment (e.g., As-Is environment) is 4 essential to allow Senior Leadership the ability to make strategic investment, Program Managers 5 to coordinate and allocate human resource coordination across individual programs, and Solution 6 Architects the ability to design and develop interoperable components at the application and 7 system level. The baseline assessment or As-Is (e.g., GeoBaseline) documentation (see Section 3.4 8 and Appendices B, C and D) provides the foundation to perform these tasks and the basis upon 9 which to achieve enterprise-wide outcomes.
- A mature enterprise may strive to establish and sustain a Technical Reference Model (TRM) or Target Architecture of the desired technical framework to which investments should align. The TRM is a component-driven, technical framework categorizing the standards and technologies to support and enable the delivery of services and capabilities. It provides a foundation to advance the reuse and standardization of technology and Service Components from a government-wide perspective.³³
- Aligning agency capital investments to the TRM leverages a common, standardized vocabulary, allowing intra/interagency discovery, collaboration, and interoperability. Agencies and the federal government will benefit from economies of scale by identifying and reusing the best solutions and technologies to support their business functions, mission, and target architecture. Organized in a hierarchy, the TRM categorizes the standards and technologies that collectively support the secure delivery, exchange, and construction of business and application services and capabilities that may be leveraged in a component-based or service-oriented architecture.
 - The TRM or Target Architecture would list the types of technology an organization would use and may include categories of use to include:³⁴

23

24

25

26

27 28

29

30

31

- Permitted products and standards that currently reside in the TRM and approved for use.
- Go-To (Target) products and standards that the *Department/Agency* is migrating towards and considered enterprise-wide solution, and have a compliance date for usage.
- Divest products and standards which are obsolete and the *Department/Agency* must actively plan for disposal and should not invest further, with a specified divestment date.

³³ Office of Management and Budget, FEA Consolidated Reference Model Document, Version 2.3, October 2007.

³⁴ Department of Homeland Security, *Information Technology Acquisition Review (ITAR) Quick Essentials Guide*, Version 3.0, January 23, 2013.

• Restricted – products and standards that can only be used by the organization obtaining approval.

3

4

5

6

7

8 9

10

11

12

13 14

15

16

17

18

19

20

21

22

23

- Emerging products and standards that will be utilized in a very limited capacity during the prototypes or pilot phase of a program development with future decision pending approval.
- Prohibited products and standards that are not aligned to the *Department/Agency* TRM and may not be procured.

Once a TRM or Target is established, a pending geospatial investment can then be compared against both the As-Is GeoBaseline and TRM and reviewed by the governance body to ensure existing capabilities are reused and new capabilities can be shared across the enterprise.

2.4.1INFORMATION TECHNOLOGY ACQUISITION REVIEW PROCESS

A primary benefit of governance is the efficient and agreed upon use of geospatial resource investments. As part of the governance structure, an investment review process should be established to ensure the optimal reuse of existing capabilities and the effective development of new shared capabilities across the enterprise. While the geospatial governance body does not [necessarily] have "veto" authority, as each organization will have its own procurement approval procedures and signatory authorities (e.g., CIO or CFO), it does provide the ability to align investments and reduce duplication for maximum interoperability.

The governance body should establish portfolio management guidance to pending investments and help prepare for the Information Technology Acquisition Review (ITAR). Table 2.1 provides portfolio management guidance principles to ensure:³⁵

Table 2-1. Portfolio Management Guidance Principles

PORTFOLIO MANAGEMENT GUIDANCE PRINCIPLES

- The program requirements are completely clear in meaning or intention, correct, and complete.
- Acquisition requirements align with established portfolio targets and transition plans.
- New acquisitions support a capability gap existing within a portfolio.
- If the acquisition provides services to other investments within the Department/Agency, the
 performance requirements are defined (e.g., Service Level Agreement (SLA) or Memorandum).
- Any other capability/service in the *Department/Agency* portfolio (existing or planned), as identified in the GeoBaseline or TRM, is identified. Acquisition requirements should not overlap and the investments should determine the most effective solution for the Program and Enterprise.
- Opportunities to consolidate all or part of the acquisition with other existing/planned acquisitions

Department of Homeland Security, Information Technology Acquisition Review (ITAR) Quick Essentials Guide, Version 3.0, January 23, 2013

PORTFOLIO MANAGEMENT GUIDANCE PRINCIPLES

within the Portfolio have been examined and resolved.

- If necessary, contractual or policy language must be developed to mandate portfolio alignment.
- The governance body should define the required documentation for an investment review. A pending investment review submission package should include: ³⁶
 - A Standard Acquisition Check list (see Table 2-2).
 - Acquisition Documentation (i.e., Statement of Work (SOW), Statement of Objectives (SOO), Performance Work Statement (PWS), Request for Proposal (RFP), or other supporting documents).
 - Independent Government Cost Estimate (IGCE) or Bill of Materials (BOM).
 - Signed memorandum or other indication of Senior Leadership approval.
- 9 A Standard Acquisition Checklist for effective portfolio management should consist of the following:

Table 2-2. Standard Acquisition Checklist³⁷

ITAR NAME		ITAR ID #	
Questions Responses		Guidance/Instructions/Comments	
Organization Name/POC		Required – Department/Agency office and point-of-contact	
Date Submitted		Required – M/D/YYYY	
Title		Required – brief title; usually one sentence	
Summary		Required – brief summary; usually one clear paragraph	
Description (expansion of summary)		Required – expansion of summary, providing a contextual framework of the acquisition, including background	
Benefits		Required – explanation of why this procurement is necessary, how Department/Agency benefits, and explanation of potential risks if acquisition is not complete	
Alignment to Geospatial Baseline and/or TRM		Required – explanation of how this procurement is aligned to the GeoBaseline and/or TRM and any new technology needs	
Is this a follow-on review?		Required – a "follow-on" review for a continuation of existing procurement with additional capabilities	
Previous review ID #		If applicable, provide most recent review number	
Have all previous review conditions been resolved?		Ensures that any prior deficiencies on the proposed acquisition have been addressed	
Organization approval		Required – ensures senior leadership understanding and commitment	
Approval date		Required – M/D/YYYY	

⁶ Ihid

_

3

4 5

6

7

8

³⁷ Department of Homeland Security, Information Technology Acquisition Review (ITAR) Quick Essentials Guide, Version 3.0, January 23, 2013.

2.4.2CAPITAL PLANNING INVESTMENT CONTROL PROCESS

3 The Office of Management and Budget (OMB) provides specific policy, procedural, and analytical 4 guidelines for planning, budgeting, acquisition, and management of major IT capital investments. 5 OMB reviews and evaluates each agency's IT spending, using the guidance on Exhibits 53 and 300, 6 to effectively manage its portfolio of capital assets to ensure scarce public resources are wisely 7 invested.³⁸ Agencies are required to use a disciplined Capital Planning Investment Control (CPIC) 8 process to acquire, use, maintain, and dispose of IT in alignment with the agency's Enterprise 9 Architecture (EA) planning processes. Exhibit 300 describes the justification, planning, and 10 implementation of an individual capital asset included in the agency IT investment portfolio (as 11 reported in Exhibit 53) and serves as a key artifact of the agency's EA and IT CPIC processes.

- 12 Geospatial system investments are often considered a sub-system or supporting technology and
- may not be clearly identified or listed as the primary technology function of the desired system,
- making it more difficult to identify many (smaller) geospatial investments across an enterprise.
- 15 The Program Manager should ensure the geospatial capability of a larger system is identified as a
- 16 sub-system to allow for identification within the CPIC process.
- 17 Capital programming integrates the planning, acquisition, and management of capital assets into
- 18 the budget decision-making process. It is intended to assist agencies in improving asset
- 19 management and in complying with the federal IT policy.
- 20 The practices, templates and other tools within the GIRA can be directly applied to supporting the
 - development and investment justifications necessary for the OMB CPIC submission process,
- 22 including:

21

23

24

25

26

27

28

29

30

31

32

33

1

- **Chapter 2, Governance** provides the management oversight requirements and coordination mechanisms necessary for investment comparison and sharing.
- Chapter 3, Business Reference Model provides the Geospatial Baseline Assessment Matrix to inventory investments in the areas of data, architecture, technology, applications and services.
- Chapter 6, Infrastructure Reference Model provides the target architecture and artifacts that can be used in the required Three Alternatives Analysis for the solution investment.
- Chapter 9, Performance Reference Model provides many of the possible measurable tasks and milestones needed as metrics for investment and stakeholder satisfaction.

³⁸ Office of Management and Budget, *Guidance on Exhibits 53 and 300 – Information Technology and E-Government*, available at http://www.whitehouse.gov/sites/default/files/omb/assets/egov_docs/fy14 guidance on exhibits 53 and 300.pdf

- 1 In the capital planning and investment control process, there are two separate and distinct plans
- 2 that address IRM and IT planning requirements for the agency. The IRM Strategic Plan (44 U.S.C.
- 3 3506 (b)(2)) addresses all information resources management of the agency and ensures IRM
- 4 decisions are integrated with organizational planning, budget, procurement, financial
- 5 management and program decisions.³⁹
- 6 The IT Capital Plan is operational in nature; supports the goals and missions identified in the IRM
- 7 Strategic Plan, and is a living document that must be updated twice yearly. This IT Capital Plan is
- 8 the implementation plan for the budget year. The IT Capital Plan must be submitted yearly to
- 9 OMB with the agency budget submission annually. An example of the required CPIC guidance and
- 10 how the GIRA tools can be applied to meet this guidance include: 40
 - Ensure decisions to improve existing information systems or develop new information systems are initiated only when no alternative private sector or governmental source can efficiently meet the need.
 - GIRA Chapter 2, Governance: Executive Steering Committee (Section 2.3.1) decision making for existing/new systems, applications and shared investment.
 - Prepare and maintain a portfolio of major information systems that monitors investments and prevents redundancy of existing or shared IT capabilities. The portfolio will provide information demonstrating the impact of alternative IT investment strategies and funding levels, identify opportunities for sharing resources, and consider the agency's inventory of information resources.
 - GIRA Chapter 3, Business Reference Model: Geospatial Baseline Assessment Matrix (Section 3.4) provides an inventory of system investments.
 - Ensure improvements to existing information systems and the development of planned information systems do not unnecessarily duplicate IT capabilities within the same agency, from other agencies, or from the private sector.
 - GIRA Chapter 6, Infrastructure Reference Model: Geospatial Baseline Assessment Matrix: Infrastructure and Technology (Section 6.3) provides the target To-Be environment and artifacts for system investment comparison and compatibility.
 - Establish oversight mechanisms to evaluate systematically and ensure the continuing security, interoperability, and availability of systems and their data.
 - GIRA Chapter 2, Governance: Executive Steering Committee (Section 2.3.1) decision making for existing/new systems, applications, and shared investment.

11

12

13

14 15

16 17

18

19

20

21

22

23

24

25

26

27

28

29

30 31

³⁹ OMB Memorandum M-13-13, *Open Data Policy – Managing Information as an Asset* (May 9, 2013), available at http://www.whitehouse.gov/sites/default/files/omb/memoranda/2013/m-13-13.pdf

^{40 &}lt;a href="http://www.whitehouse.gov/omb/fedreg">http://www.whitehouse.gov/omb/fedreg a130notice

2.4.3PROCUREMENT POLICY LANGUAGE

- 2 At the highest maturity level, an enterprise would have policy in place within the procurement
- 3 process that requires an Investment Review Board to ensure the proposed procurement aligns
- 4 with the enterprise TRM or Target Architecture.

1

6

7

8

10

11

12

13

14

15

16 17

18 19

20

21

22

23

5 An example of geospatial procurement policy language could include:

DEPARTMENT/AGENCY GEOSPATIAL INFORMATION SYSTEM TERMS AND CONDITIONS

All geospatial implementation including data, information, systems, and services shall comply with the policies and requirements set forth by the Department/Agency Geospatial Governance Board, including but not limited to the following:

- All data created, adopted or acquired, shall be submitted to the government for review and insertion into the Department/Agency Technical Reference Model.
- All software created, adopted or acquired, shall be submitted to the government for review and insertion into the Department/Agency Technical Reference Model.

2.5 INTERAGENCY AGREEMENTS AND SERVICE LEVEL AGREEMENTS: INFORMATION SHARING AGREEMENTS

Information Sharing Agreement (ISA) governance is an essential, yet often overlooked element in the access to and sharing of geospatial data, applications, and services. When an organization has made a decision to share information and services, the provider/consumer need to negotiate, agree, and formally document the services to be provided. If funding will be transferred from one agency to another, then the agreement also needs to contain an authority to transfer funds, the amount being transferred, and a clause describing collection of costs upon cancellation. This information is provided in one of several types of agreements, as shown in Table 2-3: (a) Memorandum of Understanding (MOU); (b) Memorandum of Agreement (MOA); and (c) Interagency Agreement (IAA). Some agencies draw distinctions between different agreement types, while others focus only on the content in the agreement. The Federal Chief Information Officers Council's Federal Shared Services Implementation Guide⁴¹, provides clear and comprehensive description and understanding of the types of agreements that could be used as well as funding and pricing model approaches, to establish ISAs across organizations and should be reviewed when moving toward a shared-services environment.

https://cio.gov/wp-content/uploads/downloads/2013/04/CIOC-Federal-Shared-Services-Implementation-Guide.pdf

⁴¹ Federal Shared Services Implementation Guide, April 16, 2013. Federal Chief Information Officers Council, available at

Table 2-3. Types of Agreements

ACTION	MOU	MOA	IAA
Establish a Non-financial Relationship	Х	Χ	Х
Order a Service			Х
Terms and Conditions			Х
Requirements and Funding Information			Х

- Information Sharing Agreements can include both internal as well as external (government)
 partners. This write-up does not address ISAs with foreign governments (see Department of
 State's Information Sharing Environment Guidance (ISE-G) Checklist of Issues For Negotiating
 Terrorism Information Sharing Agreements and Arrangements), nor does it directly apply to
 private sector license agreements although many of the template sections or checklist items could
 be useful in assessing an offered license agreement from a commercial provider.
- 8 The Department of Homeland Security defines an Information Sharing and Access Agreement as:

An agreement that defines the terms and conditions of information/data exchanges between two or more parties. The term encompasses agreements of any form, including Memoranda of Understanding, Memoranda of Agreement, Letters of Intent, etc.⁴²

Information sharing agreements can be complex and time consuming and if not executed properly can introduce cost, redundancies, dependencies, and potential risk into an enterprise. ISAs are not merely a point-to-point discussion between a data owner/steward (e.g., provider) and a data consumer (e.g., requestor). While an agency or a direct point-of-contact within an agency may be the original data developer or custodian, the provisioning of data will require authorities and approvals in the areas of system/network administration, security, policy, privacy, general counsel, and others for the terms and condition of use and reuse or extended sharing to a third party. Third party reuse, in which Agency A (the provider) shares data with Agency B (User 1), who then shares the original data with Agency C (User 2), requires permissions/restrictions to be established in the original ISA between Agency 1 and Agency 2 and by extension to any third party requestor.

To determine what data or services require an ISA, the Geospatial Executive Steering Committee (Section 2.3.1) should determine all existing ISAs that are in effect (or pending) across the enterprise to ensure a complete understanding of available data sharing resource investments and activities, especially if commercial data provider license or Enterprise License Agreements (ELAs) are required. The Steering Committee as part of its geospatial investment baseline

⁴² Department of Homeland Security, *Information Sharing and Access Agreements Guidebook and Templates*, revision version 2.1, October 2010.

- 1 assessment (Section 3.3.1 and Appendix C) will be able to determine what data assets are
- 2 available and which new assets are required. If new data assets are required by multiple
- 3 components or business units across an organization, the ISA will need to reflect enterprise-wide
- 4 access and use as well as considerations for Third Party access if applicable.
- 5 The following section is extracted and modified from the Department of Homeland Security (DHS)
- 6 Information Sharing and Access Agreements Guidebook and Templates, revision version 2.1,
- 7 October 2010.⁴³ The DHS documentation is far more detailed and complete than this abbreviated
- 8 and highlighted summation.
- 9 Prior to the development of a new ISA, an Information Sharing Checklist ⁴⁴ (see Appendix A.2) can
- 10 be used to determine whether to accept or reject the request for data. The Checklist, while it is
- 11 used for both internal and external requests, has primary benefit for internal requests
- 12 within/across a Department/Agency. The Checklist assists both parties (e.g., Requestor and
- 13 Provider) in determining the breadth of the requirements and provides the initial framework of
- understanding necessary to structure either an internal or external sharing agreement or both.
- 15 Once the initial Checklist has been reviewed, and approved, a Data Access Process Questionnaire
- 16 (see Appendix A.3) is used to provide the detailed information necessary to establish an ISA. The
- 17 Requesting Department/Agency completes the Questionnaire with information pertaining to:
- 18 1. Points of Contact
- 19 2. Data Request
- 3. Purpose
- 4. Authorities Requesting Department/Agency
- Privacy and Civil Liberties Protections
- Information Security Controls
- 24 7. Adjudication
- 25 8. Signatories

26 The Questionnaire provides the Requestor and Provider a process by which to fully vet the

information sharing requirements and challenges. It should be used as a basis for a more in-depth

28 discussion to ensure all aspects of the data and its use/protection are considered prior to an

29 exchange. During the in-depth review, additional requirements can also be discussed, such as;

30 value-added or derived data usage; data accuracy and correction returned to the Provider;

31 updates if the data are not dynamic; metadata and data tagging requirements; disposition; etc.

⁴³ Department of Homeland Security, Information Sharing and Access Agreements Guidebook and Templates, revision version 2.1, October 2010.

⁴⁴ Ibid.

- 1 Once the requirements have been fully vetted, the ISA can be established (see Appendix A.4). A
- 2 basic ISA may include the following sections:
 - Contact information for parties entering into agreement. This includes both the Requestor(s) and Provider(s) information.
- 5 2. Statements on the purpose/need for the ISA.
 - 3. Complete citations (including pinpoint cites to particular subsections in the authority) to applicable authorities including laws, regulations, directives, international obligations, and/or policies (including a parenthetical explaining why the authority is relevant to the particular ISA), as well as information regarding compliance with Civil Rights and Civil Liberties (CRCL), privacy, security, and other compliance guidelines.
- 11 4. Description of information/data being requested.
- 5. Statement on how the data will be collected, used, shared, protected, retained, disseminated, and destroyed.
- 14 6. Description of how the ISA will be monitored and reviewed.
- 7. Terms and conditions for ISA enforcement.

2.6 STAKEHOLDER PERFORMANCE GUIDE: GOVERNANCE

- 18 At its most basic level, governance comprises a set of formal and informal rules and practices.
- 19 These rules and practices determine how decisions are made around investments, how decision
- 20 execution is monitored and the results of these decisions are measured, how empowerment for
- 21 decision making is exercised, and how those who make the decisions are held accountable. 45
- 22 Stakeholder governance serves to formally recognize/legitimize the collaborative administration
- 23 of a shared investment and frames the roles, responsibilities and accountability with
- 24 corresponding performance measures. Some of those performance measures are highlighted
- 25 below for each of the three stakeholder communities; Executive Leadership, Program Manager,
- 26 and Solution Architect.

27

3

4

6 7

8

9

10

16

17

⁴⁵ IT Governance Institute.

Table 2-4. Stakeholder Performance Guide: Governance

	STAK	EHOLDER PERFORMANCE GUIDE	
		CHAPTER 2 – GOVERNANCE	
Role	Responsibility	Approach	Benefit
Executive Leadership	 Establish and/or Co-Chair the Chartered governance (ESC/IPT) body. Signatory to establish Investment Technology Acquisition Review (ITAR) framework. Signatory to ISAs for access or dissemination of data and/or services. 	 Work with other Executives to frame Charter goals/objectives and commitment to level-of-effort support/involvement. Establish review board with CIO/CFO representation and consider policy to ensure participation and commitment. Establish or follow General Council process and review and maintain repository of Agreements. 	 Signatory with defined responsibility and stated measurable results (e.g., ELAs with % cost reduction, shared services with defined Steward, etc.). Promotes interoperability, reduces redundant investments, and allows for cost share. Reduce cost for data acquisition and/or document need for establishing an Enterprise License Agreement.
Program Manager	 Coordinate across other internal Department/Agency investment PMs for recommendations to Execs for strategic and tactical objectives. Staff and perform Working Group tasks as defined within the ESC/IPT Charter. Develop performance measures and target end-state (To-Be) environment. Ensure geospatial (sub-system at a minimum) is identified within the CPIC submission process. 	 PMs identify and prioritize capability gaps and planned investments to determine To-Be end-state vs. As-Is environment and prepared business plan and value proposition for Execs approval. Recommend Working Group priority, short-term/high-value tasks, and early delivery results to demonstrate benefits. Within Charter define Working Group roles/responsibilities and prepare a work plan with Plan of Action & Milestones (POA&M). Within the annual CPIC submission (e.g., 53/300) process, ensure geospatial capability is identified so that search and identification across system investments can be performed. 	 Early adoption/visibility to strengthen long-term commitment from Executive Leadership. Working Group member awareness of multiple investments across enterprise promotes coordination resulting in leveraged investments. Results oriented for measurable and quantifiable results demonstrating value of collaboration. Facilitates the search and identification of geospatial investments (especially for smaller systems) across the entire enterprise to foster participation within the Executive Steering Committee and technical solution teams.
Solution Architect	 SME and reach back for Working Group participation. Validate technical requirements for work plan. 	 Develop baseline assessment and perform capability gap analysis for As-Is and To-Be environments. Develop technical approach for work plan tasks and POA&M. 	 Technical vetting and validation across investments for desired To-Be end-state environment. Ensure broadest possible technical review, adoption and acceptance.

3 BUSINESS REFERENCE MODEL

3.1 INTRODUCTION

- 3 Definition/Description (What) the Business Reference Model (BRM) provides planning and
- 4 evaluation practices to document existing geospatial capabilities and identify requirements for
- 5 new system investment alignment.
- 6 Purpose/Function (Why) enables individual business investments, through collaborative
- 7 governance and planning structure, to document and compare capabilities and requirements in
- 8 the areas of infrastructure, data, applications, and services as a means to share investments and
- 9 avoid redundant cost. It uses the established governance structure (see Section 2.3) to base-line,
- align, transition, and mature their geospatial invest across the enterprise. The chapter describes
- 11 how to:

12

13

14

15

16

17

18 19

20

21

22

2324

25

26 27

28

29

30

2

- Define mission/business needs in terms of geospatial functional/operational requirements.
 - Establish a process for geospatial system investment base lining and comparison by analyzing capabilities and functionality, and identifying opportunities for reuse.

Stakeholder Performance Guide (Who & How)

- Executive Leadership and Program Managers responsible for policy setting and compliance, strategic program direction, resource planning and approval (e.g., fiscal and human)
- Solution Architects for validating feasibility of technical approach and establishing target performance metrics

3.2 BUSINESS REFERENCE MODEL(S): APPROACH

The GIRA BRM will focus upon a practical approach to framing the business and functional capabilities and requirements of the geospatial enterprise, based upon the Governance Structure in Section 2.3. The geospatial BRM will leverage *The Common Approach to Federal Enterprise Architecture*⁴⁶ and its architecture project planning method, the *Collaborative Planning Methodology*⁴⁷ (Section 3.2.2), by highlighting its process for identifying and documenting geospatial investments and requirements across the enterprise. This approach is a prerequisite to allow for system interoperability. Without this understanding and governance structure to

⁴⁶ Office of Management and Budget, *The Common Approach to Federal Enterprise Architecture*, May 2, 2012.

⁴⁷ The Collaborative Planning Methodology, June 2012, Office of Management and Budget.

- 1 facilitate its collection, compilation, and assessment, an enterprise cannot effectively or efficiently
- 2 leverage or reuse investments.

3.2.1GEOSPATIAL PROFILES

The *Geospatial Profile of the Federal Enterprise Architecture (FEA)*, Version 2.0⁴⁸ (e.g., GeoProfile 2.0) is a resource for determining how and where geospatial capabilities fit into enterprise architectures. The GeoProfile 2.0 provides a methodology for geo-enabling business processes in which a series of steps can be used as a means to identify business areas that could benefit from geospatial capabilities and procure the resources to enable the change. To geo-enable a business process, architects and executives focus on identifying location-based methods for mission

functions and analyzing the most cost-effective combination of possible approaches.

Geospatial Profile of the *Federal Enterprise Architecture (FEA)*, Version 2.0⁴⁹ defines a geo-enabled organization, as "one that deploys the staff and technological infrastructure necessary to provide enterprise geospatial data, services, and technological support to business processes across an organization, while also promoting economies of scale and reuse. This includes supporting agency-wide access to geospatial data and services for multiple business processes and deploying mechanisms for external partners to access the agency geospatial assets."

Successful geo-enabled organizations have a governance structure in which senior management are engaged in integrating geospatial approaches and practices into the business architecture. A structured and active governance practice at a strategic level enhances optimization of investments by aligning them with mission objectives and business strategy.

3.3 OPERATIONAL REQUIREMENTS DOCUMENTATION

At its core, an architecture framework begins with the understanding that technology investments and development should be planned – and that the mission or business owner, not the technology providers, should determine what is needed (e.g., requirements). The *Collaborative Planning Methodology*, (Step 1: Identify and Validate) and the Enterprise Roadmap (II. Summary of Current Architecture) documents existing and planned capabilities and requirements.

-

⁴⁸ Geospatial Profile of the Federal Enterprise Architecture (FEA), Version 2.0, March 06, 2009. Available at https://www.fgdc.gov/initiatives/resources/geospatial-profile-of-the-FEA-v2-march-2009.pdf/view

⁴⁹ Ibid.

- 1 An Operational Requirements Document (ORD) is a method in which to document technology,
- 2 data and services capabilities, and requirements that provide the input for how investments are
- 3 leveraged/aligned, purchased or built, and the performance indicators are defined. The
- 4 capabilities and requirements, as defined by the mission and user community, are documented
- 5 and prioritized and form the basis of the As-Is baseline and To-Be desired environment. To assist
- 6 in the identification of new or existing business processes within an organization, which requires
- 7 or could benefit from geo-enabling, the *Geospatial Profile v2.0*⁵⁰ provides a 3-stage process to
- 8 help identify, assess, and select an investment as well as includes an Appendix (Approaches for
- 9 Geo-Enabling Lines of Business) that would assist Use Case development to identify geospatial
- 10 aspects of business/mission activities.
- 11 The ORD is a dynamic document, and as new requirements are identified, they are maintained
- 12 and contribute to future capability development within the CPM lifecycle. An ORD should
- 13 consider the following:
 - 1. Who should perform the User Requirements Analysis (URA)?
- 15 2. Identification and definition of User Levels of capability/need
- a. View

29

- b. Analysis
- 18 c. Advanced Analysis
- 19 3. Definition of required (mission driven) products or services
- 4. Evaluation of work flow and data inputs/outputs
- 21 5. Investment Identification and Comparison
- 6. Baseline Assessment and Comparison Matrix for technology, data, applications, and services
- 24 The Segment Architecture Analysis of the Geospatial Platform⁵¹ provides Geospatial Use Cases to
- 25 help facilitate the identification of geospatial business functions and requirements in a step-wise
- 26 manner. Each use case describes a series of actions taking place, the actors involved, the data
- 27 being exchanged, and the systems, applications, technology and standards being leveraged with
- an As-Is and Target Analysis including Gaps. Use cases include:
 - Acquire or Create Geospatial Information.
 - Store and Manage Geospatial Assets.
- Use Geospatial Information to Support Business Driven Applications.

⁵⁰ Geospatial Profile of the Federal Enterprise Architecture (FEA), Version 2.0, March 06, 2009.

⁵¹ Segment Architecture Analysis of the Geospatial Platform, Version 1.0, December 21, 2010. Federal Geographic Data Committee, in support of the Federal Chief Information Officers Council. Available at http://www.fgdc.gov/geospatial-lob/draft-segment-architecture-Analysis-of-the

- Process Geospatial Information to Maintain or Update Resources.
- Find Geospatial Information or Services.
- Publish or Disseminate Geospatial Resources.
- 4 One of the most important elements of the ORD, as input to the CPM, will be the development of
- 5 the Baseline Assessment or Asset Inventory. This forms the basis of the investment comparisons
- 6 and allows a level-set understanding of the capabilities and requirements for the geospatial
- 7 enterprise.

10

11 12

13

14

15

16

3.4 GEOSPATIAL BASELINE ASSESSMENT MATRIX

The Baseline Assessment is more than just an inventory of investments; but serves as a mechanism to normalize and compare investments; a means to demonstrate to Executive Leadership the magnitude of the collective geospatial need across an enterprise; and can be used as input to the OMB CPIC (Section 2.4.2) and annual OMB Roadmap submission for IT Asset Inventory. Performed as a task under the direction of an organization's Geospatial Executive Steering Committee, the Baseline Assessment would include a profile of an enterprise's organizations which have, need or plan to have geospatial capabilities mapped to their Core Stakeholders

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

Table 3-1). The Stakeholders could include communities or sectors such as: federal, state, local, 1 2 tribal and territory government, public, private and international as well as business/mission 3 areas or "Services for Citizens"52 such as Defense and National Security, Intelligence, Law 4 Enforcement, Operations, Emergency Management, etc. The OMB Federal Enterprise Architecture 5 Business Reference Model v3⁵³ provides further subdivisions of the Services for Citizens (e.g., 111 6 Homeland Security: 033: Border and Transpiration Security; 034: Key Asset and Critical Infrastructure Protection; and 035: Catastrophic Defense) that can be used to provide detailed 7 8 business/mission area delineation.

⁵² http://www.whitehouse.gov/sites/default/files/omb/assets/omb/egov/a-3-2-services.html

http://www.whitehouse.gov/omb/e-gov/fea/

1 Table 3-1. Geospatial Baseline Assessment: Core Mission Services and Stakeholders

	(1) SERVICES FOR CITIZENS	ORG #1	ORG #2	ORG #3	ORG #4	ORG #5	ORG #6
(103)	Defense and National Security	Υ				Υ	Υ
(111)	Homeland Security	Υ	Υ	Υ	Υ	Υ	Υ
(113)	Intelligence Operations	Υ				Υ	Υ
(104)	Disaster Management		Υ	Υ	Υ		
(114)	International Affairs and Commerce						
(117)	Natural Resources						
(107)	Energy		Υ				
(108)	Environmental Management						
(105)	Economic Development						
(101)	Community and Social Services				Υ		
(118)	Transportation		Υ				
(106)	Education						
(119)	Workforce Management						
(110)	Health						
(112)	Income Security						
(115)	Law Enforcement	Υ				Υ	Υ
(116)	Litigation and Judicial Activities						
(102)	Correctional Activities						
(109)	General Science and Innovation						
Internal	to Agency					Υ	
Federal		Υ		Υ			
State			Υ	Υ	Y		
Local			Υ	Υ	Υ		
Tribal			Υ	Y	Y		
Territor	У		Υ	Y	Y		
Public					Y		
Private							
Internat	ional	Υ					

These business/mission alignments are directly aligned to the OMB CPIC process (Section 2.4.2) needed for investment planning and justification. Each fiscal year, Federal Agencies are required to submit Exhibit 53s and Exhibit 300s to request funding for new major projects and on-going capital investments and align these projects and investments to the Federal Enterprise Architecture Business Reference Model. This enables OMB to identify projects and investments across the Federal Government that support a common business purpose, which further allows OMB to identify candidate shared services that more agencies can use, thereby reducing the number of redundant services throughout the Federal Government. Through the use of a standard classification scheme, the BRM functional taxonomy, opportunities for shared services

- 1 and elimination of redundancies may be identified. This high level profile provides a basic
- 2 awareness of the enterprise organization's stakeholder communities of interest and an early
- 3 indication of the types of information sharing opportunities or limitations that may exist.
- 4 The Baseline Assessment Matrix describes an organization through a taxonomy of common
- 5 (shared) business/mission functional requirements and/or support service capabilities (Table 3-2)
- 6 instead of through a stove-piped single organizational view.

Table 3-2. Geospatial Baseline Assessment: Core Capability

Enterprise Investment	Visualization	Geo- Analysis/ Processing	Reporting	Search & Discovery	Alerts & Notifications	Collaboration	Content Mgmt	Resource Mgmt	Data Mgmt	Asset Mgmt	Decision Support	IT Security	Other
Org #1	С	С	С	P	Р	Р	Р	С	С	Р	Р	С	
Org #2	С	С	С	С	С		P	С	С	С		С	
Org #3	С	С	С	С	С	С			С		С	С	
Org #4	С	С	С	С	С			С	С			С	
Org #5	С	С	С	С	С	С	С	С	С		С	С	
Org #6	С	С	С	С	С	С	С		Р	С		Р	
Org #7	Р				Р							Р	
Org #8	С	С				С			С		С	С	
Org #9	С				С	С					С	С	
Commonality Score Percent (%)	9	7	6	6	8	6	4	4	7	3	5	9	0
	100%	78%	67%	67%	89%	67%	44%	44%	78%	33%	56%	100%	0%

The Baseline Assessment Matrix will allow for a high-level view of an enterprise organization's investments (e.g., C = Current and P = Planned) in the areas of: Visualization, Geospatial Analysis and Processing, Reporting, Search and Discovery, Alerts and Notifications, Collaboration, Content Management, Resource Management, Data Management, Asset Management, Decision Support, IT Security and other categories as defined by the Executive Steering Committee. This profile of Current/Planned investments provides an initial, high-level profile of the general types of needs each organization provides its stakeholders. This profile helps to frame the more detailed Baseline Assessments that will come in the areas of: Data Inputs and Datasets (Chapter 4); Functionality Assessment (Chapter 5); Infrastructure and Technology Assessment (Chapter 6).

Once all of the Baseline Assessment Matrices have all been developed, it will provide the framework for the Executive Leaders, Program Managers and Solution Architects to begin to assess opportunities to leverage and maximize shared-service capabilities across the enterprise. It will also provide the basis for an assessment of where possible redundant investments could be reduced; which planned investments could be avoided by agreeing to a steward or service provider (e.g., Org #X or Org #Y) for the use of one of the investments which is most effective. The Matrix will also begin to identify where gaps exist and planned investments can be prioritized and leveraged.

3.5 STAKEHOLDER PERFORMANCE GUIDE: BUSINESS

The Performance Guidance provides a summation of the key decision points necessary to determine the most effective and efficient design, development, and implementation of the geospatial system investment.

Table 3-3. Stakeholder Performance Guide: Business

	STAVEHOLDER REPEORMANCE CLIDE										
	STAK	EHOLDER PERFORMANCE GUIDE									
		CHAPTER 3 – BUSINESS									
Role	Responsibility	Approach	Benefit								
Executive Leadership	 Establish and/or Co-Chair to Chartered governance (ESC/IPT) body. Signatory to establish Investment Technology Acquisition Review (ITAR) framework. Signatory to ISAs for access or dissemination of data and/or services. 	 Work with other Executives to frame Charter goals/objectives and commitment to level-of-effort support/involvement. Establish review board with CIO/CFO representation and consider policy to ensure participation and commitment. Establish or follow General Council process and review and maintain repository of Agreements. 	 Signatory with defined responsibility and stated measurable results (e.g., ELAs with % cost reduction, shared services with defined Steward, etc.). Promotes interoperability, reduces redundant investments, and allows for cost share. Reduce cost for data acquisition and/or document need for establishing an Enterprise License Agreement. 								
Program Manager	 Coordinate across other internal Department/Agency investment PMs for recommendations to Execs for strategic and tactical objectives. Staff and perform Working Group tasks as defined within the ESC/IPT Charter. Develop performance measures and target end-state (To-Be) environment. 	 PMs identify and prioritize capability gaps and planned investments to determine To-Be end-state vs. As-Is environment and prepared business plan and value proposition for Execs approval. Recommend Working Group priority, short-term/high-value tasks and deliver early results to demonstrate benefits. Within Charter define Working Group roles/responsibilities and prepare a work plan with Plan of Action & Milestones (POA&M). 	 Early adoption/visibility to strengthen long-term commitment from Executive Leadership. Working Group member awareness of multiple investments across enterprise promotes coordination resulting in leveraged investments. Results oriented for measurable and quantifiable results demonstrating value of collaboration. 								
Solution Architect	 SME and reach back for Working Group participation. Validate technical requirements for work plan. 	 Develop baseline assessment and perform capability gap analysis for As-Is and To-Be environments. Develop technical approach for work plan tasks and POA&M. 	 Technical vetting and validation across investments for desired To-Be end-state environment. Ensure broadest possible technical review, adoption, and acceptance. 								

4 DATA REFERENCE MODEL

4.1 INTRODUCTION

- 3 **Definition/Description (What)** defines the primary considerations for describing, discovering,
- 4 delivering, and sharing common data using open standards and the promotion of uniform data
- 5 management practices to sustain data as a national asset.
- 6 Purpose/Function (Why) to promote the common identification, tagging, sharing, and reuse of
- 7 appropriate geospatial data/information resources across communities. It contributes to the
- 8 mission/business Operational Requirements Documentation (Section 3.3) to determine what data
- 9 inputs and assets are required to meet the functional needs of the stakeholder. The chapter
- 10 describes how to:

2

11

12

13

14

22

- Establish a process for base lining and documenting geospatial data inputs and datasets.
- Provide guidance for preparing data description, context, and sharing methods.
 - Provide [limited] references to common operating data and other sources.
- 15 Stakeholder Performance Guide (Who & How) driven by mission/business requirements and
- the associated functional capabilities identified in the Operational Requirement Document, data
- 17 resource investment must be a shared responsibility agreed to by the Executive Leadership and
- 18 managed as an enterprise/corporate resource and service administered by a steward (e.g.,
- 19 Program Manager) and implemented by the Solution Architects.
- Geospatial data are the biggest cost to an enterprise geospatial solution, and remains the primary need, challenge and barrier to the geospatial community.

4.2 DATA REFERENCE MODEL APPROACH

- 23 Geospatial data identification, search, discovery, and access continues to be the primary
- 24 challenge for the geospatial professional/user, but is now compounded by the fact that geospatial
- 25 technology has become 'commoditized' to a level where the general public have come to expect it
- 26 to be just another query tool on their web browser. This is the same expectation that the
- 27 geospatial Program Manager and Solution Architect face when providing geo-data and services to
- the mission/business owner within their organizations who are not geospatial professionals.
- 29 The GIRA's Data Reference Model will focus upon a practical approach to documenting the
- 30 geospatial data requirements within and across an organization to meet mission/business
- 31 requirements as well as provide guidance for data description, context, and sharing. The GIRA
- 32 Data Reference Model is not:

- A data management "how to" manual for building and maintaining data
 architectures.
 - A government-wide conceptual data model or fully attributed logical data model.
 - A set of XML schemas.

4

5

6

7

8

18 19

20

21

22

28

• A replacement of existing data structures within an organization's geospatial enterprise.

4.3 GEOSPATIAL BASELINE ASSESSMENT MATRIX: DATA INPUTS AND DATASETS

9 Once established, an organization's Executive Steering Committee's should have the authority 10 and ability to initiate an enterprise-wide Geospatial Baseline Assessment (Section 3.4). The 11 baseline would include data requirements based upon mission/business functional needs taken 12 from the Operational Requirements Document. Agencies should perform a business analysis that 13 generates the geospatial data requirements including data model, geospatial and temporal 14 coverage, accuracy, and quality. The potential sources for that geospatial information, ranging 15 from self-production, to usage of another agency's data product, to direct acquisition from 16 commercial sources should be considered. This should yield a data architecture that defines 17 information types and data requirements in terms of business needs.

- The Baseline Assessment for Data can serve multiple benefits and reporting requirements. The Data Assessment is essentially an inventory and catalog of current data holdings as well as planned needs based upon functional requirements. However, the Matrix is a tool to help foster discussion with the stakeholder community to better understand the mission/business requirements.
- 23 "The creation of duplicative data and redundant capabilities often results from consumers' inability to locate, access, understand, or trust that existing data assets meet their needs."⁵⁴
- The Data Assessment Matrix is not exhaustive and there are many themes of data within each category listed in the

DoD 8320.02-G, Guidance for Implementing Net-Centric Data Sharing, April 2006, available at http://dodcio.defense.gov/Portals/0/documents/832002g.pdf

- 1 Table 4-1 (see also Appendices C.1 and C.2) that would require further discussion to identify the
- 2 best available dataset to meet the business need. Agencies should use the Data Reference Model
- 3 from the Federal Enterprise Architecture to help create and maintain their inventory. The
- 4 inventory would facilitate the identification of "authoritative" and/or desired datasets; identifies
- 5 redundant data assets for decommissioning; identifies opportunities to reuse or extend a data
- 6 asset rather than creating a new one; and the opportunity to avoid redundancy costs based upon
- 7 the establishment of enterprise licensing agreements.
- 8 The GeoCONOPS⁵⁶ defines authoritative data owned and/or produced by the federal entities
- 9 supporting the National Response Framework as:
 - Rational Authority: Government agencies are by default the "authoritative" sources for data or services that they produce, or have a statutory responsibility.
 - Expert Authority: Scientifically authoritative data is defined in the realm of the various professions under which the standards and methodology for data are created.
- 14 These classifications provide clarity beyond the frequent notion that an authoritative data source
- is simply the entity trusted because of a subjective belief that it is the "best" or "most accurate"
- source for a specific data theme. The owner or authoritative source of any geospatial data is
- 17 responsible for defining the business rules for the access and sharing of that information across
- 18 the stakeholder community.
- 19 The Baseline Assessment would also serve to meet OMB's Open Data Policy⁵⁷ responsibility to
- 20 "Create and maintain an enterprise data inventory... that accounts for datasets used in the
- 21 agency's information systems."
- 22 The Baseline Assessment discussion would begin with a Data Inputs (

10

11

12

13

⁵⁵ Department of Homeland Security, Geospatial Concept of Operation (GeoCONOPS), Version 5.0, June 2013, available at

See also https://www.geoplatform.gov/geoconops-home

⁵⁷ OMB Memorandum M-13-13, *Open Data Policy – Managing Information as an Asset* (May 9, 2013), available at http://www.whitehouse.gov/sites/default/files/omb/memoranda/2013/m-13-13.pdf

⁵⁶ Ibid.

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

Table 4-1 and Appendix C.1) of general types of data required to meet the mission/business 1 2 functional capabilities of the organizations stakeholders as identified in the Operational 3 Requirements Document. This can generally be performed by the geospatial investment Program 4 Manager and Solution Architects initiating discussions with both geospatial investment 'owners' 5 as well as business owners that may need geospatial functionality/services but do not intend to 6 have a system investment. A follow-on assessment with a more detailed (inventory) would be 7 performed to fully identify the existing datasets either currently existing or planned for 8 acquisition. Table 4-2 provides an extract of the 6-page Baseline Dataset Assessment Matrix that 9 is contained in Appendix C.2.

Table 4-1. Geospatial Baseline Assessment Matrix: Data Inputs

2

4

							Common	
Data Inputs	Org #1	Org #2	Org #3	Org #4	Org #5	Org #6	Score	Pct %
Email	P	P	С	С	С	С	6	100
SMS / Text Messages	P	С	С	P	С	С	6	100
Internet Media	P		С	P	С	С	5	83
Critical Infrastructure	С	С	С	С	С	С	6	100
Suspicious Activity Reports	P	P	С		С	P	5	83
Weather Service Forecasts / Warnings	P	С	С	С	С	С	6	100
Natural Hazards	P	С	С	С	С	С	6	100
Base Maps (see GIRA Appendix F-2)	P	С	С	С	С	С	6	100
Business Directories	P	P	С	С	С		5	83
Personnel / Blue Force Tracking	P	С	С				3	50
Asset / Vessel Tracking	P	С	С	С			4	679
Elevation & Terrain	P	С	С	С			4	679
Navigation & Reference Grids	P	С	С				3	509
Population / Demographics	С	С	С			С	4	679
Travel Conditions	P	С	С	С		С	5	83
Political Jurisdictions	P	С	С	С			4	679
Tax Parcels		P	С				2	339
Law Enforcement	P		С				2	339
Emergency Services	P		С			P	3	50
Health & Disease Outbreaks	P	P	С			С	4	679
Aerial Photography	С	С	С	С	С	С	6	100
Satellite Imagery	С	С	С	С	С	С	6	100
Traffic Camera / Feeds	P	С	С	С	С	С	6	100
Camera Feeds / live video	P	С	С	С	С	С	6	100
Business Partners Operating Status		P				P	2	33
Personal Identifiable Information (PII)		P				P	2	339
Classified / FOUO sensitivie data		Р				Р	2	339
Others							2	339
Status C - Current P - Planned	Ī	_			•	-		09


Table 4-2. Geospatial Baseline Assessment Matrix: Datasets (Extract)

_ 1							Common	
Datasets ¹	Org #1	Org #2	Org #3	Org #4	Org #5	Org #6	Score	Pct %
Agriculture/Food								
Animal Health Surveillance	С	Р						2 33
Mobile Food			P	Р	С	С		4 67
Processing / Packaging / Production					С			1 17
Product Distribution		P	P		С			3 50
Product Storage					С			1 17
Product Transportation					С			1 17
Supply					С			1 17
Support Facilities					С			1 17
Other					С			1 17
Banking / Finance								
Banking and Credit					С			1 17
Securities / Commodities / Financial Investments					С			1 17
Other								0
Chemical and Hazardous Materials								
Manufacturing Facilities			С					1 17
Release		С						1 17
Storage	С							1 17
Superfund Sites	С	P				С		3 50
Transportation Routes	С					С		2 33
Other	С					С		2 33
Commercial Assets								
Industry	С	P	С	С		С		5 839
Lodging	С					С		2 33
Manufacturing	С					С		2 33
Mining	С					С		2 33
Public Venues	С					С		2 33
Retail Facilities	С					С		2 33

4.4 DATA REFERENCE MODEL ALIGNMENT

The Data Reference Model's (DRM) primary purpose is to promote the common identification, use, and appropriate sharing of data/information across the federal government. The DRM is a flexible and standards-based framework to enable information sharing and reuse via the standard description and discovery of common data and the promotion of uniform data management practices.⁵⁸ The DRM focus upon two core questions: What information is available for sharing and re-use, and what are the information gaps needing correction?⁵⁹ The DRM provides a standard means by which data may be described, categorized, and shared while respecting security, privacy, and appropriate use of that information. It consists of three standardization areas:60

- Data Description: Provides a way to uniformly describe data to convey meaning, thereby supporting its discovery and sharing.
- Data Context: Facilitates discovery of data through an approach to the categorization of data according to taxonomies. Additionally, enables the definition of authoritative data assets within a common operating environment.
- Data Sharing: Supports the access and exchange of data where access consists of ad-hoc requests (such as a query of a data asset), and exchange consists of fixed, reoccurring transactions between parties. This is enabled by capabilities provided by both the Data Context and Data Description standardization areas.
- This standardized Data Reference model structure is depicted in Figure 4-1.61



⁵⁸ Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2, January 29, 2013, available at http://69.89.31.228/~mkerncom/wp-content/uploads/2013/02/Federal-Enterprise-Architecture-Framework-v2-as-of-Jan-29-

1 2

3

4

5

6

7

8 9

10

11

12

13

14

15 16

17

18

19

20

⁵⁹ Office of Management and Budget, A Common Approach to Federal Enterprise Architecture, May 2, 2012, available at http://www.whitehouse.gov/sites/default/files/omb/assets/egov_docs/common_approach_to_federal_ea.pdf

⁶⁰ Ibid.

⁶¹ Office of Management and Budget, Consolidated Reference Model, Version 2.3, October 2007, available at http://www.whitehouse.gov/sites/default/files/omb/assets/fea docs/FEA CRM v23 Final Oct 2007 Revised.pdf.

Figure 4-1. Data Reference Model Structure

4.4.1 DATA DESCRIPTION

- 3 Data Description provides a means to uniformly describe data, thereby supporting its discovery
- 4 and sharing. Traditionally, data description was solely focused on organizing and describing
- 5 structured data [geographic base data layers]. With unstructured data [mission/business data that
- 6 may contain a geographic element] as the largest focus of agencies' data management challenges,
- 7 the Federal Enterprise Architecture Framework's DRM Description component has been revised
- 8 to focus on the larger topic of metadata, which includes both traditional structured data and
- 9 unstructured data description.⁶²

1

2

27

28

- 10 Metadata is structured information that describes, explains, locates, or otherwise makes it easier
- to retrieve, use, or manage an information resource (NISO 2004, ISBN: 1-880124-62-9).⁶³ The
- 12 challenge is to define and name standard metadata fields so that a data consumer has sufficient
- information to process and understand the described data. The more information that can be
- 14 conveyed in a standardized regular format, the more valuable data becomes. Metadata can range
- from basic to advanced, from allowing one to discover the mere fact that a certain data asset
- 16 exists and is about a general subject all the way to providing detailed information documenting
- the structure, processing history, quality, relationships, and other properties of a dataset that
- enable a potential user to determine its fitness of use for their purposes.
- 19 The International Standards Organization (ISO) 19115-1:2014: Geographic Information –
- 20 Metadata, Part 1: Fundamentals, available at
- 21 http://www.iso.org/iso/home/store/catalogue_tc/catalogue_detail.htm?csnumber=53798,
- 22 defines the schema required for describing geographic information and services. It provides
- 23 information about the identification, extent, quality, spatial and temporal schema, spatial
- reference, and distribution of digital geographic data.⁶⁴ The Metadata Standard is applicable to:
- Cataloguing of datasets, clearinghouse activities, and the full description of datasets.
 - Geographic datasets, dataset series, and individual geographic features and feature properties.
- 29 The ISO Metadata Standard also defines:
 - Mandatory and conditional metadata sections, and metadata elements.

⁶² Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2.0, January 29, 2013.

⁶³ http://project-open-data.github.io/schema/

⁶⁴ International Standards Organization, ISO 19115:2003 Geographic Information – Metadata, available a http://www.iso.org/iso/iso catalogue/catalogue tc/catalogue detail.htm?csnumber=26020

• Minimum set of metadata required to serve the full range of metadata applications

2		(e.g., data discovery, determining data fitness for use, data access, data transfer, and use of digital data).
4 5	•	Optional metadata elements—to allow for a more extensive standard description of geographic data.
6	•	Method for extending metadata to fit specialized needs.
7	What is com	monly understood as metadata comprises: ⁶⁵
8 9	•	Identification information , i.e., information to uniquely identify the resource such as:
10 11		 Title, abstract, reference dates, version, purpose, responsible parties, Data extent,
12		 Browse graphics (overview, thumbnail,), and
13		Possible usage.
14 15	•	Content Description , i.e., information identifying the feature catalogue(s) used and/or information about the coverage content.
16 17	•	Distribution information , i.e., information about the distributor of, and options for obtaining the resource.
18 19	•	Legal and security constraints ; i.e., restrictions placed on the data and metadata in the context of delivering, accessing, and using.
20	•	Portrayal information, i.e., information identifying the portrayal catalogue used.
21 22	•	Reference system information , i.e., identification of the spatial and temporal system(s) used in the resource data.
23 24	•	Spatial Representation , i.e., information concerning the mechanisms used to spatially represent the resource data.
25 26	•	Quality and validity information , i.e., a general assessment of the quality of the resource data including:
27 28		 Quality measures related to the geometric, temporal and semantic accuracy, the completeness or the logical consistency of the data,
29 30		$^{\circ}$ Lineage information including the description of the sources and processes applied to the sources, and

⁶⁵ Defense Geospatial Information Working Group (DGIWG), DGIWG Metadata Vision – 906, September 30, 2013, available at https://www.dgiwg.org/dgiwg/htm/documents/committee enterprise documents.htm

1 Validity information related to the range of space and time pertinent to the 2 data; to whether the data has been checked to a measurement or performance 3 standard or to what extent the data is fit for purpose. Maintenance information, i.e., information about the scope and frequency of 4 5 updating of the resource data. 6 Information about metadata, i.e., identifier for the metadata itself, information about the language and character set of the metadata, metadata date stamp, 7 8 metadata point of contact, name, and version of the metadata standard. 9 All nationally significant and other federally stewarded geospatial data should be documented 10 with descriptive metadata to enable discovery, assessment of fitness-of-use, and sharing of geospatial data resources.⁶⁶ Geospatial metadata should be organized by a common schema to be 11 12 applied across the federal sector that: 13 Is organized in accordance with ISO metadata specifications (ISO 19115-1:2014 and ISO 19139 - Geographic Metadata XML schema implementation), documenting key 14 15 properties of geospatial data resources including but not limited to the following: 16 Identification information (e.g., context/topic, search keywords, dataset title), 17 Data quality information (e.g., positional accuracy and precision, adherence to 18 data accuracy standards, completeness), 19 Spatial representation and reference system information (e.g., geometric 20 properties, coordinate systems, projections, datum), 21 • Other relevant information [e.g., maintenance frequency, data steward (POC) 22 information, content description, distribution protocol and constraints], and 23 Explicitly defines distribution rights and restrictions to enable role-based access 24 implemented through federal e-authentication initiatives. 25 The Office of Management and Budget's Open Government Directive⁶⁷ requires agencies to 26 expand access to information by making it available online in open formats. Specifically, this 27 Memorandum requires agencies to collect or create information in a way that supports 28 downstream information processing and dissemination activities. This includes using common 29 core and extensible metadata for all new information creation and collection efforts.

⁶⁶ Geospatial Profile of the Federal Enterprise Architecture (FEA), Version 2.0, March 06, 2009, available at http://www.fgdc.gov/geospatial-lob

⁶⁷ OMB Memorandum M-1 0-06, Open Government Directive, December 8, 2009, available at http://www.whitehouse.gov/sites/default/files/omb/assets/memoranda 2010/m10-06.pdf

- Federally sponsored Metadata Working Groups promote the advancement, adoption and use of geospatial metadata and provide considerable expertise, documentation, training, and information for users including:
 - Geospatial Intelligence Standards Working Group's (GWG) Metadata Focus Group (MFG), available at http://www.gwg.nga.mil/mfg.php,
 - Federal Geographic Data Committee (FGDC), Metadata Working Group, available at http://www.fgdc.gov/participation/working-groups-subcommittees/mwg/index htm , and
 - Defense Geospatial Information Working Group (DGIWG), available at https://www.dgiwg.org/dgiwg/htm/documents/committee_enterprise_documents.
 htm.

4.4.2DATA CONTEXT

Data Context is any information that provides additional meaning to data and an understanding to the purposes for which it was created. The Data Context method can also be called "categorization" or "classification." OMB's Open Data Policy responsibility to "Create and maintain an enterprise data inventory ... that accounts for datasets used in the agency's information systems," provides input for the categorization. The Baseline Assessment (Section 4.3 and Appendix C.2) allows organizations the ability to begin to agree upon data taxonomies, definitions and authoritative sources. Once data assets are inventoried, categorized, and then shared in data registries, these catalogs become source for discovering data and assessed based upon metadata that determine utility to the user. The catalog and its taxonomy are not meant to be fixed and unchanging, but flexible and scalable so that new Subjects and Topics can be added as the business model for the organization changes as needed, for their respective business processes.

The Federal Enterprise Architecture Framework V2.0 describes Data Categorization Methods⁷⁰ and provides best practices examples (Table 4-3) used to describe the common data assets.

Table 4-3. Federal Enterprise Architecture Framework V2.0: Data Categorization Methods

METHOD	DESCRIPTION	AUTHORITATIVE REFERENCE
Data Asset Catalog	A data asset catalog reduces time and cost to implement change by reducing the time to locate needed data, identifies redundant data assets for decommissioning, and identifies opportunities to	Data Management Book of Knowledge (DMBOK) DAMA, April 2009.

⁶⁸ Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2.0, January 29, 2013.

⁶⁹ OMB Memorandum M-13-13, Open Data Policy – Managing Information as an Asset, May 9, 2013, available at http://www.whitehouse.gov/sites/default/files/omb/memoranda/2013/m-13-13.pdf

Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2.0, January 29, 2013. Appendix C: Data Reference Model.

METHOD	DESCRIPTION	AUTHORITATIVE REFERENCE
	reuse or extend a data asset rather than creating a new data asset.	DoD 8320.02-G, Guidance for Implementing Net-Centric Data Sharing, April 2006
	Using the Data Taxonomy, agencies should inventory their data assets, associate or map the data assets to the Data Taxonomy and create a data catalog consisting of the Taxonomy Subject, Taxonomy Topic, Entity Name (table, class, file name), Attribute Name (column, attribute, field, tag), and Data Asset Population (a rule to limit scope of an association). The data asset catalog is populated through a "bottom up" process that associates the data contents of a data asset documented in the data asset's data model to the Data Taxonomy.	An agency can create a data catalog with the following steps: 1) Inventory data assets and collect the data model or structure for each asset, 2) Map the asset characteristics to the Data Taxonomy, 3) Present the results in a data catalog. The data asset catalog provides the foundation of an enterprise data inventory, which lists and describes all agency data sets used in the agency's information systems and is required by OMB's Policy on <i>Managing Government Information as an Asset</i> .

- 1 In summary, an organization can create a geospatial data catalog with the following steps:
 - 1. Inventory data assets and collect the data model or structure for each asset.
 - 2. Map the asset characteristics to the DRM Taxonomy.
- 4 3. Preserve the results in a data catalog that is exposed for Search and Discovery.
- 5 There are numerous geospatial data cataloging initiatives and websites available for search,
- 6 discovery, posting and retrieval (Section 4.6). Each catalog capability however uses its own
- 7 taxonomy for the inventory and includes variations such as: Community Categories, Types,
- 8 Groups, Tags, Layers, Name, Keyword, etc.
- 9 The geospatial community does not maintain a standardized, consensus driven or commonly applied taxonomy to catalog geospatial data assets.
- 11 Taxonomies describing nationally significant and other federally stewarded geospatial data should
- 12 be documented using eXtensible Markup Language (XML) Topic Maps, Web Ontology Language
- 13 (OWL), Resource Definition Format (RDF) hierarchies, or ISO 11179 classification schemes.⁷¹
- 14 Taxonomies describing geospatial data can then be made accessible via services to facilitate
- 15 efficient search, discovery, and data translation capabilities and to facilitate development of more
- detailed data schemas and logical data models.

-

2

⁷¹ Geospatial Profile of the Federal Enterprise Architecture (FEA), Version 2.0, March 06, 2009, available at http://www.fgdc.gov/geospatial-lob

4.4.2.1DATA SEARCH AND DISCOVERY

1

5

8 9

10

11

12

13

14 15

16

17

18

19

- 2 Mapping each geospatial data asset in an agency's data asset catalog to the agency's data
- 3 categorization taxonomy, enables users to identify the data assets that satisfy the search criteria
- 4 of the user. 72 There are three primary search and discovery methods as described in Table 4-4.

Table 4-4. Standards-based Content Search Methods

STANDARD SEARCH METHOD	DESCRIPTION							
Federated Search	A real-time, simultaneous search of multiple resource collections that may reside on many separate domains. Federated Search utilizes a broker to accept a query request, broadcast it out to a number of providers, and aggregates the results into a combined set for the consumers.							
Centralized Search	Operates by creating a central index of content obtained by crawling web sites and following web feeds. Search queries are then executed against the index.							
Enterprise Metadata Catalog	A central catalog of discovery metadata organized into collections. The Enterprise Metadata Catalog searching mechanism supports precise criteria such as geospatial and temporal parameters as well as full-text search. The Defense Discoverable Metadata Specification (DDMS) ⁷³ is an example of an appropriate metadata tagging standard for the contents of an Enterprise Metadata Catalog.							

- 6 Regardless of the search method applied, each requires the effective use of Data Description and
- 7 Data Context in order to identify the requested data.

4.4.3DATA SHARING

Geospatial data sharing (e.g., identification of and access to requested data) is often the greatest need and obstacle for the user community. Office of Management and Budget's (OMB) *Open Government Directive* requires agencies to expand access to information by making it, "online in an open format that can be retrieved, downloaded, indexed, and searched by commonly used web search applications."⁷⁴ Specifically, this Memorandum requires agencies to collect or create information in a way that supports downstream information processing and dissemination activities. This includes using machine readable and open formats, data standards, and common core and extensible metadata for all new information creation and collection efforts.

CHALLENGE: "Federal, state, local, and tribal organizations typically use different definitions in the storage and exchange of like data across a community of interest."⁷⁵

OMB Memorandum M-1 0-06, Open Government Directive, December 8, 2009, available at http://www.whitehouse.gov/open/documents/open-government-directive

⁷² Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2.0, January 29, 2013.

⁷³ http://metadata.ces.mil/dse/irs/DDMS/

⁷⁵ Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2.0, January 29, 2013.

- 1 Creating a standardized information exchange with agreed upon data descriptions, or Content
- 2 Model, enables each participating organization to create the necessary interface to receive or
- 3 provide data only once. Content models refer to community agreements on the elements,
- 4 relationships between elements, semantics and so forth for a specific data set in a given domain.
- 5 Further, content models are implementation independent and vendor neutral. In order to
- 6 automate and make the exchange of domain specific geospatial data seamless, consensus needs
- 7 to be built among the community participants on:
 - A shared data model for data exchange, in terms of a common understanding and agreement for how different systems "understand" each other;
 - Common definitions of the different data entities and their properties; and
 - Common controlled vocabularies and taxonomies.
- 12 Creating a standardized information exchange with agreed upon data descriptions enables each
- 13 participating organization to create the necessary interface to receive or provide data only once.
- 14 Existing exchange partners can use a new participant's data without having to write any interface
- or transformation. Also, it improves the quality of information exchange by ensuring that the
- 16 source and target mapping is accurate, by utilizing the exchange model and standardized data
- 17 definitions.

9

10

11

- 18 For example, the DRM abstract model can be implemented using different combinations of
- 19 technical standards. As one example, the Exchange Package concept in the Data Sharing
- 20 standardization area may be represented via different messaging standards (e.g., eXtensible
- 21 Markup Language (XML) schema, Electronic Data Interchange (EDI) transaction set) in a system
- architecture for purposes of information sharing.⁷⁶
- 23 The Geospatial Profile of the Federal Enterprise Architecture⁷⁷ describes geospatial data sharing in
- 24 the following context. Geospatial data schemas define how geospatial data are organized, how
- 25 geospatial objects relate to each other, and list the attributes associated with each object. For
- 26 maximum interoperability, these schemas must be based on standards for logical
- 27 (abstract/database design) and physical (encoding/exchange) applications. The National
- 28 Information Exchange Model (NIEM)⁷⁸ is an example of a federally developed data schema which
- 29 incorporates geospatial content. Community collaboration and harmonization of semantics and
- 30 exchange schema is used to provide common approaches and resolve discrepancies.

_

⁷⁶ Office of Management and Budget, *Consolidated Reference Model*, Version 2.3, October 2007.

⁷⁷ Geospatial Profile of the Federal Enterprise Architecture (FEA), Version 2.0, March 06, 2009, available at http://www.fgdc.gov/geospatial-lob

⁷⁸ National Information Exchange Model (NIEM). https://www.niem.gov/Pages/default.aspx

- 1 The FEA DRM provides an architectural pattern for sharing and exchanging data through a
- 2 services-oriented strategy. Geospatial data should be encoded using appropriate interface
- 3 standards and specifications to enable data exchange (fixed recurring transactions between data
- 4 suppliers and consumers) and less structured requests for data access.
- 5 Geospatial architectures should leverage metadata catalogs as exposure mechanisms to enable
- 6 consumers to discover availability and fitness-of-use of relevant geospatial data while also
- 7 providing an effective means to connect consumers with authoritative geospatial data through
- 8 service-oriented discovery, brokering, and access. To facilitate data sharing geospatial standards
- 9 should:

11 12

13

14

15

- Be open and vendor-neutral to enable exploitation by a broad range of technology solutions.
- Be based on consensus (ISO/ANSI/FGDC/OGC) or community standards.
- Promote encoding of full geographic information (i.e., raster and vector spatial data and their attributes) in support of multiple mission requirements.

4.5 DATA ACCESS AND POLICY

- The goal of a data architecture is to facilitate accurate (timely and precise information), trusted (data authorities and security), and common (agreed upon information source) data across the
- 18 geospatial investments. Data access is key to understanding the 'who and why' of data
- 19 management. Access is a leveraged capability involving policy considerations. This consists of
- 20 identity and role based access that relies upon standards defined through the Federal Identify and
- 21 Access Management (FICAM) roadmap.⁷⁹ Additionally, Information Sharing Agreements (ISA) and
- 22 Memorandums of Agreement/Understanding (Section 2.5) must be structured and adaptive
- 23 among mission partners to gain access to data sets to be used in the respective agency geospatial
- 24 systems.

25

28

29 30

31

- One of the five goals of the 2012 National Strategy for Information Sharing and Safeguarding,80
- 26 (NSISS) is to improve information discovery and access through common standards. Goal 2 of the
- 27 strategy states:

"Secure discovery and access relies on identity, authentication and authorization controls, data tagging, enterprise-wide data correlation, common information sharing standards, and a rigorous process to certify and validate their use."

National Strategy for Information Sharing and Safeguarding

⁷⁹ http://www.idmanagement.gov/identity-credential-access-management

National Strategy For Information Sharing and Safeguarding, December 2012, available at http://www.whitehouse.gov/the-press-office/2012/12/19/national-strategy-information-sharing-and-safeguarding

The NSISS Goal 2.1 goes on to state:

"Discovery and access are distinct concepts: the first addresses a user's ability to identify the existence of information, and the second relates to a user's ability to retrieve it. Our national security demands relevant information is made discoverable, in accordance with existing laws and policies, to appropriate personnel. Discovery and access require clear and consistent policy and standards, as well as technical guidance for implementing interoperable process and technology."

- National Strategy for Information Sharing and Safeguarding

Data handled by various governmental authorities is subject to differing concerns regarding operational security, as well as the privacy, civil rights, and civil liberties of individuals and organizations described by the data or having access privileges to the data. As such, organizations will likely caveat source data with various access restrictions, and any operations on the source data will need to appropriately propagate those access controls through data access policies and reflected in the metadata at varying degrees of granularity. Figure 4-2 graphically depicts the data access and policy element "wrappers" necessary for sharing.



Figure 4-2. Data Access and Policy Wrapper

The granularity of the metadata applied to each data object is critical for enabling repeatable fine-grain access control. This allows for maximizing information integration while minimizing risks associated with over-sharing. Each organization and associated data stewards are ultimately responsible for defining the security policies that govern how data is acted upon. These policies should be machine executable to dynamically provide a grant/deny decision to each data object at run-time.

4.6 DATA RESOURCES

1

- 2 The number of geospatial data resource catalogs are too numerous to attempt to list, as many of
- 3 the geospatial community (federal, state, local, private, international, and academia) have on-
- 4 going initiatives to provide a variety of these data resources. The following examples are offered
- 5 as examples of (primarily) government geospatial data resources available to users.

6 4.6.1GEOSPATIAL PLATFORM

- 7 "The Geospatial Platform (GeoPlatform) is a managed portfolio of common geospatial data,
- 8 services, and applications contributed and administered by trusted sources and hosted on a
- 9 shared infrastructure, for use by governmental agencies and partners to meet their mission
- 10 requirements and the broader needs of the Nation."81 The GeoPlatform.gov was developed by the
- 11 member agencies of the Federal Geographic Data Committee (FGDC), in coordination with the
- 12 Federal CIO Council, as an interagency Federal initiative and OMB shared service and is hosted by
- the U.S. Department of Interior, as the Managing Partner for the Geospatial Platform.⁸²
- 14 The GeoPlatform provides open standards compliant catalog web services supporting the
- GeoPlatform and Data.gov⁸³ (e.g., official U.S. government site providing increased public access
- 16 to federal government datasets). The shared catalog provides access via the Catalog Service for
- 17 the Web (CSW) standard for both first-order and all metadata (including members of large
- 18 collections) for harvested data, services, and applications. The Catalog Service for the Web is an
- 19 Open Geospatial Consortium (OGC)⁸⁴ standard that defines common interfaces to discover,
- 20 browse, and query metadata for data and services. The catalog enables both data and services
- 21 searching via several methods (e.g., Categories, Types, Groups, Tags, Name, Keyword, etc.) and
- 22 provides the metadata on that specific dataset or tool. Some datasets are downloadable, while
- 23 others are extraction tool or widgets. The user must also be aware of and acceptable to the data
- 24 policy use conditions for the requested dataset.
- 25 Many of the Federal datasets available on the GeoPlatform are part of the National Geospatial
- 26 Data Asset (NGDA) portfolio management approach prescribed by OMB Circular A-16
- 27 Supplemental Guidance. 85 To ensure quality and usability, the data must be:
 - **Discoverable** published and available.
 - Reliable coordinated by a recognized national steward.

28

⁸¹ Geospatial Platform. https://www.geoplatform.gov/overview-page

Federal Geographic Data Committee, Steering Committee meeting minutes, April 19, 2012.

http://www.fgdc.gov/participation/steering-committee/meeting-minutes/april-2012/meeting-minutes-public-sc-20120419.pdf

⁸³ Data.gov. https://www.data.gov/

⁸⁴ http://www.opengeospatial.org/

⁸⁵ OMB Memorandum M-11-03, Issuance of OMB Circular A-16 Supplemental Guidance, November 10, 2010, available at http://www.whitehouse.gov/sites/default/files/omb/memoranda/2011/m11-03.pdf

- Consistent supported by defined schema, standards and understood content definitions to ensure their integrity (including conformance with FGDC Standards as applicable).
 - Current and applicable maintained regularly and adaptable to current needs.
 - **Resourced** established and recognized as an enterprise investment.
- The GeoPlatform provides a Datasets Published per Month for the previous 12-month period and the most recent summary at the time of this writing is displayed in
- 8 Table 4-5.

1

2

3

4

5

Table 4-5. GeoPlatform Datasets Published per Month⁸⁶

	NUMBER OF DATASETS PUBLISHED BY MONTH										TOTAL IN THE		
AGENCY NAME	May '13	Jun '13	Jul '13	Aug '13	Sep '13	Oct '13	Nov '13	Dec '13	Jan '14	Feb '14	Mar '14	Apr '14	PAST 12 MONTHS
Department of Agriculture	-	-	-	-	-	-	48	-	-	3	5	-	56
Department of Commerce	25217	-	-	317	3422	64	236	41	61	22	76	116	29572
Department of Homeland Security	-	-	-	1	-	-	-	-	-	-	-	-	1
Department of the Interior	-	-	-	388	461	2	41	275	9	9	5	-	1190
Department of Transportation	-	-	-	-	-	-	-	-	-	49	-	-	49
Total	25217	-	-	706	3883	66	325	316	70	83	86	116	30868
Data as of 04/03/2014 1:08 AM.													

- At the time of this writing, the GeoPlatform listed 80,603 datasets found with the dataset type of
- 12 "geospatial."

13

14 15

16 17

18

19 20

21

4.6.2GEOSPATIAL CONCEPT OF OPERATIONS

The Homeland Security Geospatial Concept of Operations (GeoCONOPS)⁸⁷ is a multiyear effort focused on the geospatial communities supporting the Department of Homeland Security (DHS) and the Federal Emergency Management Agency activities under the National Response Framework (NRF) and in coordination with Presidential Policy Directive 8: National Preparedness (PPD-8), which describes the Nation's approach to preparing for the threats and hazards that pose the greatest risk to the security of the United States. The GeoCONOPS, in its sixth year, is a multiyear product to document the current geospatial practices and serves as a guide to federal departments and agencies providing support under the NRF, PPD-8, and Stafford Act activities.

⁸⁶ Geospatial Platform. Available at https://www.geoplatform.gov/node/509

⁸⁷ Geospatial Concept of Operations (GeoCONOPS), Version 6.0, June 2014, available at https://www.geoplatform.gov/geoconops-home

- 1 The GeoCONOPS is an interagency collaboration with strategic direction provided by a federal
- 2 interagency Geospatial Interagency Oversight Team (GIOT). The participants and intended
- 3 audience of the GeoCONOPS include the GIOT Members, 15 Emergency Support Functions (ESF),
 - both primary and support, and other federal mission partners. The GeoCONOPS is updated on a
- 5 yearly basis to ensure it meets the needs of all mission partners.
- 6 The intended audiences for this document are the geospatial communities supporting homeland
- 7 security and emergency management activities from the Joint Field Offices and operations
- 8 centers to NRF headquarter entities. The GeoCONOPS outlines federal geospatial capabilities in
- 9 support of state, local, and tribal authorities during homeland security and emergency
- 10 management operations across the entire emergency management life cycle. The GeoCONOPS
- 11 website⁸⁸ is a resource that provides:
 - Geospatial mission blueprint of the resources and capabilities available for support in the Homeland Security Enterprise.
 - Identifies points of coordination and collaboration.
 - Documents authoritative geospatial data sources.
 - Describes best practices.
 - Identifies technical capabilities.

24

12

13

14

15

16

17

4

- 19 Table 4-6 is an extract from the GeoCONOPS Appendix: Authoritative Data Matrix, which lists over
- 20 1,200 data themes (datasets) by subcategory (Appendix C-2). These datasets are the desired
- 21 resources, although many of those assets may not be available or have a URL link to their source
- 22 availability. Users can search the on-line catalog for data listing content through the GeoCONOPS
- 23 taxonomy using attributes, including; Type, Keywords, Category/Subcategory, etc.

Table 4-6. GeoCONOPS Authoritative Data Matrix (Extract)

		HOMELAN	ND SE	CURITY	GEOSPATI <i>A</i>	AL CON	CEPT OF OPERATIONS (Geo	CONO	PS)
Team Members	SUB CATEGORY	THEME	ТҮРЕ	POC	RESTRICTIONS	SOURCE	URL	ESF#	PPD-8 MISSION
lember		Egg Production Farms	Polygon	USDA	n/a		http:www.ers.usda.gov/topics/animal- products/poultry-eggs.aspx#.UbcWJpxyaYk	5, 11	Protection, Response
vi.		Sheep/Goat Farms	Polygon	USDA	n/a		http://www.ers.usda.gov/topics/animal- products/sheep,-lamb- mutton.aspx#.UbcWYpxyaYk	5, 11	Response
	Support Facilities	Agriculture Chemical Manufacture	Point	USDA	n/a		unavailable	5, 10, 11	Protection, Response
		State Fairgrounds	Point	NGA-PMHP	No	HSIP Gold	https://gii.dhs.gov/arcrest/services	5, 8, 11	Protection, Mitigation, Response
		U.S. Agriculture	Point	USDA	n/a		unavailable	5, 11	

⁸⁸ https://www.geoplatform.gov/geoconops-home

...

		Census							
GeoCONOPS		Veterinary Pharmaceutical Manufacture	Point	USDA	n/a		unavailable	5, 10, 11	Protection, Response
NOPS		Veterinary Services	Point	Dun & Bradstreet (D&B)	n/a	HSIP Gold	https://gii.dhs.gov/arcrest/services	1 thru 13	Prevention, Protection, Mitigation, Response, Recovery
	BANKING/FINANCE								
		Automated Check Clearing Houses	Point	Federal Reserve	n/a		unavailable	5, 13	Protection, Response
		Banking Institutions— National Credit Union Administration (NCUA)	Point	NCUA	n/a		http://www.ncua.gov/Legal/GuidesEtc/Page s/CUDirectory.aspx	5, 13	Protection, Response
		Branches/Agencies of Foreign Banks	Point	FDIC	Yes	HSIP Gold	https://gii.dhs.gov/arcrest/services	5, 13	Protection
		Credit Unions HQ	Point	NCUA	Yes	HSIP Gold	https://gii.dhs.gov/arcrest/services	5, 13	Protection
		Farm Credit Administration (FCA) Financial Institutions	Point	FCA	n/a		unavailable	5, 13	Protection

4.6.3NATIONAL STATES GEOGRAPHIC INFORMATION COUNCIL GIS INVENTORY

 The GIS Inventory⁸⁹ of the National States Geographic Information Council (NSGIC) is a tool for states and their partners. Its primary purpose is to track data availability and the status of Geographic Information System (GIS) implementation in state and local governments to aid the planning and building of Spatial Data Infrastructures. The random access metadata for online nationwide assessments (RAMONA) database is a critical component of the GIS Inventory. RAMONA moves its FGDC-compliant metadata for each data layer to a web folder and a Catalog Service for the Web (CSW) that can be harvested by Federal programs (e.g., GeoPlatform.gov) and others. This provides far greater opportunities for discovery of user information. The GIS Inventory allows the user to search by keywords including Theme or Place Names, Layer Category, Layer Name, Production Date, and Production Status. The GIS Inventory is maintained by individual users that document their own organizational information and data holdings.

At the time of this writing, the NSGIC GIS Inventory listed 23,012 results under its "Browse Data Layers" tab.

⁸⁹ National State Geographic Information Council (NSGIC), available at http://www.gisinventory.net/

4.7 STAKEHOLDER PERFORMANCE GUIDANCE: DATA

1

2

4

5

6

The Performance Guidance provides a summation of the key decision points necessary to determine the most effective and efficient design, development, and implementation of the geospatial system investment.

Table 4-7. Stakeholder Performance Guide: Data

	Table 4-7. Stakeholder Ferformance Guide. Data								
STAKEHOLDER PERFORMANCE GUIDE									
CHAPTER 4 – DATA									
Role	Responsibility	Approach	Benefit						
Executive Leadership	 Authorize a Business Needs Analysis to identify geospatial data requirements using the Baseline Assessment Matrix: Data. Agreed upon data authorized source to reduce redundancy and determine Enterprise License Agreement (ELA) opportunity with data provider/vendor. Require any/all funded data creation or enhancement initiatives (e.g., contract award, cost-share, grant, etc.) include metadata standard compliance. 	 Work with other Executives to acknowledge the need to reduce data costs by leveraging investment and performing the Baseline Assessment based upon mission/business needs. Based upon business/mission need during Data Matrix assessment, may require Service Level Agreement and cost share for availability and Enterprise License Agreement (ELA) with vendor/provider. Working with Exec Leadership approach Chief Procurement Officer to require contract language for the inclusion for all financial obligations. 	 Signatory with defined responsibility and stated measurable results (e.g., IT Asset Inventory for OMB Open Data Policy reporting and a quantifiable data resource inventory). The inventory would facilitate the identification of desired datasets; identifies redundant data assets for decommissioning; identifies opportunities to reuse or extend a data asset rather than creating a new one; and the opportunity to reduce redundancy costs based upon the establishment of enterprise licensing agreements and allows for cost share for economies of scale. Provides a way to uniformly describe data, thereby supporting its discovery and sharing resulting in cost avoidance. Compliance with government <i>Open Data Policy</i>. 						

STAKEHOLDER PERFORMANCE GUIDE									
CHAPTER 4 – DATA									
Role	Responsibility	Approach	Benefit						
Program Manager	 Coordinate across organization's geo investment PMs for completion of Data Matrix and document business/mission functional requirements that drive data needs. Determine which dataset will be used enterprise-wide based upon data content, currency, and availability. Work with PMs across enterprise to perform review of internally produced data includes metadata with a common taxonomy and cataloged for discovery. Post datasets in open standards to appropriate catalogs for discovery. 	 PMs prepare Data Matrix and schedule survey and follow-on interviews to clarify Data findings with business owners to understand functional needs. Detailed assessment of datasets and how they meet the mission/business functional requirements. May require ELA with broader use terms and additional attributes requiring cost-share. Review procurement vehicles to ensure metadata standard compliance language. Develop a common taxonomy for cataloging the metadata enhanced data resources. Ensure enterprise data are exposed or 'harvestable' to appropriate web catalog services. 	 Awareness and understanding of enterprise data requirements and business/mission owner functional needs that drive data. Reduced contracting for vendor provided data, ELA discounts for volume-based pricing, data Steward responsibility as opposed to multiple posting/storage of datasets. Ability to identify, search, discover and share datasets across the enterprise. Facilitates the search and identification of geospatial data sharing. Compliance with government <i>Open Data Policy</i>. 						
Solution Architect	 Data Assessment Matrix design and development. Ensure data are cataloged and available in open standards and posted to web catalog service. 	 Assist the data matrix interview with mission/business owner to determine functional requirements that drive data and application needs. Develop technical approach for ensuring enterprise data resources are available, vetted, and provided in compliance with open data requirements. 	 Technical vetting and validation across investments for desired To-Be end-state environment. Understand functional requirements to optimize application development and data resource acquisition. Facilitates the search and identification of geospatial data sharing. Compliance with government Open Data Policy. 						

5 APPLICATION/SERVICE REFERENCE MODEL

5.1 INTRODUCTION

- 4 **Definition/Description (What)** is a mission/business driven functional framework that provides
- 5 guidance and evaluation practices used to identify, document, classify, discover, deliver, and
- 6 share geospatial application and service (App/Svc) capabilities. It provides the basis for
- 7 categorizing IT App/Svc investments across an organization's enterprise geospatial architecture.
- 8 Purpose/Function (Why) as an organization documents and catalogs their current and planned
- 9 App/Svc investments, gaps and redundancies will become evident, which will aid in identifying
- 10 opportunities for sharing, reuse, consolidation, redesign, renegotiating or developing new
- 11 sources. Organizations and enterprise architectures will benefit from economies of scale by
- 12 identifying and reusing the best solutions and technologies for applications that are developed,
- 13 provided or subscribed to support their mission, business functions and target geospatial
 - architecture. 90 This chapter provides a process to document and leverage IT investment assets
- from a shared services perspective by:
 - Establish a process for base lining and documenting geospatial applications and services.
 - Providing an understanding of design principles for shared services.
 - Provide guidance for complying with Federal shared services policy.
 - Provide [limited] references to resources for shared applications and services.

Stakeholder Performance Guide (Who & How) — Executive Leadership and Program Managers responsible for policy setting and compliance, strategic program direction, resource planning and approval (e.g., fiscal and human), and Solution Architects for identifying, documenting, and sharing technical solutions for applications and services. This model helps managers or architects understand the geospatial services delivered by their organization, and others; and assess whether there is an opportunity to group like services and create opportunities for reuse or shared services.

28

3

14

16

17

18

19

20

21

22

23

24

25

26

⁹⁰ Segment Architecture Analysis of the Geospatial Platform, Version 1.0, December 21, 2010. Federal Geographic Data Committee, in support of the Federal Chief Information Officers Council. Available at http://www.fgdc.gov/geospatial-lob/draft-segment-architecture-Analysis-of-the

5.2 APPLICATION/SERVICE REFERENCE MODEL(S): APPROACH

Federal Agencies are expected to implement the *Federal Information Technology Shared Services Strategy*⁹¹ and make "Shared-First" the default approach to IT service planning and delivery. Geospatial Apps/Svcs are becoming "commoditized" to a level where users, including the general public, have come to expect these services to be readily available to them anytime, anywhere, on any device, at no/low cost. These expectations are impacting the way in which Apps/Svcs are designed, developed, and delivered. Federal Agencies must also eliminate wasteful spending that result from implementing duplicative solutions for mission, support, and commodity IT functions. A review of over 7,000 Federal Agency IT investments reported to OMB for Budget Year 2013 revealed many redundancies and billions of dollars in potential savings that could be achieved through consolidation and a shared approach to IT service delivery within and between agencies. Along the same lines, in 2011 the U.S. Government Accountability Office (GAO) identified thirty-four (34) areas where Federal Agencies provide similar services to the same customer groups within and outside of government, with billions of dollars in potential savings if these services were reconciled, consolidated, and moved to a shared delivery model.

- The App/Svc Reference Model will focus upon a practical approach to documenting the geospatial App/Svc requirements and capabilities within and across an organization to meet mission/business requirements as well as provide guidance for description, cataloging, sharing and Federal policy compliance. The App/Svc Reference Model is not:
 - A "how to" manual for building and maintaining applications and services.
 - A taxonomy for cataloging applications and services.
- A definitive list of available applications and services.

5.3 GEOSPATIAL SERVICES TAXONOMY STRUCTURES⁹³

There are differences of opinion across the geospatial community whether geospatial is a mission specific capability, or an enterprise-wise service offering, and now many expect it to simply be another commodity service offering. The cross-cutting nature of Geospatial Information Systems makes it difficult to neatly categorize the technology other that the widely held opinion that it needs to be a shared service.

⁹¹ Federal Information Technology Shared Services Strategy, OMB, May 2, 2012, http://www.whitehouse.gov/sites/default/files/omb/assets/egov_docs/shared_services_strategy.pdf

⁹² Federal Information Technology Shared Services Strategy, OMB, May 2, 2012.

⁹³ Much of the information in this section is taken directly from the Federal Enterprise Architecture Framework, V2.0; the Federal Information Technology Shared Services Strategy; and the Federal Shared Services Implementation Guide.

5.3.1FEDERAL ENTERPRISE ARCHITECTURE FRAMEWORK, VERSION 2.0

An IT shared service is defined as: "An information technology function that is provided for consumption by multiple organizations within or between Federal Agencies." There are three general categories of IT shared services: commodity, support, and mission; which are delivered through cloud-based or legacy infrastructures, as is shown in Figure 5-1. Note that Geospatial is highlighted within the Mission IT Category as a Service Type.




Figure 5-1. IT Shared Services Concept Overview

However; when the three general categories of IT shared services are defined, the *Shared Services Strategy* also places Geographic Information Systems as an IT Support Service:

- Commodity IT Services: A category of back-office IT services whose functionality
 applies to most, if not all, agencies (e.g., infrastructure and asset management,
 email, hardware and software acquisition, and help desks).
- Mission IT Services: A category of enabling IT that support agency core business functions.
- Support IT Services: A category of back-office IT services whose functionality applies
 to multiple agencies and is business focused (e.g., Geospatial Information
 Systems).

The purpose of the *Federal Enterprise Architecture Framework's* Application Reference Model (ARM) is to provide the basis for categorizing applications and their components. It is expected that as agencies map their current and planned Information Systems to the ARM categories (as required by the OMB IT asset inventory annual reporting guidance), gaps and redundancies will

⁹⁴ Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2.0, January 13, 2013.

- 1 become evident, which will aid in identifying opportunities for sharing, reuse, and consolidation
- 2 or renegotiation of licenses.

8

9

10

11

12

13

14

15

- 3 As seen in Figure 5-2, the ARM consists of three levels: Systems, Application Components, and
- 4 Interfaces. Note that Geospatial is highlighted within the Application Components category as
- 5 opposed to a [Mission IT] support System.




Figure 5-2. Federal Enterprise Architecture Framework (FEAF): Application Reference Model

- The three levels: Systems, Application Components, and Interfaces are defined as:
 - Systems are discrete sets of information technology, data, and related resources, organized for the collection, processing, maintenance, use, sharing, dissemination or disposition of information in support of a specific business process. The ARM Systems category does not include mission-specific systems.
 - Application Components are self-contained software that can be aggregated or configured to support, or contribute to achieving, many different business objectives, processes, and multiple IT Systems.
 - Interfaces are protocols used to transfer information from system to system.
- When the Geospatial Information Application Component is further expanded as shown in Figure 5-3, the granular level of detail is limited to five categories.




Figure 5-3. FEAF Application Reference Model: Geospatial Information

5.3.2GEOSPATIAL PROFILE OF THE FEDERAL ENTERPRISE ARCHITECTURE FRAMEWORK, VERSION 2.0⁹⁵

The Geospatial Profile of the Federal Enterprise Architecture provides an Appendix that lists a set of some 68 geospatial service components that might apply within an agency's services architecture. It is a business-driven, functional framework that describes how geospatial services can support mission/business and performance objectives. This list provides Program Managers and Solution Architects with a view of how geospatial fits within an organization operational requirements and can be used to educate mission/business owners about how geospatial can support their needs (Section 3.3). Table 5-1 is an extract from the Geospatial Profile's Appendix C: Geospatial Service Components that describes the business-driven geospatial services.

⁹⁵ Geospatial Profile of the Federal Enterprise Architecture (FEA), Version 2.0, March 06, 2009.

Table 5-1. Geospatial Profile V2.0: Geospatial Service Components (Extract)

FEA SERVICE DOMAIN	FEA SERVICE TYPE	FEA SERVICE COMPONENT	FEA SERVICE COMPONENT DESCRIPTION	GEOSPATIAL SERVICE COMPONENT (* = Multiple Entries)	GEOSPATIAL SERVICE COMPONENT DESCRIPTION
Back Office Services Domain	Assets/ Materials Management	Facilities Management	Defines the set of capabilities that support the construction, management, and maintenance of facilities for an organization.	Facilities Management System	A GIS-based Facilities Management System
Back Office Services Domain	Assets/ Materials Management	Property/ Asset Management	Defines the set of capabilities that support the identification, planning, and allocation of an organization's physical capital and resources.	Property/Asset Management System	A GIS-based Property – Asset Management System
Back Office Services Domain	Data Management	Data Exchange	Support the interchange of information between multiple systems or applications; includes verification that transmitted data was received unaltered.	Geospatial Data Exchange and Translation Services	The ability to import/export, manipulate, and convert geospatial data through standard data exchange and transformation services. Services to transform geospatial data schemas between disparate systems.

5.3.3SEGMENT ARCHITECTURE ANALYSIS OF THE GEOSPATIAL PLATFORM, VERSION 1.0

The Segment Architecture Analysis of the Geospatial Platform⁹⁶ noted that a complex business component system such as a GIS does not fit neatly under the Federal Enterprise Architecture taxonomy. Geospatial cuts across many, if not all service types defined within the FEAF. To address this complexity, the Geospatial Platform analysis recognized the variation in taxonomies and provided an expanded categorization adaptation from several the geospatial service components to reflect the roles of geospatial across an enterprise. Figure 5-4 depicts the seven higher-level service categories or "Types" that are grouped into the areas of; access, analysis,

Segment Architecture Analysis of the Geospatial Platform, Version 1.0, December 21, 2010. Federal Geographic Data Committee, in support of the Federal Chief Information Officers Council. Available at http://www.fgdc.gov/geospatial-lob/draft-segment-architecture-Analysis-of-the

- services, and systems. Within these 7 types are the 23 dependent service "Components." The figure represents two main layers of the Geospatial Services Framework:
 - Service Type Provides a seven-layer categorization that defines the context of a specific set of service components.
 - Service Component A self-contained business process or service with predetermined and well-defined functionality that may be exposed through a business or technology interface.




Figure 5-4. Geospatial Services Framework⁹⁷

10 The seven services "Types" are described as:⁹⁸

1

2

3

4

5 6

7

8

⁹⁷ Service types taken from the Enterprise Architecture Segment Report (Draft Interim Instruction Guide for Quarter 4 FY2009). Service components taken from the Geospatial Profile of the Federal Enterprise Architecture, Version 2.0.

⁹⁸ Segment Architecture Analysis of the Geospatial Platform, Version 1.0, December 21, 2010. Federal Geographic Data Committee, in support of the Federal Chief Information Officers Council.

- Mapping Services Descriptions access vector and raster data and render them in
 the form of a map for display (combines access and portrayal). Independent of
 whether the underlying data are features (point, line, and polygon) or coverages
 (such as gridded digital terrain models or images), the mapping service produces
 data that can be directly viewed in a Web browser. Data are labeled as one or more
 "layers," each of which is available in one or more "styles."
- Imagery Access Descriptions provides an image of a requested layer(s) in either the specified or default rendering style(s). Typical output formats include Portable Network Graphics (PNG) format, Graphics Interchange Format (GIF), Joint Photographic Expert Group (JPEG) format, and Tagged Image File Format (TIFF).
- Geographic Feature Data Access Descriptions for selecting, browsing, extracting, transforming, and updating of a geographic feature database.
- Metadata and Catalog Services Descriptions for browsing, entering, transforming, integrating, and updating metadata for geospatial resources, and optionally, updating of associated geospatial resource records. A geospatial catalog supports search against geographic feature and imagery data through metadata.
- Geo-Coding and Gazetteer Services Descriptions provides the ability to determine
 the geospatial coordinates for a place, given an address, place name, or identifier.
 This function accesses a database of geographic features and returns the location
 and other descriptive information.
- Geographical Analysis Services Descriptions is a Web service that computes a
 geographic function for a specified geographic input, including computational
 overlay functions of a GIS.
- Image Processing System Services Descriptions is an integrated system for collecting, storing, accessing, sharing, disseminating, integrating, manipulating, visualizing, analyzing, and otherwise exploiting geospatial imagery.
- The 23 Service Components within the 7 Types are each defined within the *Segment Architecture*Analysis of the Geospatial Platform.

5.3.40PEN GEOSPATIAL CONSORTIUM: OPENGIS SERVICE ARCHITECTURE

The Open Geospatial Consortium⁹⁹ (OGC®) notes that, "There exist multiple possible taxonomies for services, based on various classification dimensions ... the purpose of defining a taxonomy ... is to have one way of identifying geographic extensions to various existing service types. [This] is not intended to be the only taxonomy to be used in the context of geographic services."

-

⁹⁹ Open Geospatial Consortium. http://www.opengeospatial.org/

The OGC® Service Architecture Abstract Specification¹⁰⁰ applied the International Standards Organization (ISO) 19101¹⁰¹ to define six classes of information technology services as the basis to categorize geographic services. ISO 19101 defines the Extended Open Systems Environment (EOSE) model for geographic information. The EOSE defines classes of services based on the semantic type of computation that they provide. EOSE provides the functional decomposition of the services for the geographic domain by extending the more general Open System Environment model [ISO/IEC TR 14252]. The IT Services use to categorize geographic services included:

- Human interaction services for management of user interfaces, graphics, multimedia, and for presentation of compound documents.
- Model/Information management services for management of the development, manipulation, and storage of metadata, conceptual schemas, and datasets.
- Workflow/Task services for support of specific tasks or work-related activities conducted by humans. These services support use of resources and development of products involving a sequence of activities or steps that may be conducted by different persons.
- Processing services perform large-scale computations involving substantial
 amounts of data. Examples include services for providing the time of day, spelling
 checkers, and services that perform coordinate transformations (e.g., that accept a
 set of coordinates expressed using one reference system and converting them to a
 set of coordinates in a different reference system). A processing service does not
 include capabilities for providing persistent storage of data or transfer of data over
 networks.
- Communication services for encoding and transfer of data across communications networks.
- System management services for the management of system components, applications, and networks. These services also include management of user accounts and user access privileges.
- The resulting Geographic Services Taxonomy, depicted in Table 5-2, uses the IT services and expands the processing services to include; spatial, thematic, temporal, and metadata.

OpenGIS Abstract Specification, Topic 12 "System Architecture," OpenGIS Consortium, Version 4.2, October 2001. Available at http://www.opengis.org/techno/abstract.htm Volume 12 is equivalent to ISO/DIS 19119, Geographic information – Services (2002). ISO 19119 was subsequently published in 2005. As of the date of this document, ISO 19119 is under revision.

¹⁰¹ International Standards Organization (ISO), ISO 19101:2002 Geographic information – Reference Model. INCITS subsequently approved ISO 19101:2002 as INCITS/ISO 19101-2002 (R2012), available for purchase at http://webstore.ansi.org/RecordDetail.aspx?sku=INCITS%2fISO+19101-2002+(R2012). ISO 19101-1 rev. Geographic information – Reference model - Part 1: Fundamentals (Revision of ISO 19101:2002) is pending publication as of the date of this document.

Table 5-2. Geographic Services Taxonomy¹⁰²

• Geographic human interaction services • Geographic model/information management services • Geographic workflow/task management services • Geographic processing services • Geographic processing services – spatial • Geographic processing services – thematic • Geographic processing services – temporal • Geographic processing services – metadata • Geographic communication services • Geographic system management services

- 2 The OGC® Service Architecture Abstract Specification goes on to map its Geospatial Services
- 3 Taxonomy to that of the ISO 19100 series standards as displayed in Error! Reference source not
- 4 found.

5

1

Table 5-3. OGC® Geospatial Services Taxonomy to ISO 19100 Series Standards

EXTENDED OSE SERVICE CATEGORY		RELEVANT ISO 19100 SERIES STANDARD
Goographic human interaction convices	19117	Geographic information – Portrayal
Geographic human interaction services	19128*	Geographic information – Web Map Server interface
	19107#	Geographic information – Spatial schema (See note)
	19110	Geographic information – Methodology for feature cataloguing
	19111+	Geographic information – Spatial referencing by coordinates
Coographic model/information	19112	Geographic information – Spatial referencing by geographic identifiers
Geographic model/information management services	19115#	Geographic information – Metadata
	19123	Geographic information – Schema for coverage geometry and functions
	19125-1*	Geographic information – Simple feature access – Part 1: Common architecture
	19128*	Geographic information – Web Map server interface
	19136*	Geographic information – Geography Markup Language
	19142*	Geographic Information - Web Feature Service Interface
	19143*	Geographic Information – Filter Encoding Interface
	19156:20	11* Geographic information Observations and measurements
Geographic workflow/task management services	(no releva	ant ISO 19100 series standards)
Geographic processing service	19107#	Geographic information – Spatial schema

¹⁰² Based on OpenGIS Abstract Specification, Topic 12 "System Architecture," OpenGIS Consortium, Version 4.3, October 2002, Available at http://www.opengeospatial.org/standards/as.

_

EXTENDED OSE SERVICE CATEGORY		RELEVANT ISO 19100 SERIES STANDARD
	19108	Geographic information – Temporal schema
	19109	Geographic information – Rules for application schema
	19111+	Geographic information – Spatial referencing by coordinates
	19116	Geographic information – Positioning services
	19123	Geographic information – Schema for coverage geometry and functions
	19118	Geographic information – Encoding
Geographic communication services	19149* geograph	Geographic information Rights expression language for nic information GeoREL
Geographic system management services	(no relev	rant ISO 19100 series standards)

5.3.5SPATIAL DATA INFRASTRUCTURE: COOKBOOK 103

The *SDI Cookbook* identifies existing and emerging standards, open-source and commercial standards-based software solutions, supportive organizational strategies and policies, and best practices. "The SDI Cookbook wiki is intended as a 'living document' which provides information on standards and best practices for implementing a Spatial Data Infrastructure."

The SDI Cookbook defines services as:

"... self-contained, self-describing, modular applications consisting of collections of operations, accessible through interfaces, which allow clients to evoke behaviors of value to the user. Clients can invoke services from across a network using standardized protocols independently of platform, language, or object model on which the services or the client were deployed."

The OGC Service Framework groups geospatial services into five categories corresponding to the OGC services taxonomy top-level domains described in OGC's Service Architecture Abstract Specification (also ISO 19119¹⁰⁴). The *SDI Cookbook* provides a summary of these categories (below), and when available, includes implementation specifications for these services:

[&]quot;*" An OGC standard that was submitted to ISO.

[&]quot;#" An ISO standard approved as a topic volume of the OGC Abstract Specification

[&]quot;+" Jointly developed OGC and ISO standard

¹⁰³ The information in this section is taken directly from SDI Cookbook, Global Spatial Data Infrastructure, GSDIWiki, last updated 5 June 2014. Available at http://www.gsdidocs.org/GSDIWiki/index.php/Main Page

¹⁰⁴ ISO 19119:2005 Geographic information — Services. "ISO 19119:2005 identifies and defines the architecture patterns for service interfaces used for geographic information, defines its relationship to the Open Systems Environment model, presents a geographic services taxonomy and a list of example geographic services placed in the services taxonomy. It also prescribes how to create a platform-neutral service specification, how to derive conformant platform-specific service specifications, and provides guidelines for

1 • 2 3 4 5 6	Catalogue Services – respond to requests for metadata in a Catalogue that comply with certain browse or search criteria. Geospatial data that are stored for use in local databases can often be used in external applications once they are published. In this chapter, the concepts and implementation of geospatial data catalogues are presented as a means to publish descriptions of your geospatial data holdings in a standard way to permit search across multiple servers.
7 8	$^{\circ}$ Note: A Catalogue is a single collection of metadata entries that are managed together.
9 10 11	Geospatial Data Services - provide access to a wide range of collections of geospatial data stored in distributed repositories and databases. Examples of data services include:
12 13 14 15	 Feature Access Services: provide access and management of feature stores. Applicable implementation specification: OGC Web Feature Service (WFS; http://www.opengeospatial.org/standards/wfs http://www.opengis.org/docs/02-058.pdf)
16 17 18	 Coverage Access Services: provide access and management of coverage stores. Applicable implementation specification: OGC Web Coverage Service (WCS; http://www.opengeospatial.org/standards/wcs)
19 20 21	 Sensor Collection Services: provide access, manipulation and collection of sensor observations. Applicable implementation specification: OGC Sensor Collection Service (SCS; http://www.opengis.org/docs/02-028.pdf)
22 23	 Image Archive Services: provide access and management of large sets of digital images and related metadata
24 • 25 26	Data services also provide access to location-based data in the form of the following services (Applicable implementation specification: OGC Location Services OLS; http://www.opengeospatial.org/standards/ols):
27 28	 Directory Services: provide access to online directories to find the locations of specific or nearest places, products or services
29 30	 Geocoding Services: transform a description of a location (place name or street address) into a normalized description of the location
31	Navigation Services: determine travel routes and navigation between two points
32 33	 Gateway Services: fetch the position of a known mobile terminal from the network

the selection and specification of geographic services from both platform-neutral and platform-specific perspectives." INCITS approved ISO 19119:2005 as an American National Standard.

 $A vailable for purchase at $$\underline{\text{http://webstore.ansi.org/RecordDetail.aspx?sku=INCITS\%2fISO+19119-2005}$$

Portrayal services – provide visualization of geospatial information. Given one or more inputs, portrayal services produce rendered outputs (maps, perspective views of terrain, annotated images, etc.). They can be tightly or loosely coupled with other services such as the Data and Processing services, and can transform, combine, or create portrayed outputs. Examples of such services include:
Map Portrayal Services
 Coverage Portrayal Services: Applicable implementation specification: OGC Coverage Portrayal Service (CPS; http://www.opengis.org/docs/02-019r1.pdf)
Mobile Presentation Services
Processing services – unlike data services, are not associated with specific datasets. Instead, they provide operations for processing or transforming data in a manner determined by user specified parameters. Processing services can be tightly or loosely coupled with other services such as the Data and Processing Services. The most common examples of processing services are:
 Coordinate Transformation Services: convert geospatial coordinates from one reference system to another. Applicable implementation specification: Coordinate Transformation Services (CTS; http://www.opengeospatial.org/standards/ct)
 Image Processing Services, detailed in OGC's Abstract Specification Topic 15 <u>http://www.opengeospatial.org/standards/as</u>, include:
Image Manipulation Services - manipulate images (resizing, changing color and contrast values, applying various filters, manipulating image resolution, etc.) and are used for conducting mathematical analyses of image characteristics (computing image histograms, convolutions, etc.).
Image Exploitation Services - support the photogrammetric analysis of remotely sensed and scanned imagery and the generation of reports and other products based on the results of the analysis.
Image Synthesis Services - create or transform images using computer-based spatial models, perspective transformations, and manipulations of image characteristics to improve visibility, sharpen resolution, and/or reduce the effects of cloud cover or haze.
Geospatial Analysis Services: exploit information available in a Feature or Feature Collection to derive application-oriented quantitative results that are not available from the raw data itself.
Gazetteers: provide access to geospatial data indexed by place name rather than by coordinate locations. Applicable Gazetteer Service – Application profile of the Web

Feature Service Best Practice 1.0 (http://www.opengeospatial.org/standards/bp)

 Service Chaining – can be considered as a special case of processing services, enabling the combination or pipelining of results from different services in response to clients' requests. Efficient service chaining is critical to the ability to leverage and combine multiple information sources hosted by various service providers. Service chaining is required when a task needed by a client cannot be provided by a single service, but rather by combining or pipelining results from several complementary services. Most GIS applications will require the chaining of multiple geospatial and non-geospatial services.

5.3.6GEOSPATIAL TAXONOMY CONSIDERATIONS

The successful adoption and use of the geospatial Application/Service Reference Model will depend upon achieving consensus on a consistent, well-known and well-understood set of names and definitions for geospatial service components. Aligning agency capital investments to an agreed upon Apps/Svcs Reference Model leverages a common, standardized vocabulary, allowing interagency discovery, collaboration, and interoperability. Agencies and the Federal Government will benefit from economies of scale by identifying and reusing the best solutions and technologies for applications that are developed/provided or subscribed to support their business functions, mission, and target architecture.¹⁰⁵

Several initiatives described above have attempted to refine a view of geospatial applications/services taxonomies. These examples will be useful to the geospatial stakeholders (e.g., Program Managers and Solution Architects) developing the geospatial services and how they expose them as shared services in places like Repositories and App Stores. However, there is no commonly agreed to, consensus-driven or policy-based geospatial applications and services taxonomy to uniformly categorize capabilities across the geospatial community. No one categorization [currently] will meet the user communities' requirements in terms of mission/business function(s), understanding and ease of use.

When developing an organization's IT Asset Inventory and corresponding Apps/Svcs categorization, the geospatial investment owners responsible for delivering the mission/business functionality across the enterprise must agree upon the name, definition of the service types and their components.

5.4 GEOSPATIAL BASELINE ASSESSMENT MATRIX: APPLICATIONS AND SERVICES

As part of the Executive Steering Committee's authority to initiate the enterprise-wide Geospatial Baseline Assessment (Section 3.4), application and service requirements based upon

¹⁰⁵ Office of Management and Budget, *The Common Approach to Federal Enterprise Architecture*, May 12, 2012.

mission/business functional needs from the Operational Requirements Document must also be identified. This business analysis should include a categorization of the general types of Apps/Svcs necessary to meet the functional needs of the organizations. Regardless of the final categorization used in defining the Apps/Svcs (Section 5.3), the Baseline Assessment will require a discussion with the user community to define requirements, especially mission/business owners not intending to create a geospatial capability of their own. One of the challenges with defining the geospatial application/services functional requirements with non-geospatial centric mission/business owners is that geospatial functionality is often merely one type of capability that is needed by the user or system. Often, geospatial is a secondary service capability that may be used to contribute to or integrate with other primary service requirements. An example of this is the requirement for a Common Operating Picture (COP), while having a geospatial visualization component, it is primarily a decision support system requiring such functionality as; document management, incident management tracking, reporting, alerts and notifications, email triage with automated ingest, request for information, and archival capabilities.

Table 5-4 and Appendix D.1 provides an example of the general functional categories of applications and services that do not necessarily correspond directly with the taxonomies in Section 5.3, but provide a starting point for which to develop more detailed or drill-down Apps/Svcs assessment.

Table 5-4. Geospatial Baseline Assessment Matrix: Functionality Categories

Geospatial Baseline Assessmen								
							Common	
Category	Org #1	Org #2	Org #3	Org #4	Org #5	Org #5	Score	Pct %
Geospatial: Visualization	С	С	Р	С	С	С	6	100%
Geospatial: Analysis / Processing	С	С		С	С	С	5	83%
Reporting	С	С		Р	С	С	5	83%
Search & Discovery	Р	С		С		С	4	67%
Alerts & Notifications	Р	С	Р	Р	С	С	6	100%
Collaboration	Р	С			С	С	4	22%
Content Management	Р	С			С	С	4	22%
Resource Management	С				С	С	3	50%
Data Management	С	Р		С	С	С	5	83%
Modeling	С	Р	Р	Р	Р	С	6	100%
Analytics	С	С	Р	С	С	С	6	100%
IT Security	С	Р	Р	С	С	С	6	100%
Other								0%
Status c - Current P - Planned								

This initial categorization is expanded in Table 5-5 which provides a basis to perform an inventory of specific Apps/Svcs either currently existing, planned for development or acquisition. Table 5-5

- provides an extract of the two-page Baseline Apps/Svcs Assessment Matrix that is contained in Appendix D.2.
 - Table 5-5. Geospatial Baseline Assessment Matrix: Applications and Services (Extract)

			Org Org		Org	Org	Org	Common	
Functionality	Category	#1	#2	#3	#4	#5	#6	Score	Pct (%)
GIS Visualization	Geospatial	С	С	С	С	С	С	6	100%
ANSI 415 Map Symbology	Geospatial	С		С		P	P	4	67%
Mil 2525B Map Symbology	Geospatial						Р	1	17%
Geocode Address / Place	Geospatial	С	С	С	С	С	С	6	100%
Reverse Geocode	Geospatial	С	Р	С		С	P	5	83%
Batch Geocode	Geospatial	P	P	С		С	С	5	83%
Gazeteer	Geospatial	Р	С	С		С	С	5	83%
Translate Coordinate Systems / Grids	Geospatial	P	С	С			С	4	67%
Decimal Degrees	Geospatial	P	С	С	С	С	С	6	100%
Decimal Minutes Seconds	Geospatial	P	С	С		С	С	5	83%
Other Coordinate Systems / Projections	Geospatial			С		С		2	33%
US National Grid	Geospatial	P	С	С			С	4	67%
Military Reference Grid	Geospatial	P		С	С			3	50%
Add Custom GIS data	Geospatial	Р	Р	С		С	С	5	83%
Export Data Layers	Geospatial	P	Р	С		С	С	5	83%
Print Map	Geospatial	С	Р	С	С	С	С	6	100%
Export Map	Geospatial	Р	Р	С	С	С	С	6	100%
GIS analysis / processing	Geospatial	С	С				С	3	50%
Imagery Visualization	Digital Photography / Streaming Video	С	P	С	С		С	5	83%
Streaming Video	Digital Photography / Streaming Video	P	P	С	С		С	5	83%
Live Camera Feeds	Digital Photography / Streaming Video	P	P	С	С		С	5	83%
Reporting	Reporting	C	P	С	С	С	С	6	100%
Reporting Templates	Reporting	С	P	С	С	С	С	6	100%
Standard Form Generation	Reporting	P	P	С	С	С	С	6	100%
Export Reports / Output	Reporting	С	P	С	С	С	С	6	100%
Search Tools	Search & Discovery	P	С	С	С	С	С	6	100%
Auto-ingest / Harvesting	Search & Discovery	P	С	С	С	С	С	6	100%
Unstructured Text / Document Search	Search & Discovery	P	P	С	С	С	С	6	100%
Cataloging	Search & Discovery	Р		С		С	С	4	67%

Table 5-4 and Table 5-5 (Appendix D.1 and D.2) are not intended to be a definitive list of geospatial Application/Services functional capabilities, but serve as a basis for the Executive Steering Committee to task the development of a comprehensive and mutually agreed upon taxonomy of Apps/Svcs among the organization's geospatial practitioners (e.g., Program Managers and Solution Architects) and mission/business owners. This will in turn foster the discussion to determine operation requirements and the opportunity to share geospatial services across the enterprise. The inventory of these Applications/Services across the enterprise will also serve to meet the OMB reporting requirement of the *Federal IT Shared Services Strategy*¹⁰⁶ to submit an "Enterprise Roadmap" that includes a list of IT assets agency-wide to include all IT systems and services that support mission, administrative, and commodity IT programs, using [or aligned to] the Federal Enterprise Architecture Reference Model taxonomies provided in the Common Approach.

¹⁰⁶ Office of Management and Budget, Federal IT Shared Services Strategy, May 2, 2012.

5.5 GEOSPATIAL APPLICATIONS/SERVICES CATALOGS

Currently, Federal Agencies have limited information regarding the full spectrum of inter-agency IT shared service options that are available. The OMB, working with the Federal CIO Council's Shared Services Subcommittee established an online IT Services Catalog to provide Federal Agencies with a list of available services and contract vehicles. The Federal Shared Services Catalog – Uncle Sam's List (Figure 5-5) is intended to be a "prices paid portal," that identifies candidate shared services in the areas of: Commodity IT, Support Services and Mission IT, which included Geospatial listed under Mission IT in Section 5.3.1; however, it does not, nor is it intended to, provide geospatial applications/services as described in this chapter.



Figure 5-5. Uncle Sam's List

Although the OMB Enterprise Roadmap¹⁰⁹ will include an inventory of all of the agency's IT applications, systems, and

18 services, there are limited resources for geospatial

applications/services catalogs available to the user community. The Segment Architecture Analysis of the Geospatial Platform, ¹¹⁰ as part of its Target Analysis states that in the [desired or To-Be] target state; "metadata is produced for both geospatial data and services, adheres to a common standard, is governed by coordinated agency policies, and supports catalogs dynamically." The document further, highlights the 'Enable Discovery' portion of the Process Flow section with three prescribed tasks:

- 1. An agency stands up a catalog to enable metadata storage and discovery. Catalogs are deployed in the context of goals, objectives, and technical specifications to ensure they are open, flexible, and accessible to a broad audience. Catalogs are only implemented if no suitable existing catalog (internal or federal) exists to fit the agency's goals.
- 2. The agency implements harvesting or update services that automatically populate catalogs with new metadata on a set schedule. The catalogs to be updated as well as the schedule are set forth in agency policy.

¹⁰⁷ Office of Management and Budget, Federal IT Shared Services Strategy, May 2, 2012.

¹⁰⁸ Uncle Sam's List, April 2013. Available to Federal employees through the OMB MAX at https://login.max.gov/cas/login?service=https%3A%2F%2Funclesamslist.max.gov%2F
Public site available at http://unclesamslist.us/

¹⁰⁹ Office of Management and Budget, *The Common Approach to Federal Enterprise Architecture*, May 12, 2012.

¹¹⁰ Segment Architecture Analysis of the Geospatial Platform, Version 1.0, December 21, 2010. Federal Geographic Data Committee, in support of the Federal Chief Information Officers Council.

- 3. The agency implements alternate discovery mechanisms/service as planned. Once deployed, the agency publishes use of the new mechanisms/service.
- 3 The following provides brief examples of Federal Applications/Services Catalogs and is intended to
- 4 highlight the differences in approaches for the establishments of catalogs for the identification
- 5 and delivery of services.

5.5.1GEOSPATIAL PLATFORM

"The Geospatial Platform enables the sharing of data, services, and applications across the government on a shared cloud infrastructure. This aligns with the government-wide shared services strategy, which is intended to improve return on investments, close productivity gaps, and increase communications with stakeholders." While predominantly regarded a data catalog service site, it also has additional services offerings. The Geospatial Platform offering is considered to be "the suite of geospatial assets delivered to customers, including geospatial data, services, applications, and infrastructure," as defined as:

- Data: includes individual datasets, integrated data (such as base maps), or other
 products derived from multiple datasets. These assets include foundational
 geospatial data that can be trusted, used reliably and shared across organizations.
 Governments at all levels or, in some instances nongovernmental organizations, can
 provide data to the Geospatial Platform.
- Services: provide a consistent, easily accessible way to access geospatial capabilities
 (e.g., access to data, geocoding, geoprocessing services, metadata management,
 etc.). The Geospatial Platform will offer access to services that can used by multiple
 agencies as stand-alone capabilities or as building blocks to develop applications.
- Applications: consist of a set of tools or capabilities that enable a user to exploit
 geospatial information through visualization, query, reporting, and spatial analysis
 to achieve their results. Applications may leverage one or more different services to
 conduct analysis and return results to the user. The Geospatial Platform will offer
 access to applications that can be downloaded, customized, and used to meet
 customer business needs.
- Infrastructure: includes both physical and logical technology components that can be leveraged by multiple customers.
- Geospatial Platform Marketplace: provides the "Marketplace" as a public facing listing of datasets that are planned for acquisition by one or more Federal agencies.
 Utilizing metadata records registered with the shared Data.gov/Geospatial Platform

http://www.geoplatform.gov/sites/default/files/document library/2012-09-12-geospatial-platform-business-plan-redacted-final.pdf

¹¹² Ibid.

data catalog, and tagged as both "geospatial" and "planned", Federal agencies and non-federal partners use this listing to identify potential partnering opportunities for data purchase.

The Geospatial Platform is generally considered a dataset catalog and maintains a shared catalog between Data.gov¹¹³ through an open standards compliant Catalog Service for the Web (CSW) specification that defines common interfaces to discover, browse, and query metadata about data, services, and other potential resources.¹¹⁴ The catalog provides access for both first-order and all metadata (including members of large collections) for harvested data, services, and applications. The first-order CSW endpoint provides collection level filtering of all metadata records. The all metadata CSW endpoint provides all levels of metadata at varying levels of granularity. Any client supporting CSW (desktop, GIS, web application, client library, etc.) can integrate the Geoplatform.gov/Data.gov CSW endpoints.

- 13 The Geospatial Platform provides a Tutorial and Training resource with a link¹¹⁵ to a "Data.gov
- 14 CSW How To" that allows any client supporting CSW (desktop, GIS, web application, client library,
- etc.) the ability to integrate the Data.gov CSW endpoints.
- 16 In terms of the Applications/Services offered by the Geospatial Platform, the site provides a
- 17 Featured Applications page (https://www.geoplatform.gov/applications) that has several user
- generated examples. The link to the "Maps and Apps" (https://www.geoplatform.gov/labs-add-
- 19 your-app) results in a page for "Add Your Application" (Figure 5-6) where future functionality is
- 20 expected.

1

2

3

4

5 6

7 8

9

10

¹¹³ https://www.data.gov/

https://gist.github.com/kalxas/5ab6237b4163b0fdc930

¹¹⁵ Ibid.




Figure 5-6. Geospatial Platform: Add Your Tool or Application

5.5.2GEOINT APP STORE

- 4 "The GEOINT App Store is an online platform that provides useful apps, widgets, and web services for members of the IC. These powerful yet intuitive software tools are simple to find and use for 5
- completing specific GEOINT tasks."116 The GEOINT App Store accepts contributions from across 6
- 7 the Intelligence Community to include; apps, widgets, or web services through a submission,
- 8 review, and approval process.

1 2

- The GEOINT App Store¹¹⁷ has a number of web applications and unclassified applications (more 9
- 10 than 270 in late 2013¹¹⁸) for handheld devices. The GEOINT Applications Storefront assists
- 11 Android and iOS users find National Geospatial Intelligence Agency and partner applications from
- their devices. Patterned off of commercial storefronts, it provides downloadable apps for 12
- 13 smartphones and tablets in the three security domains—unclassified, secret, and top secret.

¹¹⁶ National Geospatial-Intelligence Agency (NGA). GEOINT App Store. https://apps.nga.mil/about

¹¹⁷ https://www1.nga.mil/DATAAPPS/Pages/AccessDataAppStore.aspx

¹¹⁸ http://defensesystems.com/articles/2013/10/22/geoint-app-store.aspx

GEOINT App Store allows authorized users to search by keyword or category to download the application they need directly. Most apps are designed around simply bringing information to handheld devices, such as reports and maps, although some apps will allow users to create reports as well. Though not every application works on every device, the services are cross indexed by category, type as well as a smaller grouping by community as depicted in Table 5-6. While the Apps are grouped in multiple locations, the cross-indexing allows the intended user communities to more rapidly search for services.

Table 5-6. GEOINT App Store Index

GEOINT APP STORE								
CATEGORIES	#	TYPES	#	COMMUNITIES	#			
Communication/Collaboration	4	Algorithm	0	First Responder Apps	4			
Mapping	19	Android	7	Mariner Apps	3			
Navigation	4	Desktop	2	Aviator Apps	2			
Reference	2	Idea	8	Wildfire Apps	10			
Situational Awareness	19	iOS	4	Tropical Weather Apps	10			
		Mobile Web	4					
		Web	14					
		Web Service	8					
		Widget	1					

5.5.3ENTERPRISE REGISTRY AND REPOSITORY¹¹⁹

The overarching goal of the Office of the Director of National Intelligence (DNI) is to ensure that the elements of the Intelligence Community (IC) and Department of Defense (DoD) are working collaboratively to provide useful, timely, and accurate intelligence to support those who make and implement U.S. National Security policy, defend our Nation, and enforce our laws. A mission objective is to provide the intelligence community the ability to publish, manage, discover, retrieve, access and govern information about mission, business, and enterprise information technology (IT) resources throughout their lifecycle resulting in the effective management, sharing and integration of IT across the entire IC enterprise.

In response to increasing threats to national security and a growing need for better information sharing between IC elements, the DNI embarked on making significant enhancements across the community by creating a "Single Information Environment (SIE)" for the community and the establishment of a Common Software Repository and Service Registry. This service registry (Enterprise Registry and Repository (ER2) was first established on the Joint Worldwide Intelligence Communications System (JWICS) to support software and services reuse within the IC. The ER2

¹¹⁹ The information in this section is taken directly from the (Unclassified) Enterprise Registry and Repository entry from Intellipedia as redirected from http://www.intelink.gov/wiki/ER2

1 also has an instance on the Secret Internet Protocol Router Network (SIPRNet). The goals of ER2 2 are: 3 Support the DNI and community's efforts in achieving an efficient IT environment. 4 Enable information sharing for IC business and IT data. 5 Adapt IT rapidly to changes in IC mission and business needs. 6 Enable IT discovery, retrieval, access, and reuse. 7 Lower the lifecycle costs of IT through sharing and reuse. 8 Help reduce unwarranted duplication of IT resources. 9 ER2 is part of the IC enterprise service delivery infrastructure featuring: Publishing and Managing – Easy to populate and update data (supports bulk loads). 10 Discovery and Reuse – Search for and take advantage of available capabilities. 11 Enhanced Portfolio Management – Provides for better informed decision making, 12 automated reporting, improved management and the leveraging of IT investments. 13 Governance and Oversight - Supports publishing, tracking, decision points, and 14 15 lifecycle milestones. 16 The ER2 solution is based upon community-developed requirements and is aligned with existing 17 IC element technical solutions including controlled vocabularies and taxonomies from commonly 18 agreed to architecture reference models. ER2 allows IC elements to transition their internal 19 software repositories into the service to enable discovery and sharing of available assets. IC 20 elements have published thousands of shared assets such as widgets, services, Enterprise 21 Standards Baseline and many other asset types. ER2 manages a variety of asset types, including 22 services, software and applications. The different types of community IT assets include: 23 Web services 24 **Applications** 25 Software 26 Web Service Definition Language (WSDLs) and Schemas 27 **Endpoints and Bindings** 28 **Providers and Points of Contact** 29 **IC Standard Citations** 30 **IC Profiles**

31

• Widgets

- 1 An important benefit to the IC is the ability to discover the relationships between the IC-wide
- 2 shared IT assets and make a better informed decision on utilization, maintenance, and
- 3 management of these assets. Organizations are employing the ER2 as a primary asset registry and
- 4 repository and require the register and search of the ER2 for existing assets that can be reused or
- 5 consumed. If an asset already exists that performs the functions required by the program, full
- 6 development may be avoided, thus reducing the program's overall costs while decreasing time-
- 7 to-field.

11

12

13

14 15

16

17

18 19

20

21

22 23

24

25

26

27

28

29

30

31

32

- The IC user community has benefited from the identification and collection of the applications and services registered within the ER2 in many areas, including:
 - Developers find already-built components for the mission solution they are supporting.
 - Analysts find tools and data sources that have information about the problem they are working.
 - Architects find pre-built profiles that show standards and reference architecture to design a community-compatible information sharing capability.
 - Community Providers find and edit metadata, add artifacts, and update the lifecycle of a community asset and advertise the availability of the services to the community for reuse.
 - Program Managers reduce development costs and shorten delivery cycles by reusing existing community components.

5.6 GEOSPATIAL SHARED SERVICES STRATEGY¹²⁰

The Federal IT Shared Services Strategy requires agencies to default to a shared solution when opportunities for consolidation exist. Cloud-First and Shared-First concepts and policies are intended to work in tandem to continue to advance the Federal Government's move toward cloud-based IT solutions that will serve as a catalyst for the broader adoption of IT shared services.

The Federal Shared Services Implementation Guide provides information and guidance on the provisioning and consumption of shared services in the U.S. Federal Government. The guide provides agencies with a high level process and key considerations for defining, establishing, and implementing interagency shared services to help achieve organizational goals, improve performance, increase return on investment, and promote innovation. It includes specific steps

The information in this section is taken directly from the CIO Council's Federal Shared Services Implementation Guide, April 16, 2013. Available at https://cio.gov/wp-content/uploads/downloads/2013/04/CIOC-Federal-Shared-Services-Implementation-Guide.pdf

- 1 that should be considered for identifying shared services candidates, making the business case,
- 2 examining potential funding models, using agency agreements, and discusses some of the key
- 3 challenges that should be expected along the way.

5.6.1SHARED SERVICES IMPLEMENTATION STEP-WISE PROCESS

- 6 The Federal Shared Services Implementation Guide provides a step-by-step assessment indicating
- 7 tasks and activities, best practices, and risk areas with mitigations to consider and prepare for
- 8 when implementing shared services.
- 9 The decision to move agency or department functions to a shared service is best served by a
- 10 methodical approach that helps to ensure achievement of the desired outcomes and benefits (see
- 11 Figure 5-7).

4

5

12 13

14

15

16 17

18

19




Figure 5-7. Shared Service Implementation Decision

This approach can be applied to evaluate the transition costs and demonstrate future savings. It is also needed to understand the capabilities that can be supported and changes in business processes that may be required to fit into an existing shared service. The Implementation Guide provides high-level guidance on the Steps and Tasks needed to determine whether to pursue implementation of a shared service.

5.7 STAKEHOLDER PERFORMANCE GUIDANCE

- 20 The Performance Guidance provides a summation of the key decision points necessary to
- 21 determine the most effective and efficient design, development, and implementation of the
- 22 geospatial system investment.
- 23 When developing their organization's annual strategic plans and performance goals, Senior
- 24 Leadership and Program Managers must evaluate the prior performance of their organization.
- 25 This presents an opportunity to question and assess the following: 121

_

¹²¹ Ibid.

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

1 What is the performance of existing processes and services? 2 • What existing capabilities can be improved? 3 • What is the cost structure of current capabilities? 4 • How efficient is service delivery? 5 • What new capabilities are needed and funded by the organization? 6 When considering each of these questions, the leadership team should consider the availability of 7 existing capabilities that may potentially be provided by a shared service provider and to leverage 8 these capabilities prior to buying or building a new capability. 9

Table 5-7. Stakeholder Performance Guide: Applications/Services

	STAKEHOLDER PERFORMANCE GUIDE									
	СНАР	TER 5 – APPLICATIONS/SERVICES								
Role	Responsibility	Approach	Benefit							
Executive Leadership	 Authorize the Application and Service inventory using the Baseline Assessment and catalog App/Svc capabilities across the enterprise using a common taxonomy. As part of the Investment Technology Acquisition Review (ITAR) framework, require all new applications and services be compared against the App/Svc Catalog to determine shared first requirement. Apply the Shared Services Implementation Step-wise Process to geospatial investment. 	 Work with other Executives to acknowledge the need to reduce data costs by leveraging investment and performing the Baseline Assessment based upon mission/business needs. Establish review board with CIO/CFO representation and consider policy to ensure participation and commitment. During annual budget review/planning cycle or with proposed new investments review against process. 	 Signatory with defined responsibility and stated measurable results (e.g., IT Asset Inventory for OMB Open Data Policy reporting and a quantifiable App/Svc resource inventory). Promotes interoperability, reduces redundant investments, and allows for cost share. Reduce cost for App/Svc development/acquisition alignment to Share-First policy. 							
Program Manager	 Coordinate across other internal Department/Agency investment PMs to establish Geospatial Taxonomy Working Group and Geospatial App/Svc Catalog. Staff and perform inventory and of existing/proposed App/Svc investment. Staff and perform Shared Services Implementation Stepwise Process to assess geospatial investments. 	 Initiate the Taxonomy development and perform App/Svc inventory for documenting App/Svc and creating a catalog. Perform Baseline Assessment: Apps/Svcs across enterprise and populate catalog. Develop repetitive process for evaluating investment to share services. 	 Shared awareness of investment and value of geospatial capabilities across the organization. Basis for shared service capabilities. Provides baseline for shared service investment and leveraged capability Catalog meets Share First policy and forms basis for reduced investment. 							
Solution Architect	 SME and reach back for Taxonomy Working Group participation. Perform technical evaluation of App/Svc investments to determine commonality and alignment. 	 Develop baseline assessment and perform inventory of App/Svcs. Technical review of services for alignment to TRM and Infrastructure compatibility (Section 6.3). 	 Cross enterprise collaboration for technical exchange and comparison. Ensure broadest possible technical review, adoption and acceptance. 							

6 INFRASTRUCTURE REFERENCE MODEL

6.1 INTRODUCTION

- 4 **Definition/Description (What)** the Infrastructure Reference Model (IRM) establishes a roadmap
- 5 to achieve an organization's mission/function through optimizing its information technology
- 6 environment. The IRM will provide an architectural "blueprint" for effectively defining an
- 7 organization's current (Baseline/"As-Is") and/or desired (Target/"To-Be") geospatial system
- 8 environments.

3

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31 32

33

- Purpose/Function (Why) the IRM is used to inform, guide and constrain the geospatial investment decisions for the enterprise/organization. Geospatial reference architecture should serve as a primary authoritative resource for organizational planning, a baseline from which to insert new technologies and capabilities into the infrastructure of the enterprise, and a documentation source for investment justification. The IRM provides a roadmap from the "As-Is" environment to the "To-Be," target environment using documentation tools and artifacts. It contributes to the investment governance structure (see Section 2.4) to baseline, align, transition,
 - Establishes a process for base lining and categorizing geospatial technology and functionality.
 - Defines a 3-Tier geospatial architecture as the To-Be target.
 - Provides reference artifacts for the 3-Tier architecture.

and mature their geospatial invest across the enterprise. It describes how to:

Stakeholder Performance Guide (Who & How) — Solution Architects serve as the primary developer and user of the Infrastructure Reference Model documentation, planning tools, and system artifacts necessary for the design and subsequent leverage/buy/build investment strategy. Program Managers must facilitate the cross organizational collaboration necessary to document the technology investments and negotiate implementation options that support both mission and enterprise needs. Executive Leadership must assess the justification for approving/denying a proposed geospatial investment.

Design for the Mission ... Develop for the Enterprise.

6.2 ALIGNMENT TO THE ENTERPRISE ARCHITECTURE INVESTMENT PLANNING PROCESS

The Infrastructure Reference Model will focus upon a practical approach to documenting the technical and functional capabilities and requirements of the geospatial enterprise. The IRM

supports architectural analysis and reporting within an organization's overall Enterprise 1 2 Architecture. 122 The IRM also unifies existing agency infrastructure portfolios and guidance by providing a foundation to advance the reuse and standardization of technology and service 3 4 components. Aligning agency capital investments to the IRM leverages a common, standardized 5 allowing intra/interagency discovery, collaboration, and interoperability. 6 Organizations and enterprise architectures will benefit from economies of scale by identifying and 7 reusing the best solutions and technologies for applications that are developed/provided or 8 subscribed to support their business functions, mission, and target architecture.

Agencies must document and submit their Enterprise Architecture (EA) documentation to OMB. 123 The EA provides the explicit description and documentation of the current and desired relationships among business and management processes and information technology. It describes the "current architecture" and "target architecture" as well as providing a strategy that will enable the agency to support its current state and also act as the roadmap for transition to its target environment. These transition processes will include an agency's capital planning and investment control (CPIC) processes (Section 2.4.2). The EA should inform the CPIC process by defining the technologies and information critical to operating an agency's business, and by creating a roadmap which enables the agency to transition from its current to its targeted state. The EA helps the agency respond to changing business needs, and ensures that potential solutions support the agency's targeted state. A proposed IT solution that does not comply with the EA should not be considered as a possible investment, and should not enter the CPIC process. The CPIC process helps Executive Leadership select, control, and evaluate investments that conform to the EA. For example, during the select stage of capital planning an agency identifies and investigates different potential solutions for an investment. An agency then selects the option with the best business case. If any of these alternatives does not conform to the EA, the agency should drop it from consideration.

6.3 GEOSPATIAL BASELINE ASSESSMENT MATRIX: INFRASTRUCTURE AND TECHNOLOGY

Each agency must support the Enterprise Architecture with a complete inventory of agency information resources, including personnel, equipment, and funds devoted to information resources management and information technology, at an appropriate level of detail.¹²⁴ Agencies must implement the EA consistent with the following [amongst others] principles:

9

10

11

12 13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28 29

30

31

¹²² Office of Management and Budget, The Common Approach to Federal Enterprise Architecture, May 2, 2012.

¹²³ http://www.whitehouse.gov/omb/fedreg a130notice

¹²⁴ Ibid.

- 1. Develop information systems that facilitate interoperability, application portability, and scalability of electronic applications across networks of heterogeneous hardware, software, and telecommunications platforms.
- 2. Meet information technology needs through cost effective intra-agency and interagency sharing, before acquiring new information technology resources.

To accomplish this requirement, the organization's Executive Steering Committee (Section 2.3.1) should authorize the development of the Baseline Assessment Matrix (Section 3.4) that begins to document the existing and planned geospatial infrastructure and technology investments across the organization's enterprise. The Baseline Assessment provides a framework to begin to profile the geospatial system infrastructure environment. The Solution Architects from across the organization's geospatial investments should develop the Infrastructure Assessment Matrix (Appendix E.1) to include the entire infrastructure core capabilities involved in or impacted by their geospatial system capability.

Table 6-1. Geospatial Baseline Assessment: Infrastructure

Information a	Cava Canability	O H4	0	0	0	O HE	0	Caana	D-4
Infrastrcuture	Core Capability	Org #1	Org #2	Org #3	Org #4	Org #5	Org #6	Score	Pct
Initial Operating Capability	System Maturity Level	С				С		2	33%
Full Operating Capability	System Maturity Level			С	С		С	3	50%
Prototype	System Maturity Level		С					1	17%
Other	System Maturity Level							0	0%
COTS Solution	Software Components	С	С	С	С	С	С	6	100%
GOTS Solution	Software Components	С					С	2	33%
Open Source Solution	Software Components						С	1	17%
Custom Solution	Software Components	С	С			С		3	50%
Internal Hosting	Hosting Capability		С	С				2	33%
External Hosting	Hosting Capability					С	С	2	33%
Datacenter	Hosting Capability	P					С	2	33%
Disaster Recovery / Failover Capability	Hosting Capability	P	P	С	P	С		5	83%
Certification & Accreditation Complete	IT Security	P	P	С	С	С	P	6	100%
Authority to Operate	IT Security	P	С	С	С	С	P	6	100%
Section 508 Compliance	User Accessibility	С				С		2	33%
NIEM Compliant	Information Exchange	P					С	2	33%
Unclassified	System Designation		С	С	С		С	4	67%
Sensitive But Unclassified	System Designation	P				С	P	3	50%
Classified	System Designation						P	3	50%
Public	System Designation		С				P	2	33%
Network #1	Operating Environment	P					С	2	33%
Network #2	Operating Environment							0	0%
Network #3	Operating Environment							0	0%
Other Network	Operating Environment					С	С	2	33%
Data Exchange Agreements	System Overview		Р		С			2	33%
Service Level Agreements	System Overview				Р			1	17%
< 1,000 Current Users	System Capacity	С	С	С		С	С	5	83%
1,000-5,000 Current Users	System Capacity	P						1	17%
>10,000 Current Users	System Capacity							0	0%
> 5,000 Surge Users	System Capacity		С					1	17%
5,000-10,000 Surge Users	System Capacity							0	0%
> 10,000 Surge Users	System Capacity	Р						1	17%
Mobile Version	Interoperability	P	Р	С	Р	С		5	83%

Additionally, the Solution Architects will need to prepare the Technology core capability matrix for the Baseline Assessment. Table 6-2 is an extract of the three-page Technology Assessment Matrix (Appendix E.2) and combined with the Infrastructure Matrix will provide the foundation for investment comparison, both existing and planned to determine the optimal technology infrastructure and how it should align to the Enterprise Architecture. It will also provide the content necessary to respond to the OMB *Common Approach to Federal Enterprise Architecture* and submit an Enterprise Roadmap¹²⁵ which includes a summary of current architecture, including infrastructure.

Table 6-2. Geospatial Baseline Assessment: Technology (Extract)

Geospatial Baseline	Assessment: Technology						
Technology	Core Capability	Org #1	Org#2	Org #3	Org #4	Score	Pct
Internet Explorer	Web Browser	С	С	С	С	4	100%
Chrome	Web Browser			С		1	25%
Firefox	Web Browser	С	С	С		3	75%
Opera	Web Browser					0	0%
Safari	Web Browser					0	0%
Other Web Browsers	Web Browser					0	0%
Windows OS	Operating System	С	С	С	С	4	100%
Linux OS	Operating System			С	С	2	50%
UNIX	Operating System					0	0%
Other OS	Operating System					0	0%
Anakam	IT Security	Р				1	25%
Open SSO	IT Security	P				1	25%
Active Directory	IT Security		С			1	25%
Other IT Security	IT Security	С				1	25%
.Net Framework	Programming Framework	С			С	2	50%
Flash	Programming Framework		С			1	25%
JAVA	Programming Framework		С		С	2	50%
Other Frameworks	Programming Framework			С		1	25%
AJAX	API				С	1	25%
FLEX	API			С		1	25%
Silverlight	API	С		С		2	50%
Rest	API		С			1	25%
Other APIs	API			С		1	25%

6.4 DIGITAL GOVERNMENT STRATEGY ALIGNMENT

The Digital Government Strategy¹²⁶ is intended to be disruptive, realizing the need to do more with less.

¹²⁵ Office of Management and Budget, The Common Approach to Federal Enterprise Architecture, April 30, 2012.

 $^{^{126}}$ Digital Government: Building a 21st Century Platform to Better Serve the American People, May 23, 2012.

"[The Digital Strategy] gives the federal workforce the tools needed to carry out their mission of delivering services to all citizens—whether to a warfighter in the field retrieving geospatial imagery information ... or a rural farmer accessing real-time forecast of seasonal precipitation. It provides a platform to fundamentally shift how government connects with, and provides services to, the American people." 127

To drive this transformation, the strategy is built upon four overarching principles:

- An "Information-Centric" approach focuses on ensuring data and content are accurate, available and secure. Transforming unstructured content into structured data then ensure all structured data are associated with valid metadata and providing this information through web Application Programming Interfaces (APIs) helps to architect for interoperability using open standards. This approach also supports device-agnostic security and privacy controls, as attributes can be applied directly to the data and monitored through metadata, enabling agencies to focus on securing the data and not the device.
- A "Shared Platform" approach requires the reuse of resources and to "innovate with less", accelerates the adoption of new technologies, lowers costs and reduces duplication. A shared platform approach to developing and delivering digital services and managing data needs to leverage existing services, build for multiple use cases at once, apply common standards and architectures, produce shared government-wide solutions to ensure consistency in how information is created and delivered.
- A "Customer-Centric" approach means quality information is accessible, current and accurate at any time. It requires an understanding of stakeholder business/mission requirements (Section 3.3) and makes content more broadly available and accessible in a device-agnostic way.
- A platform of "Security and Privacy" requires the transformation to happen in a way that ensures the safe and secure delivery and use of digital services to protect information and privacy. Architecting for openness and adopting new technologies have the potential to make devices and data vulnerable to malicious or accidental breaches of security and privacy. Architectures must adopt solutions in areas such as continuous monitoring, identity, authentication, and credential management, and cryptography (Chapter 7: Security Reference Model) that support the shift from securing devices to securing the data itself and ensure that data is only shared with authorized users.

-

¹²⁷ http://www.whitehouse.gov/sites/default/files/omb/egov/digital-government/digital-government.html

- 1 The development of any Federal geospatial infrastructure must align with the Digital Government
- 2 Strategy principles.

6.5 GEOSPATIAL 3-TIER TARGET ARCHITECTURE

The Digital Government Strategy¹²⁸ establishes a conceptual model that acknowledges three "layers" of digital services. Three-tier architecture is a client-server architecture in which the functional process logic, data access, computer data storage, and user interface are developed and maintained as independent modules on separate platforms. Three-tier architecture allows any one of the three tiers to be upgraded or replaced independently. The user interface is generally implemented on the client-side environment either at the desktop or web browser uses a standard graphical user interface with different modules running on the platform layer that hosts the application server(s). The data layer includes a relational database management system that contains the computer data storage logic (e.g., schemas, metadata, topology, and ontologies). This 3-Tier architecture model includes: the Presentation Layer, the Platform or Application Layer, and the Information of Database Layer.




Figure 6-1. Three-Layers/Tiers of Digital Services

The three layers or 3-Tier model separates information creation from information presentation—allowing organizations to create content and data once, and then use it in different ways through hosted applications or publication services operating on the shared platform.

¹²⁸ Digital Government: Building a 21st Century Platform to Better Serve the American People, May 23, 2012.

¹²⁹ Technopedia.com/definition/24649/three-tier-architecture

6.5.1PRESENTATION LAYER

The Presentation Layer defines the manner in which information is organized and provided to customers. It displays information related to services available on a platform. This tier communicates with other tiers by sending results between the user applications and interfaces and other tiers in the network and represents the way information delivery occurs (e.g., data or content), whether through desktop clients, websites, mobile applications or other modes of delivery. The presentation layer must support open interface standards and allow application programmers, software developers, web service publishers and device manufacturers' extensibility in presentation of information resources. The Infrastructure Assessment Matrix (Appendix E.1) illustrates some of the common technical elements to consider in the implementation process such as web browser support, application programmer interfaces and methods. The Infrastructure Assessment Matrix also includes the core infrastructure capabilities involved in or impacted by the target geospatial system capability.

6.5.2PLATFORM/APPLICATION LAYER

The Platform or Application Layer, also known as the logic or business logic tier, is where it controls application functionality includes all the systems and processes used to manage the information. Examples include systems for content management, processes such as web API and application development, services that support mission critical IT functions such as mapping and situational awareness, as well as the hardware used to access information (e.g., mobile devices). Solution Architects should use the Infrastructure Assessment Matrix (Appendix E.1) as a blueprint to address common technical elements to consider for assessing infrastructure serviced through an on premise data center or off premise cloud service offering. These considerations include operating systems, user and system access controls, support for commercial or government off-the-shelf software, distributed processing capability, and search and indexing software.

6.5.3INFORMATION/DATABASE LAYER

The Information or Database Layer houses the database servers where information is stored and retrieved. Data in this tier is kept independent of application servers or business logic and contains the digital information. It includes structured information (e.g., the most common concept of "data") such as geospatial data layers and metadata, plus unstructured information (e.g., content), such as fact sheets, guidance documentation geospatial search indexes, or geocoding / geo-tagging dictionaries. The Infrastructure Assessment Matrix (Appendix E.1) provides Solution Architects a frame of reference for technical considerations such as database software, support for federated search and queries using structured query language (SQL), ability to provide geospatial search and indexing capabilities, access control at the data layer and role level.

6.6 GEOSPATIAL TARGET ARCHITECTURE ARTIFACTS

The goal of the Geospatial Interoperability Reference Architecture is to make geospatial information and technology more broadly accessible, geospatial investments more effective, and geospatial practitioners and business systems more productive. The GIRA provides a blueprint for architectural analysis and reporting within an Agency's Enterprise Architecture. The reference implementations of the GIRA are intended to provide Solution Architects with go-to Target Architectures for the sensitive-but-unclassified and public domains that so Government Program Managers can reuse and/or emulate. These reference implementations provide best practices for geospatial interoperability and information sharing to drive:

- Discoverability Discoverable by appropriate users, systems, and communities of interest.
- Accessibility Available in a usable form that is easily understood.
- Understandability Able to be used intelligently using commonly defined terms and intuitive interfaces and tools.
- Interoperability Readily consumed and combined with other geospatial capabilities (software, data, services, or systems) using open-standards or best practices for geospatial information and services exchange.
- Reliability Capabilities are consistently delivered over time.
- Trust Accuracy, currency, completeness, and source of capabilities (software, data, services, and systems) are available to users.

6.6.1UNCLASSIFIED/PUBLIC DOMAIN: GEOSPATIAL PLATFORM

The Federal Geospatial Platform¹³⁰ is a FY 2011 budget initiative and Presidential call for action. Through the Federal Geographic Data Committee (FGDC), federal departments and agencies are developing the Geospatial Platform to more effectively share place-based products and services to the public. The Geospatial Platform will be a managed portfolio of common geospatial data, services, and applications contributed and administered by authoritative sources and hosted on a shared infrastructure, for use by government agencies and partners to meet their mission needs and the made openly available.

- The content of all datasets and services are required to be verified by the agencies to be consistent with federal privacy, national security, and information quality policies. Additionally, the Geospatial Platform provides access to data from various partners across state, tribal,
 - 130 https://geoplatform.gov/

- regional, and local governments as well as non-governmental organizations. The overall goal is to reduce duplication of efforts and promote the use of open standards among agencies' geospatial programs. The move to a standard Geospatial Platform offers many advantages to its users:
 - A "one-stop shop" to deliver trusted, nationally consistent geospatial products, with a preference towards interoperable web services.
 - Tools for the centralized discovery, access, and use of data and services managed and maintained in multiple agencies.
 - Tools that enable cross-government data to be displayed in a visual context.
 - Tools enabling on-line collaboration communities focused on mission and/or priority issues, where federal and non-federal agencies and partners can share and create geospatial data and map products to provide common understanding of information for decision making.
 - Problem-solving applications that are built once and reused many times.
- A shared cloud computing infrastructure.
- 15 Figure 6-2 provides a high-level conceptual depiction of the Geospatial Platform. Some of the
- 16 features include the migration of the Geospatial Open Source catalog to geo.data.gov, which
- includes a search interface and community features. In addition to catalog search, users will be
- able to create and share maps. Agencies are also encouraged to provide content supporting their
- 19 business cases.

2

3

4 5

6

7

8

9

10

11

12 13



Figure 6-2. Geospatial Platform Conceptual Model

The Geospatial Platform employs a multi-tired, services-based architecture that support open standards. Figure 6-3 provides a more detailed view of the technical architecture. The Geospatial Platform provides users a standard web interface and developers with application programmer interfaces. Web services are provisioned on the platform layer. Data services are managed in a shared data layer.




Figure 6-3. Geospatial Platform Technical Architecture

The Geospatial Platform is expected to expand access to high quality data, enabling the increased sharing and reuse of resources resulting in reduced costs. The integrated approach will mean that the federal portfolio of geospatial data will be better managed, service a broader audience, and be easier to use.

6.6.2FOR OFFICIAL USE ONLY: GEOSPATIAL INFORMATION INFRASTRUCTURE

The Department of Homeland Security's (DHS) Geospatial Information Infrastructure (GII)¹³¹ is a target architecture for the enterprise platform to support multiple missions across the Homeland Security community. It provides access to a wide set of shared capabilities that support geospatial visualization, analysis, processing, modeling and simulation, and content delivery of geospatial information. The GII provides secure hosting services for geospatial web and mobile applications, interoperable access to more than 600 layers of geospatial foundation and infrastructure information that includes high resolution US population information, pre- and post-incident

¹³¹ https://gii.dhs.gov

imagery, public alerts and warnings, and derivative map products. It also includes a general purpose web map viewer called OneView, interoperable web map services for desktop GIS users and system integrators based on OGC standards, support for multiple viewing solutions, and application programmer interfaces (APIs) that allow application developers to extend GII functionality (web services, and data feeds) into customer centric applications. Developers can use the GII APIs with the underlying binaries and programming references to build internet-based mobile or web mapping applications using GII services and components.

Figure 6-4 depicts the multi-tiered, services-based architecture for the GII. The GII technical architecture supports open standards for search, web services, APIs, and data publication. GII application hosting and web services are provisioned on the platform layer. Data services are managed in a shared data layer.




Figure 6-4. DHS Geospatial Information Infrastructure (GII) Technical Architecture

Figure 6-5 illustrates how GII services can be leveraged to support business application and systems as referenced by the DHS Common Operating Picture (COP).




Figure 6-5. DHS Common Operating Picture Aligned to DHS Geospatial Information Infrastructure

6.7 GEOSPATIAL TARGET ARCHITECTURE CONSIDERATIONS

As part of the baseline assessment, Solution Architects should make considerations for IT security including cyber security, identity, credentialing, and access management, certification and accreditation (C&A), authority to operate (ATO) and trust boundaries, and network domain (e.g. public, sensitive-but-unclassified, classified). Solution Architects should also evaluate the resiliency requirements for the capability including disaster recovery, failover, and surge capacity. Compliance requirements for Section 508 Accessibility and Privacy Impact Assessments (PIAs) are crucial and support multiple open standards for geospatial information exchange and geospatial search. The Baseline Assessment Matrix (Appendix E) provides a blueprint for assessing these technical considerations during the capital planning and investment process.

It is important that Agencies consider the maturity of the investment and not just the technical capability as part of the baseline assessment. Factors to consider are:

- Where is the investment in its lifecycle? Is the technology near end of life or still emergent?
 - What is the schedule for technology refresh?
 - What is the concept of operations for operating and maintaining the investment?
 - How are technical support services provisioned? Is training or help desk support available?
 - Does system have a completed certification and accreditation package or authority to operate?
 - Is the investment compliant with Agency enterprise architecture policy?
 - Is the investment compliance with federal privacy and accessibility requirements?

6.7.1CLOUD

3

4

5

6

7

8

9

10

11

21

22

23

24

25

26

27

28

- The Federal Cloud Computing Strategy states that, "When evaluating options for new IT deployments, OMB will require that agencies default to cloud-based solutions whenever a secure,
- 14 reliable, cost-effective cloud option exists." 132 The OMB also requires a Cloud Computing
- 15 Alternatives Evaluation¹³³ for an agency's capital planning submission specifying a cloud
- alternative was evaluated for the investment or components/systems within the investment, per
- 17 the Cloud First policy. All investments should answer this question regardless of the overall
- 18 lifecycle stage of the investment, as operational investments may consider performing such an
- evaluation during or as a result of an operational analysis. The evaluation should indicate one of
- the following answers:
 - 1. The agency evaluated a cloud alternative and chose a cloud alternative for some or all of the investment.
 - 2. The agency evaluated a cloud alternative but did not choose a cloud alternative for any of the investment.
 - 3. The agency did not evaluate a cloud alternative but plans to evaluate a cloud alternative by the end of the Base Year.
 - 4. The agency did not evaluate a cloud alternative and does not plan to evaluate a cloud alternative by the end of the Base Year.

As part of that evaluation, the Solution Architect and Program Manager should develop an operational requirements document (ORD) that is cross referenced against the Baseline Assessment Matrix. These artifacts should serve as the basis of comparison for completing the cloud computing alternative analysis. The evaluation process should be conducted in two phases.

133 http://www.whitehouse.gov/sites/default/files/omb/assets/egov_docs/fy14_guidance_on_exhibits_53_and_300.pdf

¹³² Office of Management and Budget, *Federal Cloud Computing Strategy*, February 8, 2011.

- 1 The first phase should identify commercial and federal government candidates from a functional
- 2 and technical perspective and flag these for further evaluation. An application is considered viable
- 3 if it passes all the steps of the evaluation process as discussed in the following paragraphs. If
- 4 Phase 1 identified no viable solutions, the alternative analysis would have concluded at the end of
- 5 Phase 1 and the recommended alternative would be custom build-out or maintain the status-guo.
- 6 The second phase should perform a comparison of the costs, benefits, and risks associated with
- 7 each of the potential solutions identified in Phase 1 and the costs, benefits, and risks of custom
- 8 build-out or maintaining the status-quo.

6.7.1.1PHASE 1 PROCESS

- 10 The Phase 1 evaluation process contains several steps that serve as filters to either eliminate
- solutions or pass them on for more detailed evaluation. Each step answers a particular set of
- 12 questions:

9

13

14

16

17 18

19

20

21

22

23

24

25

26

27

28

29

32

33

34

35

- Step 1 Does the solution provide geospatial cloud services (i.e.; operational requirements)? Does it appear to be a good choice for the Agency's operating
- environment? Only the solutions with "yes" responses are passed to Step 2.
 - Step 2 Does the solution feature appropriate technical capabilities? How does it compare with other solutions? Only applications with the highest technical capability scores are passed on to Step 3.
 - Step 3 Are technical capabilities present in a robust, flexible, and easy-to-use fashion? Will the solution be difficult to integrate with the Agency's operating environment and existing geospatial software packages and systems? Only applications that appear to have a high probability of success will be passed on to Step 4.
 - Step 4 Is the solution proven technology currently used within the Agency or other federal agencies? Consult technical experts about the suitability of the solution to meet Agency operational requirements, how it compares with its competitors, current user base, financial stability of the vendor, future viability of the solution.

6.7.1.2PHASE 2 PROCESS

- The Phase 2 evaluation process compares the most viable candidate identified in Phase 1 to a custom-build-out or maintain status-quo approach in terms of cost, benefits, and risks.
 - Step 1 Costs. For custom build-out or maintaining status-quo, use Agency infrastructure pricing, supplementary GSA software licensing and existing FTE/Contractor rates. For viable alternatives, compute the cost by adjusting the Agency cost factors for items that will be eliminated or changed to accommodate a

- commercial solution. Add the costs to acquire the commercial solution. Compare the two costs.
 - Step 2 Benefits. Identify a set of possible benefits. Ascertain the probability that these benefits will occur with the commercial solution and with a custom-built solution. Compare the two results.
 - Step 3 Risks. Identify the risks for both solutions, along with the probabilities that the risks will occur and the impacts of those occurrences. Compare the two results.
 - Step 4 Compare costs, risks, and benefits. Recommend a solution.

6.8 STAKEHOLDER PERFORMANCE GUIDE: INFRASTRUCTURE

The Performance Guidance provides a summation of the key decision points necessary to determine the most effective and efficient design, development and implementation of the geospatial system investment.

Table 6-3 Stakeholder Performance Guide: Infrastructure

Table 0-3. Stakeholder Fehormance Guide. Infrastructure				
	STAKEHOLDER PERFORMANCE GUIDE			
	CHAPTER 6 – INFRASTRUCTURE			
Role	Responsibility	Approach	Benefit	
Executive Leadership	 Executive Steering Committee authorization and commitment to perform Baseline Assessment Matrix: Infrastructure and Technology. Approve/disapprove a proposed IT solution depending upon its compliance with Enterprise Architecture for inclusion within CPIC process. Ensure Cloud Option assessment is performed as part of a proposed IT solution. 	 Task Program Managers responsible for geospatial system oversight to perform develop and execute the Baseline Assessment. Ensure that the infrastructure/technology Baseline Matrix capabilities are aligned to EA and proposed new infrastructure/technology aligns to and not duplicative of existing capabilities. Task Program Manger to apply cloud process review as option for IT solution. 	 Provides input for CPIC (53/300) and reporting to OMB as well as establishes the enterprise baseline of the As-Is geospatial investments across the organization. Promotes interoperability, reduces redundant investments, and allows for cost share. Complies with Cloud First policy and provides economies for implementation. 	

STAKEHOLDER PERFORMANCE GUIDE			
CHAPTER 6 – INFRASTRUCTURE			
Role	Responsibility	Approach	Benefit
Program Manager	 Coordinate across organization's geospatial investments to ensure committed participation in Baseline Assessment. Identify opportunities for shared infrastructure and/or technology based upon Baseline Assessment Matrix comparison. Review report of finding for cloud options for IT solution and make recommendations to Executive Leadership. 	 PMs identify and prioritize capability gaps and planned investments aligned to Operational Requirements Document (ORD) and prepare recommendations and/or options for Execs approval. Based upon gap analysis, identify candidate investments to leverage, eliminate or new develop based upon ORD priorities. Coordinate Cloud assessment process evaluation for IT solution architecture. 	 Cross organization agreement for prioritized geospatial system development priorities and leveraged resource commitment. Reduce duplicative IT footprint and identify opportunity to leverage or reprioritize investments. Complies with Cloud First policy and provides economies for implementation.
Solution Architect	 Develop the Infrastructure Assessment Matrix from across the entire organization's geospatial investments. Vet 'new' technology insertions to EA and Technical Reference Model to ensure alignment with organization's To-Be environment. Prepare report of finding for cloud options for IT solution. 	 Work with other organization SAs to ensure a complete baseline assessment and perform capability gap analysis for As-Is and To-Be environments. Determine 'optimal' solution if duplicative investments and ensure alignment to EA for 'new' technology. Perform Cloud assessment process evaluation for IT solution architecture. 	 Ensure broadest possible technical review, adoption and acceptance. Technical vetting and validation across investments for desired To-Be end-state environment and alignment to EA target ensures compatibility and reduces IT footprint cost. Provides awareness of architecture investment and solution options.

7 SECURITY REFERENCE MODEL

7.1 INTRODUCTION

2

9

15

16

22

- 3 **Definition/Description (What)** The Federal Information Security Management Act (FISMA)¹³⁴
- 4 defines information security as "the protection of information and information systems from
- 5 unauthorized access, use, disclosure, disruption, modification. Or destruction in order to provide
- 6 confidentiality, integrity, and availability."
- 7 Purpose/Function (Why) There is considerable guidance across the Federal community for
- 8 security planning, reporting, and monitoring investments. Federal Government IT programs have
 - a wide range of security requirements. FISMA requirements include but are not limited to:
- 10 compliance with Federal Information Processing Standards agency specific policies; Authorization
- 11 to Operate requirements; and vulnerability and security event monitoring, logging, and reporting.
- 12 This chapter will not replicate that guidance; instead, this section will focus upon the Identity and
- 13 Access Management (IdAM) aspect of security as it is elemental to all of the reference models.
- 14 This chapter will describe:
 - Differences between identity and access management.
 - Roles and responsibilities of stakeholders.
- 17 Stakeholder Performance Guide (Who & How) Security transcends each of the Federal
- 18 Enterprise Architecture Reference Models (e.g., Business, Data, Application/Service,
- 19 Infrastructure, and Performance) and impacts each of those stakeholders responsible for its
- 20 implementation. Security compliance should also be included within Governance since it is an
- 21 enforcement point for Information Technology investments. 135

7.2 SECURITY PRINCIPLES

- 23 The term "security" is exceptionally broad and means many things to many people. In the context
- of this chapter, the focus is specifically upon the IdAM aspect of security, 136 which is the most
- 25 common user-facing aspect of security. IdAM is about how a system interacts with its users and
- 26 includes Identity and Access Management components. Identity Management is focused on
- knowing who it is (as well as the individual's basic characteristics) that is interacting with a system

¹³⁴ Public Law 107-347-DEC. 17 2002. Federal Information Security Management Act, 2002. 44 U.S.C., Sec 3542

¹³⁵ Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2, (January 29, 2013), available at http://69.89.31.228/~mkerncom/wp-content/uploads/2013/02/Federal-Enterprise-Architecture-Framework-v2-as-of-Jan-29-2013.pdf

¹³⁶ Other significant aspects include Certification & Accreditation (now called Assessment & Authorization), FISMA compliance, Physical Security, Network Security, Communications Security, and many others. These aspects are outside of the scope of this document.

- 1 or data. Access Management is focused on determining whether or not that individual should be
- 2 permitted to interact with a specific resource in a specific way.

- The Federal Identity, Credential, and Access Management (FICAM) Roadmap and Implementation

 Guidance¹³⁷ ("FICAM Roadmap") defines the concepts as:
 - Authorization and Access are the processes of granting or denying specific
 requests for obtaining and using information processing services or data and to
 enter specific physical facilities. It ensures individuals can only use those resources
 they are entitled to use and then only for approved purposes, enforcing security
 policies that govern access throughout the enterprise.
 - Authentication is the process of verifying that a claimed identity is genuine and based on valid credentials. Authentication typically leads to a mutually shared level of assurance by the relying parties in the identity. Authentication may occur through a variety of mechanisms including challenge/response, time-based code sequences, biometric comparison, PKI or other techniques.

Information must be protected against unauthorized access for national security, privacy, and other reasons. The government has a wealth of information obtained via a variety of means and has an obligation to ensure that that information is used appropriately. This means ensuring that all access is appropriate, permissible, and accountable. The government also has a responsibility to be financially efficient. A well thought-out IdAM architecture meets both of these goals by allowing a system to effectively control access, improving the security of the data in a system, while at the same time reducing duplication by leveraging external (shared) IdAM services. Finegrained access control, enabled by IdAM, allows the system owner to manage the system risk by safeguarding use of information without hindering responsible sharing of mission information.

Leveraging such external services allows the system owner to focus on the mission need the system is intended for, while leveraging enterprise IdAM and security services which have been designed to meet the specific needs of the IdAM and security domains. This focus not only strengthens the capabilities of the system, but also allows for the enterprise to recognize economies of scale on reusable IdAM and security services. Systems incorporating interfaces to interoperate with such reusable services add flexibility to adapt as such services mature and policy dictates new additional requirements. Security that incorporates the capabilities prescribed in the *FICAM Roadmap* allows system owners to build robust security appropriate to their mission needs that complements other network and cybersecurity activities in a way that meaningfully manages the risk of the system both independently and in conjunction its network environment.

¹³⁷ Federal Identity, Credential, and Access Management (FICAM) Roadmap and Implementation Guidance, Version 2.0, December 2, 2011. Federal Chief Information Officers Council. The guidance is available at http://www.idmanagement.gov/sites/default/files/documents/FICAM Roadmap and Implementation Guidance v2%200 201112 02 0.pdf

- 1 Figure 7-1 provides a high-level view of core components of the FICAM Roadmap. FICAM provides
- 2 the framework for implementing secure role-based and data access capabilities using authorized
 - identities and credentials to secure and safeguard data and information.




Figure 7-1. FICAM Conceptual Diagram

- IdAM needs to balance the need to safeguard the system and its data with the need to responsibly share information and enable the mission. Identity Management and Access Management are two primary Service Types in the FICAM Roadmap, with Part A, as *the* Federal Government segment architecture for ICAM and IdAM.
- Appendix F provides a high-level snapshot of the Identity Credential and Access Management activities that will continue to evolve and mature over time. The Appendix is a tri-fold of the ICAM Landscape and describes on-going initiatives and describes common terminology used across the ICAM community.

7.3 STAKEHOLDER ROLES AND RESPONSIBILITIES

IdAM addresses the policies and technical practices defined by a data owner, vetted by governance and oversight bodies, and enacted by a system owner to protect the information contained in the system. These policies and technical practices must be incorporated into the business practices of the system owner, implemented in the technical capabilities of the system,

- 1 and enforced as users' access and use the system. As IdAM capabilities become more robust for
- 2 identifying users and their business purpose in accessing system information, the security model
- 3 for the system should evolve to take advantage of the additional opportunities for safeguarding
- 4 system information through fine-grained access control.
- 5 Executives must recognize the value of implementing reusable (sharable) IdAM services for
- 6 mission systems and must reinforce the value provided by such services to their organization
- 7 through the support of an organizational EA function, aligned with larger federal EA efforts, that
- 8 identifies and incorporates such shared services. Program Managers must ensure that their
- 9 system engineering lifecycle incorporates their organization's architecture considerations, as well
- 10 as larger federal enterprise considerations. The Program Manager must ensure that the
- 11 requirements for the system incorporate interfaces for external IdAM services so that reusable
- 12 enterprise shared services can be leveraged for the mission system, and that the timeline for use
- 13 of such services is aligned with the organizational or federal roadmap and timeline for
- 14 implementation for those services. The Solution Architect will need to create a system that
- provides flexible interfaces to interoperate with IdAM and security services and standards. Those
- interfaces must adapt as those services and standards evolve during the lifecycle of the system.
- 17 Data Architects, working with the relevant Data Owners, must ensure that data is accurately
- tagged in such a way that access control may be maintained over it. An effective access control
- 19 capability must know certain things about each piece of data, such as its sensitivity, releaseability,
- 20 or copyright restrictions. These requirements must be incorporated into a data tagging
- 21 methodology, in alignment with relevant data standards, and built into the system.
- 22 System owners must work to balance safeguarding and sharing through appropriate risk
- 23 management measures, applying IdAM's safeguarding capabilities close to their data and system
- while additionally leveraging those employed by the fabric, network, or environment as a whole.
- 25 The security concept for the system should reflect that environment, using the security of the
- surrounding environment to complement the local system security to provide defense in depth.
- 27 Network-wide security measures are necessary supporting elements of security, but are not
- sufficient on their own to satisfy modern information safeguarding needs.
- 29 Significant stakeholders in IdAM are diverse and include Data and Mission Owners, Program and
- 30 Project Managers, System Owners, Enterprise Architects, Information Assurance, and even
- 31 Procurement personnel.
- Data and Mission Owners are responsible for determining, in plain English, the
- access control policies for the data they maintain stewardship over. Does their data
- require users to be from a certain part of the organization? Perhaps have a certain
- 35 security clearance or have taken certain training? Can their information be accessed
- 36 by others outside of their Department or Agency? Under what circumstances?

2

3

4

5

6 7

8

9

10

11 12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35 36

37

- These policies must be developed in coordination with, and often approved by, some sort of Governance or Oversight body that often includes General Counsel, the Privacy Office, and others involved in legal and regulatory activities.
- Program and Project Managers are responsible for ensuring the system lifecycle, beginning with the requirements definition through the design and implementation, incorporates the capabilities necessary to meet IdAM and Security requirements for their systems and ensuring that the funding for such capabilities is provided for in the system budget planning.
- System Owners are responsible for ensuring that their systems implement the access control policies defined by Data Owners, as well as for ensuring that their systems implement only the FICAM Service Types that can't be shared.
 - The FICAM Roadmap lists the following service types: Digital Identity, Credentialing, Privilege Management, Authentication, Authorization and Access, Cryptography, and Auditing and Reporting.
 - A system owner should generally not need to address Digital Identity or Credentialing, as those service types can generally be implemented at the organizational level and shared. System owners may need to incorporate pieces and parts of Privilege Management, Authorization and Access, Auditing and Reporting, and aspects of both Authentication and Cryptography into their system lifecycle.
- Enterprise Architects are responsible for ensuring that shared IdAM-related services are known about and, where appropriate, re-used. Does an in-progress project truly need to have all of its own internal IdAM services? Can it re-use an existing enterprise service?
- **Information Assurance Personnel** are responsible for ensuring that IdAM is implemented properly, when a shared service is first constructed, when it is reused, and when a system builds its own internal capabilities.
- Procurement Personnel are responsible for ensuring that IT procurements incorporate the right standards, allowing a system to leverage a shared IdAM service. These personnel are also responsible for ensuring that requests for proposal indicate the desired re-use.

System owners should focus on the IdAM service types inherent to their system, and should leverage reusable services where applicable. Certain FICAM Service Components may be provided by enterprise capabilities (e.g., cryptography for classified communications security) or by shared capabilities (e.g., shared PKI services), and implementers should examine each of the FICAM Service Components, taking into account the security domain on which they operate, to determine which should be reused and which should be built within their system. This "focus on

- 1 the system" approach allows the system owner to protect their systems, and data, more robustly
- 2 than either the traditional perimeter network defense model or a situation where the
- 3 implementer must account for all FICAM Service Components on their own.

7.4 STAKEHOLDER PERFORMANCE GUIDE: SECURITY AND IDAM

It is the responsibility of the geospatial system investment owner (both existing and pending), to understand and ensure compliance with information security policy and individual agency practices. Information security considerations must occur prior to the procurement and implementation phases of the System Development Life Cycle (SDLC). Security controls, policy, and processes must be built into the SDLC for information security to be implemented successfully and cost-effectively. Each organization should have a mechanism by which risk and security concerns inform the design and implementation of systems and applications, to avoid creating cost and schedule impacts due to security requirements being added at the operations and maintenance stage of the SDLC. The continuous assessment of risk and the effectiveness of controls are required throughout the entire lifecycle of the IT system. Table 7-1 provides an overview ok key security activities that must occur at each phase of the SDLC.

Table 7-1. Key Security Activities by SDLC Phase 139

SDLC PHASE	KEY SECURITY ACTIVITIES FOR THIS PHASE INCLUDE:	
Initiation	 Initial delineation of business requirements in terms of confidentiality, integrity, and availability: Determine information categorization and identification of known special handling requirements to transmit, store, or create information such as personally identifiable information Determine any privacy requirements Early planning and awareness will result in cost and timesaving through proper risk 	
	management planning. Security discussions should be performed as a part of (not separately from) the development project to ensure solid understanding among project personnel of business decisions and their implications to the overall development project.	
Development/ Acquisition	Conduct the risk assessment and use the results to supplement the baseline security controls: • Analyze security requirements • Perform functional and security testing • Prepare initial documents for system authorization and accreditation • Design security architecture	
Implementation/ Assessment	Integrate the information system into its environment: • Plan and conduct system certification activities in synchronization with testing of security controls • Complete system accreditation activities	
Operations and	Manage the configuration of the system:	

¹³⁸ Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2, January 29, 2013, available at http://www.whitehouse.gov/omb/e-gov/fea

¹³⁹ National Institute of Standards and Technology, NIST Special Publication 800-64 Revision 2, Security Considerations in the System Development Life Cycle, October 2008. http://csrc.nist.gov/publications/nistpubs/800-64-Rev2/SP800-64-Revision2.pdf

SDLC PHASE	KEY SECURITY ACTIVITIES FOR THIS PHASE INCLUDE:
Maintenance	 Institute processes and procedures for assured operations and continuous monitoring of the information system's security controls Perform reauthorization as required
Disposal	Build and execute a Disposal/Transition Plan: • Archive critical information • Sanitize media • Dispose of hardware and software

- 1 The Performance Guidance (Table 7-2) provides a summation of the key decision points to
- 2 facilitate the awareness and understanding of the roles and responsibilities of geospatial
- 3 investment owners for security considerations.

4 Table 7-2. Stakeholder Performance Guide: Security

	STAKEHOLDER PERFORMANCE GUIDE			
	CHAPTER 7 – SECURITY			
Role	Role Responsibility Approach Benefit			

	STAKEHOLDER PERFORMANCE GUIDE			
	CHAPTER 7 – SECURITY			
Role	Responsibility	Approach	Benefit	
Executive Leadership	 Identify appropriate access policy for system data necessary to ensure responsible information sharing according to mission need. Ensure risk management function for the organization is established and applies repeatable, consistent evaluation criterion. Embrace the use of reusable, shared services for IdAM and security capabilities within the agency, and ensure Enterprise Architecture provides for adoption of federal shared services, particularly IdAM and security services, as they become available. Empower organizational enterprise architect to direct the inclusion of relevant IdAM and security standards in organizational IT acquisition actions by holding systems accountable for EA compliance. 	 Understand Policy Requirements: Mission need for system information security Business processes that incorporate the system information Severity of risk of unauthorized disclosure Risk management function should be staffed sufficiently and empowered to reconcile interests of stakeholders. Clear risk management criteria formed with input from all relevant stakeholders (security, privacy, CR/CL, mission owners). Designate organizational Executive Agents responsible for implementing IdAM and Security EA and policy. Responsible for: Organization. EAs represent organization at relevant intergovernmental committees, governance bodies, and WGs. Develop acquisition strategy that requires transition of solutions to repeatable shared services. EA functions include: Organizational process for approval of systems to ensure EA for IdAM and Security (services and standards). If compliance not currently feasible, POA&Ms to be required. Engage organizational acquisitions and procurement functions to ensure contractual commitments and acquisitions are consistent with IdAM and Security EA and implementation plans. Recommend restriction of funding of noncompliant systems. 	 A clear statement of information sharing policy can be vetted through the relevant stakeholders and then digitally implemented within mission systems to efficiently execute the mission. Provides consistent feedback that can be incorporated for system design and avoids delays from inability to plan due to ambiguous guidance or interference from dissatisfied stakeholders. Assist in complying with Federal policy guidance and drives cost efficiencies through shared, common services. Ensures that system planning incorporates appropriate guidance from an early stage to avoid delays or wasted expenditures resulting from noncompliant system architecture. Incorporating EA function into organizational approval process provides enforcement mechanism for EA compliance at an early stage, when noncompliance can be more easily mitigated. 	

	STAKEHOLDER PERFORMANCE GUIDE			
	CHAPTER 7 – SECURITY			
Role	Responsibility	Approach	Benefit	
Program Manager	Ensure access policy requirements for the system information are included in system acquisition, tech refresh actions, and system engineering lifecycle. Ensure compliance/evaluation/approval of the system in accordance with the organizational risk management framework. Ensure requirements for relevant IdAM requirements are included in procurement language.	 Identify access policy rules that have been enumerated for information contained in the system. Program Manager actively engages with relevant governance bodies from system planning phase onward (see Table 7-1). Give EA organization visibility into each phase of system lifecycle. EA communicates emerging requirements to Program Managers. Draft and include approved guidance with system acquisition, tech refresh actions, and system engineering lifecycle documentation. 	 Assist in complying with Federal policy guidance and drives cost efficiencies through shared, common services. Assists in CPIC reporting requirements and drives early security awareness and compliance resulting in cost savings. Assists in CPIC reporting requirements and drives early security awareness and compliance resulting in cost savings. 	
Solution Architect	 Ensure solution roadmap aligns with FICAM Roadmap. Ensure solution meets requirements of organizational risk management framework. Implement solution that is compliant with EA model for IdAM and security as well as organizational FICAM implementation plans. Implement solution with sufficient interfaces to take advantage of enterprise IdAM and security services. 	 Detail functionality for currently available capabilities and provide POA&Ms demonstrating alignment for future capabilities. Clear system with risk management function during planning stage. If system is operational, coordinate roadmap to satisfy RM function. Solution is described in terms of functional and technical requirements, which are mapped to service types and components of the relevant EA model. Interfaces are defined sufficiently to show interoperability of system with repeatable shared services and standards. 	 Ensures flexibility and adaptability of systems to incorporate upcoming capabilities. Expedites development by coordinating risk management requirements into system planning and design phase rather than waiting for approval after build is complete. Ensures that solutions are engineered or selected to meet all relevant requirements from the planning and design phase. Ensures that the solution is designed and sufficiently technically implemented to provide flexibility to interoperate with emerging IdAM and security capabilities without the need for extensive re-engineering. 	

8 STANDARDS-BASEDINTEROPERABILITY

8.1 INTRODUCTION

- 4 **Definition/Description (What)** is an operational requirement needed to achieve the maximum
- 5 benefit for geospatial systems investment resulting in increased access to and sharing of
- 6 functional capabilities for applications, services, data, and infrastructure to meet mission/business
- 7 requirements.
- 8 Purpose/Function (Why) to serve as a reference guide to an organization in the preparation of
- 9 documentation for the procurement and/or development of geospatial systems and services.
- 10 Organizations and enterprise architectures will benefit from standards-based acquisitions and
- 11 deployment of industry accepted interoperability solutions and technologies to meet their
- 12 mission/business functions.
- 13 Stakeholder Performance Guide (Who & How) Program Managers responsible for geospatial
- 14 system and services acquisition and development of procurement language for solicitations and
- support services. Solution Architects for identifying, understanding and implementing systems
- and services using industry open standards.

8.2 STANDARDS-BASED INTEROPERABILITY: APPROACH

- 19 The requirement for Federal Agencies to implement the Federal Information Technology Shared
- 20 Services Strategy¹⁴⁰ and to make "Shared-First" their default approach to IT service planning and
- 21 delivery, will require a standards-based approach for implementation. To access and use
- 22 geospatial Applications/Services (Chapter 5) and leverage existing Infrastructure investments
- 23 (Chapter 6), the geospatial investment owner must identify and implement industry open
- standards and best practices to derive mission value.
- 25 The Common Approach to Federal Enterprise Architecture¹⁴¹ states that, "services should be
- 26 standardized within and between agencies where possible," and has as one of its General
- 27 Principles, criteria against which potential investment and architectural decisions are weighed, to
- 28 include:

17

¹⁴⁰ Federal Information Technology Shared Services Strategy, OMB, May 2, 2012 http://www.whitehouse.gov/sites/default/files/omb/assets/egov_docs/shared_services_strategy.pdf

¹⁴¹ http://www.whitehouse.gov/sites/default/files/omb/assets/egov_docs/common_approach_to_federal_ea.pdf

- Interoperability Standards: Federal EA promotes intra- and inter-agency 1 2 standards for aligning strategic direction with business activities and technology 3 enablement. Agencies should ensure that EA solutions conform to Federal-wide 4 standards whenever possible.
- 5 The Standards-based Interoperability Chapter will focus upon identifying sources for open 6 standards that could/should be used in the development of standards-based acquisition. The 7 chapter will not:
 - Provide a definitive list or procurement-ready language for geospatial standards required for systems and/or services,
 - Include an exhaustive list of all geospatial standards in use or planned by Standards Development Organizations (SDOs),
 - Describe the SDO's standards consensus and adoption process, or
 - Provide a technical explanation of standards or how to implement them.

8.3 STANDARDS VALUE PROPOSITION

"The value of a [geospatial service] component increases in proportion to the 15 number of places it can be used."142, 143, 144 16

Geospatial service components are a self-contained process, service, or IT capability with predetermined functionality that may be exposed through a business or technology interface. These components or "building blocks" when built in compliance with industry standard practices and technologies are more likely to integrate efficiently into a multi-agency information sharing and processing environment. Components based upon on a standard such as GML or NIEM will result in greater interoperability since a consortium of organizations have "pre-agreed" to adhere to the standard. Common standards also help ensure a compatible execution environment, which in turn benefit implementation. 145

There have been numerous citations as to the value of standards across Information Technology in the areas of Enterprise Architecture and geospatial. The United Nation Economic and Social Council's Committee of Experts on Global Geospatial Information Management (UN-GGIM)

8 9

10

11

12

13

14

17

18

19

20

21

22

23

24

25

26

¹⁴² Federal Enterprise Architecture Geospatial Profile, Version 1.1, January 27, 2006. (no longer available)

¹⁴³ NASA Geospatial Standards Study, http://www.ec-gis.org/sdi/ws/costbenefit2006/reference/ROI_Study.pdf.

¹⁴⁴ German DIN Study on the economic value of standards. http://www.din.de/cmd?level=tplartikel&languageid=en&cmstextid=145918

¹⁴⁵ Ibid.

prepared a Report of the Secretariat on the "Establishment and implementation of standards for the global geospatial information community." ¹⁴⁶ The findings of the report identified that:

"Standardization, the process of developing and implementing technical standards, brings uniformity, compatibility and interoperability to millions of processes, devices, and applications in all sectors of a global economy. This reliance on standards is just as relevant in the geospatial sector, where having the right standard-setting procedures and interoperability rules in place create the means for geospatial information, devices, applications, data repositories, services and networks to all communicate as one."

The report finds that:

"Standardization is a key aspect to enhancing the integration processes of geospatial information into daily decision-making at all levels of society. Geospatial information, spatial data infrastructures and geospatial web services are now widely accessible, shared and reused in many contexts primarily because geospatial information, systems, and services are interoperable—that is, able to be integrated and shared. Standardization has contributed significantly to the evolution and development of the interoperability of geospatial information and services."

The *Principles for Federal Engagement in Standards Activities to Address National Priorities*, ¹⁴⁷ authored by the Office of Management and Budget, U.S. Trade Representative and Office of Science and Technology Policy, finds that:

"The vibrancy and effectiveness of the U.S. standards system in enabling innovation depend on continued private sector leadership and engagement. Most standards developed and used in U.S. markets are created with little or no government involvement. This approach—reliance on private sector leadership, supplemented by Federal Government contributions to discrete standardization processes as outlined in OMB Circular A-119, "Federal Participation in the Development and Use of Voluntary Consensus Standards and in Conformity Assessment Activities¹⁴⁸—remains the primary strategy for government engagement in standards development. Consistent with the Administration's

¹⁴⁶ United Nation Economic and Social Council, 14 June 2013, Committee of Experts on Global Geospatial Information Management. http://ggim.un.org/docs/meetings/3rd%20UNCE/E-C20-2013-8-Setting%20Geospatial%20Standards%20Report.pdf

¹⁴⁷ http://www.whitehouse.gov/sites/default/files/omb/memoranda/2012/m-12-08.pdf

¹⁴⁸ http://www.whitehouse.gov/omb/circulars a119/

commitment to openness, transparency, and multi-stakeholder engagement, all standards activities should involve the private sector."

8.4 STANDARDS VIEW: OPEN STANDARDS VS. OPEN SOURCE¹⁴⁹

- Confusion in the understanding and use of the terms "Open Standards" and "Open Source"
- 6 resulted in the development of a White Paper prepared collaboratively by the Open Geospatial
- 7 Consortium (OGC) and the Open Source Geospatial Foundation (OSGeo) to describe how they
- 8 relate and how they are different.

8.4.10PEN STANDARDS

- 10 Communication means "transmitting or exchanging through a common system of symbols, signs
- or behavior." Standards are a pre-requisite for communication, because standardization means
- "agreeing on a common system." Geospatial software vendors, developers, and users collaborate
- 13 in the OGC's voluntary consensus standards process to develop and agree on standards that
- 14 enable information systems to exchange geospatial information and instructions for
- geoprocessing. The result of these efforts are Open Standards. The OGC defines Open Standards
- 16 as standards that are:

3

4 5

9

17

18

2223

24

25

- Freely and publicly available They are available free of charge and unencumbered by patents and other intellectual property.
- 2. Non-discriminatory They are available to anyone, any organization, anytime, anywhere with no restrictions.
- 21 3. No license fees There are no charges at any time for their use.
 - 4. Vendor neutral They are vendor neutral in terms of their content and implementation concept and do not favor any vendor over another.
 - 5. Data neutral The standards are independent of any data storage model or format.
 - 6. Defined, documented, and approved, by a formal member driven consensus process. The consensus group remains in charge of changes and no single entity controls the standard.
- 27 The OGC's Open Standards are specifications for interfaces and encodings that enable
- 28 interoperability between geoprocessing systems from different developers, whether employed by
- 29 proprietary product vendors, independent integrators, application developers, or active in Open
- 30 Source projects.

⁻

¹⁴⁹ Much of the information in this section is taken directly from the Open Source Geospatial Foundation (OSGeo) Wiki. The content of this section is taken from an article that is a white paper (*Open Source and Open Standards*, May 5, 2011) jointly published by the Open Geospatial Consortium (OGC) and OSGeo. The article is available at http://wiki.osgeo.org/wiki/Open Source and Open Standards.

- 1 A standard is like a blueprint that guides people who build things. A standard documents the use
- 2 of rules, conditions, guidelines or characteristics for products or related processes and production
- 3 methods. Standards can arise from a single company whose successful products become "de
- 4 facto" standards. Standards may also be set by agreement among two or more software
- 5 producers, by government edict, a government-run process, or by representatives from multiple
- 6 governments. OMB Circular A-119 directs Federal agencies to use voluntary consensus standards
- 7 in lieu of government-unique standards except where inconsistent with law or otherwise
- 8 impractical. Alternatively, standards can be developed, as in ISO or the OGC, through a voluntary
- 9 consensus process governed by well-defined policies and procedures. These standards are agreed
- 10 upon by the participants in the consensus process.
- 11 The OGC's Open Standards are free, publicly available specifications for interfaces, encodings and
- best practices. They are not software.

8.4.20PEN SOURCE

- 14 Open Source encompasses two related concepts regarding the way software is developed and
- licensed. They are codified in the "Free Software" and the "Open Source" definitions. "Free and
- Open Source Software" refers to software which has been made available under a free software
- 17 license with the rights to run the program for any purpose, to study how the program works, to
- 17 license with the rights to run the program for any purpose, to study now the program works, to
- adapt it, and to redistribute copies, including modifications. These freedoms enable Open Source software development, a public, collaborative model that promotes early publishing and frequent
- releases. The Open Source Initiative¹⁵⁰ has developed a set of 10 requirements of any software
- 20 Teleuses. The Open Source initiative has developed a set of 10 requirements of any softwar
- 21 license that is to be considered an Open Source license.
- 22 Open source doesn't just mean access to the source code. The distribution terms of open-source
- 23 software must comply with the following criteria from the Open Source Definition
- 24 (http://opensource.org/osd):
 - 1. Free Redistribution The license shall not restrict any party from selling or giving away the software as a component of an aggregate software distribution containing programs from several different sources. The license shall not require a royalty or other fee for such sale.
 - 2. Source Code The program must include source code, and must allow distribution in source code as well as compiled form. Where some form of a product is not distributed with source code, there must be a well-publicized means of obtaining the source code for no more than a reasonable reproduction cost preferably, downloading via the Internet without charge. The source code must be the preferred form in which a programmer

-

13

25

26

27

28

29

30

31

32

¹⁵⁰ http://opensource.org/

- would modify the program. Deliberately obfuscated source code is not allowed. Intermediate forms such as the output of a preprocessor or translator are not allowed.
 - 3. Derived Works The license must allow modifications and derived works, and must allow them to be distributed under the same terms as the license of the original software.
 - 4. Integrity of the Author's Source Code The license may restrict source-code from being distributed in modified form only if the license allows the distribution of "patch files" with the source code for the purpose of modifying the program at build time. The license must explicitly permit distribution of software built from modified source code. The license may require derived works to carry a different name or version number from the original software.
 - 5. No Discrimination Against Persons or Groups The license must not discriminate against any person or group of persons.
 - 6. No Discrimination Against Fields of Endeavor The license must not restrict anyone from making use of the program in a specific field of endeavor. For example, it may not restrict the program from being used in a business, or from being used for genetic research.
 - 7. Distribution of License The rights attached to the program must apply to all to whom the program is redistributed without the need for execution of an additional license by those parties.
 - 8. License Must Not Be Specific to a Product The rights attached to the program must not depend on the program's being part of a particular software distribution. If the program is extracted from that distribution and used or distributed within the terms of the program's license, all parties to whom the program is redistributed should have the same rights as those that are granted in conjunction with the original software distribution.
 - 9. License Must Not Restrict Other Software The license must not place restrictions on other software that is distributed along with the licensed software. For example, the license must not insist that all other programs distributed on the same medium must be open-source software.
 - 10. License Must Be Technology-Neutral No provision of the license may be predicated on any individual technology or style of interface.

It is sometimes helpful to understand that Open Source is a matter of liberty, not price. To this end, the Free Software Foundation¹⁵¹ says that you should think of "free" as in "free speech," not as in "free beer." It means that the program's users have the four essential freedoms (https://gnu.org/philosophy/free-sw.html):

1. The freedom to run the program, for any purpose.

¹⁵¹ http://www.fsf.org/

- 1 2. The freedom to study how the program works, and change it to make it do what you wish.
- 2 Access to the source code (Open Source) is a precondition for this.
 - 3. The freedom to redistribute copies so you can help your neighbor.
 - 4. The freedom to distribute copies of your modified versions to others.
- 5 These freedoms are the prerequisites to Open Source software development.
- 6 The Federal Shared Service Implementation Guide¹⁵² suggests, "When adopting a new shared
- 7 service, determine whether a proprietary-based or open standards-based solution should be
- 8 purchased. While it may be difficult in some situations to obtain an open standards-based
- 9 solution, Customer/Partner Agencies should be aware that open standards increase their agility in
- 10 moving to other providers. Open standard and constructs such as XML [Extensible Markup
- 11 Language], or open source software, provide levels of agility that help agencies make shared
- 12 services implementations more agile."

4

13

8.5 STANDARDS GOVERNANCE

- 14 The Federal Open Data Policy¹⁵³ requires agencies to collect or create information in a way that
- supports downstream information processing and dissemination activities. This includes using
- machine-readable and open formats, data standards, and common core and extensible metadata
- 17 for all new information creation and collection efforts.
- 18 OMB Circular A-119¹⁵⁴ for Federal Participation in the Development and Use of Voluntary
- 19 Consensus Standards and in Conformity Assessment Activities directs agencies to use voluntary
- 20 consensus standards in lieu of government-unique standards except where inconsistent with law
- 21 or otherwise impractical. It also provides guidance to agencies on participation in the
- 22 development of voluntary consensus standards, and articulates policies relating to the use of
- 23 standards by Federal agencies.
- 24 The Federal Open Data Policy directs agencies to follow OMB Circular A-119 in the development,
- 25 maintenance, and use of standards and specifications that are developed through an open,
- collaborative, and transparent process that is defined by the following attributes:
- Openness
- Balance of interest

¹⁵² CIO Council Federal Shared Services Implementation Guide, April 16, 2013. Available at https://cio.gov/wp-content/uploads/downloads/2013/04/CIOC-Federal-Shared-Services-Implementation-Guide.pdf

¹⁵³ Office of Management and Budget, Memorandum M-13-13, *Open Data Policy – Managing Information as an Asset*, May 9, 2013. Available at http://www.whitehouse.gov/sites/default/files/omb/memoranda/2013/m-13-13.pdf

¹⁵⁴ http://www.whitehouse.gov/omb/circulars a119

- Due process
- An appeals process
- Consensus

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

- The National Science and Technology Council's Subcommittee of Standards developed proposed policy recommendations as *Principles for Federal Engagement in Standards Activities to Address National Priorities*, ¹⁵⁵ for government engagement in private-sector standards development activities. The report outlines policy recommendations for the government involvement in the standards development activities to include:
 - Recognize that in most government-private-sector standards engagements, the primary role of the government will continue to be that of active contributor to the private-sectorled process.
 - Identify the context(s) where Federal government leadership/coordination may be appropriate.
 - 3. Outline objectives for government engagement in standardization activities to support national priorities.
 - 4. Effective coordination and participation by agencies.
 - Clarify agency responsibilities with respect to the full range of standards setting alternatives.
 - 6. Lay out key principles underpinning voluntary standardization processes.
 - A limited set of foundational attributes of standardization activities are called out in OMB Circular A-119, focusing on voluntary, consensus standards activities. It is important to recognize as well the contributions of standardization activities that take place outside of the formal voluntary, consensus process, particularly in emerging technology areas. The following additional attributes should also be considered, to maximize the impact of those activities on enabling innovation and fostering competition, while also assuring fulfillment of agency regulatory, procurement, and policy missions:
 - Transparency: essential information regarding standardization activities is accessible to all interested parties.
 - Open Participation: all interested or affected parties have an opportunity to participate in the development of a standard, with no undue financial barriers to participation.
 - Flexibility: different product and services sectors rely on different methodologies for standards development that meets their needs.

.

¹⁵⁵ http://www.whitehouse.gov/sites/default/files/microsites/ostp/federal engagement in standards activities october12-final.pdf

- Effectiveness and Relevance: standards are developed in response to regulatory, procurement and policy needs, and take account of market needs and practices as well as scientific and technological developments.
 - Coherence: the process avoids overlapping and conflicting standards.
- International Acceptance: as product and service solutions cross borders, the public and private sectors are best served by standards that are international in scope and applicability.
- Net Benefit: standards used to meet regulatory and procurement needs should maximize net benefits of the use of such standards.

8.5.1GEOSPATIAL STANDARDS DEVELOPMENT ORGANIZATIONS

The pace at which organizations develop and deploy geospatial information technology applications and services exceeds the ability of Standards Development Organizations (SDOs) to prepare consensus-based standards to help guide their implementation. There are a number of [geospatial] SDOs that play a pivotal role in advancing location-based interoperability standards. Readers are encouraged to review (and participate where possible) the standards, specifications, and best practices documentation these organizations have developed and continue to enhance. This section, although not comprehensive, provides a brief description and links to many of the geospatial SDOs and their efforts:

- International Organization for Standardization, Technical Committee on Geographic Information/Geomatics (ISO/TC211)¹⁵⁶ — Responsible for the ISO geographic information series of standards. These standards may specify, for geographic information, methods, tools and services for data management (including definition and description), acquiring, processing, analyzing, accessing, presenting, and transferring such data in digital/electronic form between different users, systems and locations. As of July 2014, ISO/TC211 has published 64 standards related to digital geographic information.¹⁵⁷
- International Committee for Information Technology Standards (INCITS), technical committee L1 on Geographic Information Systems¹⁵⁸ Work consists of adopting or adapting information technology standards and developing digital geographic data standards. L1 is the U.S. Technical Advisory Group (TAG) to ISO/TC 211.

¹⁵⁶ http://www.iso.org/iso/home/standards development/list of iso technical committees/iso technical committee.htm?commid=5

 $[\]frac{157}{\text{http://www.iso.org/iso/en/stdsdevelopment/tc/tclist/TechnicalCommitteeDetailPage.TechnicalCommitteeDetail?COMMID=4637}$

¹⁵⁸ http://standards.incits.org/a/public/group/l1

- Open Geospatial Consortium (OGC®)¹⁵⁹ The OGC is an international voluntary standards organization focused on defining, testing, and maintaining standards that enable geodata discovery, sharing, integration, viewing, and processing across different technologies and vendor products, the web and wireless networks. The OGC is an open membership organization. The OGC offers a range of membership options for industry, government, academic, research and not-for-profit organizations interested in supporting the Consortium's global mission (see http://www.opengeospatial.org/ogc/join/levels). There are nearly 500 member organizations representing private sector GIS companies, commercial open source organizations, government, NGOs, universities, research organizations and system integrators.
- United States Federal Geographic Data Committee (FGDC)¹⁶⁰ Established by the Office of Management and Budget (OMB) under Circular A-16, Coordination of Geographic Information and Related Spatial Data Activities, the FGDC is a 32 member interagency committee that promotes the coordinated development, use, sharing, and dissemination of geospatial data on a national basis known as the National Spatial Data Infrastructure (NSDI). The FGDC develops geospatial data standards for implementing the NSDI, in consultation and cooperation with state, local, and tribal governments, the private sector and academic community, and, to the extent feasible, the international community. The FGDC develops geospatial data standards only when no equivalent voluntary consensus standards exist, in accordance with OMB Circular A-119.
- Geospatial Intelligence Standards Working Group (GWG)¹⁶¹ The GWG is a National System for Geospatial-Intelligence (NSG) forum that serves the Director, National Geospatial-Intelligence Agency (NGA) and the NGA Chief Information Officer who is the delegated functional manager for geospatial intelligence (GEOINT) architecture and standards. The GWG provides the forum for the coordination of GEOINT standard activities where Core members are responsible for reviewing current or emerging standards, coordinating advice with their agency's technical and acquisition experts, and reporting in GWG meetings their agency's position on the standards. The GWG is led and chaired by the NGA's National Center for Geospatial Intelligence Standards (NCGIS).
 - In addition to its designation as an NSG Functional Management forum, the GWG is a Joint Technical Working Group that participates in both the DoD and IC standards governance processes. In the DoD, the GWG votes and manages GEOINT standards lifecycle recommendations reported to the Information

¹⁵⁹ http://www.opengeospatial.org

¹⁶⁰ http://www.fgdc.gov/standards

¹⁶¹ http://www.gwg.nga.mil/index.php

Technology Standards Committee (ITSC), the governing group responsible for developing and promoting standards interoperability in support of netcentricity within the Department of Defense (DoD). GWG recommendations for mandating standards for the DoD are approved by the DoD Architecture and Standards Review Group (ASRG). Approved GEOINT standards are then cited in the DoD Information Technology (IT) Standards Registry (DISR), helping to create a centralized database to better enable the discovery, access, integration, dissemination, exploitation, and interoperability of GEOINT.

• Defence Geospatial Information Working Group (DGIWG)¹⁶² – DGIWG is the multinational body responsible for geospatial standardization for the defense organizations of member nations. DGIWG develops and maintains a suite of digital geospatial information (DGI) standards that foster the interchange, access, and use of geographic information between the defense organizations of member nations. DGIWG has been established under a memorandum of understanding between member nations, and addresses the requirements for these nations to have access to compatible geospatial information for joint operations. The DGIWG geospatial standards are built upon the generic and abstract standards for geographic information defined by the International Organization for Standardization (ISO TC/211) and makes use of the service specifications endorsed by the Open Geospatial Consortium (OGC). DGIWG defines information components for use in the development of product specifications and application schemas for military geospatial data. DGIWG also establishes service specifications, encoding formats, and testing methodologies to meet military geospatial intelligence requirements.

8.6 STANDARDS-BASED ACQUISITION GUIDANCE: REFERENCE SOURCES

Geospatial standards-based acquisition guidance in the form of procurement language and 'boiler plate' templates does not readily exist across the community.

While the value of standards are clear, one of the challenges facing standardization is the combination of rapid advancements in Information Technology; the evolution of location-based applications/services as geospatial commodities; the pace of standards development keeping up with technology; and the pace of the government procurement process requiring the inclusion of standards in contracts.

-

¹⁶² http://www.dgiwg.org/dgiwg/

- Because of the dynamic nature of these challenges, standards-based acquisition guidance is not readily available or maintained and adopted for use in geospatial investments. Several attempts to identify 'base-line' or 'essential' geospatial standards that could be included in scopes of work or procurement compliance language are identified in lieu of an authoritative or consensus-driven guide or template. The following reference documentation have been developed over the past decade and are provided in a general sequence from oldest to most recent, although some are
- 7 continuing to be maintained.

8.6.1A GEOSPATIAL INTEROPERABILITY REFERENCE MODEL

The Federal Geographic Data Committee's (FGDC) Geospatial Applications and Interoperability (GAI) Working Group (now inactive) released the Geospatial Interoperability Reference Model (GIRM)¹⁶³ in December 2003.

"The document references standards and specifications needed for interoperability among distributed geospatial services accessible over the Internet. It describes and explains them within a structured model of geospatial processing, as they apply to the design of geospatial software and services, to guide the reader to the most relevant standards for a given design, policy, or procurement ... [GIRM] is intended not as a rigid definition of standards to be implemented, but rather as a consultative tool to help decision makers define what standards apply to a given set of activities, technologies, or organizations, to facilitate interoperable geoprocessing."

8.6.2GEOSPATIAL PROFILE OF THE FEDERAL ENTERPRISE ARCHITECTURE, VERSION 2.0

The Federal Enterprise Architecture (FEA) Geospatial Profile¹⁶⁴ document created in 2009 was released by the Architecture and Infrastructure Committee, Federal Chief Information Officers Council and the Federal Geographic Data Committee. Like its predecessor, the document included an Appendix of Geospatial Standards and Extended TRM that made limited reference to "Relevant Standards" for categories of service platform and infrastructure, component framework, and service interface and integration levels.

¹⁶³ http://www.fgdc.gov/standards/organization/GIRM

¹⁶⁴ http://www.fgdc.gov/initiatives/resources/geospatial-profile-of-the-FEA-v2-march-2009.pdf

8.6.3FEDERAL GEOSPATIAL ARCHITECTURE GUIDANCE, VERSION 1.0¹⁶⁵

The FGDC, in support of the Federal Chief Information Council, developed the *Segment Architecture Analysis of the Geospatial Platform*¹⁶⁶ as a guidance document to improve the design and deployment of geospatial capabilities. Appendix D: Geospatial Standards and Extended TRM describes a number of specialized systems and standards at the service platform and infrastructure, component framework, and service interface/integration levels.

8.6.4FEDERAL GEOGRAPHIC DATA COMMITTEE ENDORSED STANDARDS

The FGDC Standards Working Group (SWG) actively promotes and coordinates FGDC standards activities. The SWG provides guidance on FGDC standards policy and procedures, facilitates coordination between subcommittees having overlapping standards activities, and reviews and makes recommendations on the approval of standards proposals, draft standards for public review, and draft standards for FGDC endorsement. The SWG has advanced 27 standards developed within the FGDC¹⁶⁷ to FGDC endorsement at the time of this draft document.

8.6.5FEDERAL GEOGRAPHIC DATA COMMITTEE ENDORSED EXTERNAL STANDARDS

The FGDC Steering Committee has officially endorsed over 60 non-Federally authored standards that play an important role in enabling geospatial interoperability. The standards include standards from Open Geospatial Consortium; ISO Technical Committee 211, Geographic information/Geomatics; the American National Standards Institute (through International Committee for Information Technology Standards Technical Committee L1, Geographic information systems) and de facto standards.

- The FGDC Steering Committee endorsed these standards in accordance with the FGDC Policy on Recognition of Non-Federally Authored Geographic Information Standards and Specification. The
- 26 standards were identified, reviewed and endorsed by the FGDC Steering Committee.
- 27 The list comprises a broad range of geospatial standards that include: Reference and Abstract
- 28 Standards, Common Encoding Standards, Common Service Standards and Content/Code
- 29 Standards. The FGDC maintains the standards list.

1

2

8

9

10

11 12

13

14

15

16

17 18

19

20 21

22

¹⁶⁵ The information in this section is taken from the Segment Architecture Analysis of the Geospatial Platform, Version 1.0, May 14, 2010.

¹⁶⁶ http://www.fgdc.gov/geospatial-lob/draft-segment-architecture-review/Segment-Architecture-Analysis-of-the/view

¹⁶⁷ http://www.fgdc.gov/standards/projects/FGDC-standards-projects/fgdc-endorsed-standards

¹⁶⁸ http://www.fgdc.gov/fgdc-news/fgdc-endorses-64-external-standards

- 1 The FGDC maintains a standards tracking spreadsheet that tracks over 200 standards from FGDC,
- 2 INCITS L1, ISO/TC 211, OGC, GWG, and other standards organizations. It has been maintained
- 3 continuously for over three years and can be accessed from the FGDC web site at the following:
- 4 http://www.fgdc.gov/standards/monthlyStandardsUpdate/index.

8.6.6SDI COOKBOOK, GLOBAL SPATIAL DATA INFRASTRUCTURE¹⁶⁹

The Spatial Data Infrastructure (SDI) Cookbook¹⁷⁰ is sponsored by the Global Spatial Data Infrastructure Association identifies: existing and emerging standards, open-source and commercial standards-based software solutions, supportive organizational strategies and policies and best practices. Chapter 10: Standards Suites for Spatial Data Infrastructure has the following Problem Statement of:

"SDI initiatives worldwide are implementing a variety of international standards for data and service discovery, data access, visualization, and analysis. The use of different combinations and/or versions of these standards limits interoperability between systems and initiatives. Guidance on best practices and approaches to solving these interoperability issues is critical to our ability to define and implement a SDI.

This document seeks to answer the following questions:

- What standards make up the SDI standards baseline?
- Which versions of core standards should be cited in the SDI standards baseline?
- What tests shall be performed to make sure that software is compliant with standards?"
- 24 The SDI Cookbook notes that geospatial specific standards may be dependent upon other
- 25 foundational standards. The SDI Cookbook estimates that, "well over 75 standards, including
- 26 underlying Internet standards, may be relevant to the geospatial domain." Therefore
- 27 procurement language would need to be inclusive of those industry standards for an effective and
- 28 interoperable investment.

5

6 7

8 9

10

11

12

13

14

15

16 17

18 19

20

21

22

- 29 To address the diversity in the number and type of relevant standards, the SDI Cookbook
- 30 proposes the establishment of "an SDI standards baseline that allows for the federation of

Much of the content in this sub-section is taken directly from the GDSI Wiki site. The Wiki is available at http://www.gsdidocs.org/GSDIWiki/index.php/Main Page

¹⁷⁰ http://www.gsdidocs.org/GSDIWiki/index.php/Main Page

- 1 provider-operated services and data to be discovered, visualized, and assessed by Web browsers
- 2 and software applications," based upon criteria for inclusion. The standards baseline is one of the
- 3 best examples of a concise listing (e.g., tables) where standards are identified that could be
- 4 included within procurement language for geospatial investments. The following tables and
- 5 supporting narrative are taken directly from the SDI Cookbook chapter on standards.
- 6 Table 8-1 lists foundational standards on which geospatial standards may be dependent. Not all of
- 7 these standards are required for implementation, but may be required or expected to be present
- 8 in a community's operating environment.

9 Table 8-1. Standards Used in Deployed SDIs

W3C Recommendation: eXtensible Markup Language (XML) Version 1.1
W3C Recommendation: XML Schema Version 1.0
W3C Recommendation: Hyper Text Transport Protocol (HTTP) Version 1.1
W3C Recommendation: Simple Object Access Protocol (SOAP) Version 1.2
W3C Note: Web Services Description Language (WSDL), Version 1.1
Oil and Gas Producer (OGP, formerly EPSG) Geodetic Parameter Dataset, Version 6.9 (2006)
Geographic Tagged Image File Format (GeoTIFF) Version 1.0
JPEG-2000 (ISO/IEC 15444-1:2004)
Information retrieval (Z39.50)—application service definition and protocol specification (ISO 23950:1998)
W3C XLink 1.1 Schema

- 10 Table 8-2 through Table 8-4 list core, supplemental, and possible future standards for the SDI
- 11 standards baseline.

13

12 Table 8-2. SDI Core Standards

OGC Web Map Service 1.3
OGC Web Feature Service 2.0/ISO 19142:2010
OGC Filter Encoding 1.1
OGC Web Coverage Service 1.1.2
OGC Geography Markup Language 3.2.1
OGC Catalogue Service 2.0.2 HTTP protocol binding (CS-W)
OGC Catalogue Service 2.0.2 HTTP protocol binding (CS-W) ebRIM and ISO Profiles
ISO 19115:2003 and ISO/TS 19139:2007
OGC KML 2.2
OGC WPS 1.0 + corrigenda
GeoRSS-Simple, GeoRSS GML

Table 8-3. SDI Supplemental Standards

OGC Styled Layer Descriptor 1.1
OGC Web Map Context 1.1/Corrigendum 1

Table 8-4. SDI Future Standards

OGC Web Coverage Service 2.0, corrigenda, and KVP, XML/POST, XML/SOAP, and GeoTIFF extensions
OGC GML 3.3

OGC Filter Encoding 2.0

1

- 2 The SDI Cookbook is inclusive of contributors from public and private communities and was last
- 3 updated on February 21, 2014 at the time of this draft document

4 8.6.7GEOINT STANDARDS¹⁷¹

- 5 GEOINT standards support specific elements of the National System for Geospatial Intelligence
- 6 (NSG) architecture and represent approximately 25% of all the standards relevant to the
- 7 architecture. They are formally defined as documented agreements containing technical
- 8 specifications or other precise criteria to be used consistently as rules, guidelines, or definitions of
- 9 characteristics to ensure that materials, products, processes, or services are fit for the analysis
- 10 and visual representation of physical features and geographically referenced activities.
- 11 GEOINT standards characterize GEOINT data, data constructs, data services, products, and
- 12 interfaces. They enable the collection, processing, analysis, and exploitation of GEOINT. They also
- 13 govern GEOINT access, dissemination, and storage. The use of common GEOINT standards
- 14 reduces the use of multiple and incompatible sets of data and makes it possible to create and
- share suitable, accurate, comprehensive, and timely GEOINT.
- 16 Examples of various types of GEOINT standards are shown in Table 8-5.

17 Table 8-5. Types of GEOINT Standards

TYPES OF GEOINT STANDARDS GEOINT metadata Geospatial referencing Information transfer Geographic feature encoding Feature data dictionaries/catalogs Geographic portrayal TYPES OF GEOINT STANDARDS Geospatial referencing Information transfer Geospatial referencing Geospatial referencing

18 19

20

21

22

23

24

As NSG functional manager for GEOINT, the NGA endorsed a suite of web services and other standards developed by the Open Geospatial Consortium (OGC). This suite of OGC standards, along with other standards adopted into the DoD IT Standards Registry (DISR), comprise the current NSG GEOINT Standards Baseline. Standards are added to the baseline as they are matured, approved, and implemented across the NSG. Key standards that compose the NSG GEOINT Standards Baseline are shown in

¹⁷¹ Much of the content in this sub-section is taken directly from the Geospatial Intelligence Standards Working Group web site and is available at http://www.gwg.nga.mil/guide.php

1 Table 8-6.

8

9

10

11 12

13

14

15

2 Table 8-6. GEOINT Standards Baseline

KEY STANDARDS IN THE NSG GEOINT STANDARDS BASELINE		
OGC® Standards	Other Standards	
Web Features Service (WFS) Web Map Service (WMS) Web Map Context (WMC) Web Coverage Service (WCS) Geography Markup language (GML) Styled Layer Descriptor (SLD) Catalog Services (CS-W) Filter Encoding Specification (FE)	 ISO 19115 Geographic Information – Metadata ISO 19119 Geographic Information – Services ISO/IEC 15444-1:2004 Information Technology – JPEG 2000 image coding system: Core coding system NSG Feature Data Dictionary (NFDD) NSG Entity Catalog (NEC) 	

- The GEOINT standards that support the NSG architecture come from a variety of private sector and government standards bodies. Adopted national and international standards are used whenever feasible in order to reduce reliance on government developed standards. This prevents the development of unnecessary and costly government standards that may be duplicative of existing commercial standards.
 - The GEOINT Standards Working Group (GWG) serves as a technical working group under the DoD Information Technology Standards Committee and recommends the adoption of standards into the DoD IT Standards Registry (DISR). The GWG governs a total of 128 GEOINT standards and as of the time of this draft document. The DISR is updated three times each year. The GWG produces a "Pocket Guide" (see Figure 8-1) that contains all of the IC and DoD GEOINT mandated and emerging schemas, implementation specifications, and web service standards required for use in GEOINT development and acquisitions. The pocket guide provides the list of standards and other additional information like applicability and where/how to acquire the standard.

DISR Baseline Release 13-1.0 GEOINT Standards Pocket Guide

[Baseline established: 3/21/2013]

Citations Summary:

Mandated: 129 Citations (8 New)
Emerging: 31 Citations (6 New)

Information/Guidance: 13 Citations

Online Resources:

GEOINT Standards Citations (http://nsgreg.nga.mil/DISR)

NSG Standards Registry (http://nsgreg.nga.mil/)

GWG (GEOINT Standards Working Group) (http://www.gwg.nga.mil/)

DISRonline Registry (https://gtg.csd.disa.mil/)

National Geospatial-Intelligence Agency Prepared: 23 March 2013

1 2

3

4 5

6

7

8

9

10

11

12 13

14

15

16

17

Figure 8-1. GEOINT Standards Pocket Guide

8.6.8DEFENCE GEOSPATIAL INFORMATION WORKING GROUP (DGIWG) STANDARDS¹⁷²

The DGIWG creates and maintain standards and implementation profiles for geospatial web services which foster the discovery, retrieval, exchange, and use of geospatial data and products. It addresses the technical issues related to geospatial information services, respective interfaces, and required formats. The DGIWG geospatial standards are built upon the generic and abstract standards for geographic information defined by the International Organization for Standardization (ISO TC/211) and makes use of the service specifications endorsed by the Open Geospatial Consortium (OGC).

- DGIWG released the Web Services Roadmap 909¹⁷³ as a technology Roadmap for the integration of new interfaces and services within the DGIWG community. This roadmap has been developed in order to facilitate current and future planning of DGIWG Web Services activity. DGIWG requires a Web Service Roadmap that looks three years into the future from the Roadmap completion (2013 to 2016) for current standards and up to six years to track industry for future research and development (emerging standards).
- DGIWG defines Base Services as those that allow users to discover, access, and view data. Base services can be further defined as:

¹⁷² The content in this sub-section is taken directly from the Defense Geospatial Information Working Group (DGIWG) web site and supporting documents and is available at http://www.dgiwg.org/dgiwg/

¹⁷³ DGIWG – 909 Web Services Roadmap, 3 October 2013. This document is approved for public release and is available on the DGIWG website, http://www.dgiwg.org/dgiwg/htm/documents/committee enterprise documents.htm

- Viewing services provide an interface for users to visualize geospatial data.
 - Data access provides an interface for users to access and write geospatial data.
 - Data discovery allow users to search using metadata from the data.
- 4 DGIWG also identifies Emerging Services that will require long term projects to develop profiles or
- 5 services (e.g., Cloud Computing). The relationship between OGC standards and DGIWG Base
- 6 Services for profiles and projects can be seen in Figure 8-2.

3

7 8

9

10

11 12

13

14

15




Figure 8-2. DGWIG and OGC Service Types and Profiles¹⁷⁴

8.6.90PEN GEOSPATIAL CONSORTIUM (OGC) REFERENCE MODEL

OGC standards are technical documents that detail interfaces or encodings. These standards are the main "products" of the Open Geospatial Consortium and have been developed by the membership to address specific interoperability challenges. The OGC Reference Model (ORM) provides a framework for the ongoing work of the OGC. The ORM describes the OGC Standards Baseline¹⁷⁵ focusing on the relationships between the various OGC standards. The OGC Standards

¹⁷⁴ http://www.dgiwg.org/dgiwg/htm/documents/committee enterprise documents.htm

¹⁷⁵ The Open Geospatial Consortium Reference Model, Version 2.1, December 12, 2011, Reference number OGC 08-062r7. The document is available at http://www.opengis.net/doc/orm/2.1

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

- 1 Baseline consists of the approved OGC Abstract and Implementation Standards (Interface,
- 2 Encoding, Profile, and Application Schema normative documents) and OGC Best Practice
- 3 documents (informative documents). OGC publishes several types of documents and

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

- 1 Table 8-7 provides an extract of the OGC document types describing Abstract and Implementation
- 2 Standards as well as Best Practices.

1 Table 8-7. OGC Document Types

DOCUMENT TYPE	DESCRIPTION	
OpenGIS Implementation Standard A document containing an OGC consensus, technology dependent standard programming interfaces and related standards based on the Abstract Specification. There are five sub Encoding, Profile, Application Profile, and Application Schema.		
Abstract Specification	A document (or set of documents) containing an OGC consensus, technology-independent standard for application programming interfaces and related standards based on object-oriented or other IT accepted concepts. It describes and/or models an application environment for interoperable geoprocessing and geospatial data and services products.	
Best Practices	A document containing discussion related to the use and/or implementation of an adopted OGC document. Best Practices Documents are an official position of the OGC and thus represent an endorsement of the content of the paper.	

- The OGC provides considerable guidance documentation for standards understanding and implementation. The following links provide several key resources for open standards:
 - OGC Standards List: http://www.opengeospatial.org/standards
 - OGC Abstract Specification: http://www.opengeospatial.org/standards/as
 Abstract Specification provides the conceptual foundation for most OGC standard development activities. OGC standards are built and referenced against the Abstract Specification, thus enabling interoperability between different brands and different kinds of spatial processing systems. The Abstract Specification provides a reference model for the development of OGC standards.
 - OGC Implementation Specifications: http://www.opengeospatial.org/standards/is
 Implementation Standards are different from Abstract Specifications. They are written for a more technical audience and detail the interface structure between software components. When two or more software engineers independently implement an IS, the results are plug-and-play components at that interface.
 - OGC Best Practices: http://www.opengeospatial.org/standards/bp
 Documents containing discussion of best practices related to the use and/or implementation of an adopted OGC document and for release to the public. Best Practices Documents are an official position of the OGC and thus represent an endorsement of the content of the paper. Schemas for some of these documents can be at http://bp.schemas.opengis.net/. Any Schemas (xsd, xslt, etc.) that support an approved Implementation Standard can be found in the official OGC Schema Registry.
 - OGC Schema Updates:
 http://www.opengeospatial.org/standards/ogc_schema_updates
 - OGC Cookbooks are free, online, easy-to-use technical documents for developers.
 - On-line demonstrations of OGC specifications and interoperable software are available from previous OGC Interoperability Program initiatives.

 OGC Network™ contains information on OGC-compatible software, services, and information models (e.g., GML profiles, SLD examples, etc.). From this site you can quickly locate OGC-compatible geospatial web services, the latest XML schema documents, discussion forums, conformance testing resources, and GML profile working areas.

8.6.10 UNITED NATIONS GLOBAL GEOSPATIAL INFORMATION MANAGEMENT

The United Nations Global Geospatial Information Management (UN-GGIM) is "an intergovernmental mechanism spearheaded by the United Nations which seeks to guide the making of joint decisions and set directions on the production and use of geospatial information within national and global policy frameworks." ¹⁷⁶ It provides a forum to liaise and coordinate among Member States, and between Member States and international organizations to improve policy, institutional arrangements, and legal framework; thereby making accurate, authoritative, reliable geospatial information readily available to support national, regional, and global development.

The UN-GGIM is mandated, among other tasks, to provide a platform for the development of effective strategies on how to build and strengthen national capacity on geospatial information. It is also tasked to compile and disseminate best practices and experiences of national, regional, and international bodies on geospatial information related to legal instruments, management models, and technical standards.

In keeping with those objectives, the UN-GGIM Secretariat requested from key standards organizations—International Organization for Standardization (ISO) Technical Committee 211, International Hydrographic Organization (IHO), and the Open Geospatial Consortium (OGC)—to advance a "core essential standards guide" for use by member nations to improve their understanding of the value of standards, and guide the adoption and application of open geospatial standards to meet their geospatial missions. The pending release (Fall 2014) of the UN-GGIM's A Guide to the Role of Standards in Geospatial Information Management (hereafter called the UN Standards Guide) is intended to "inform policymakers and Program Managers in Member States about the value in using and investing in geospatial standardization and describe the benefits of using 'open' geospatial standards." The goal is an easy to understand, and relatively non-technical document focusing on communicating and educating key decision makers within member nations on topics such as:

¹⁷⁶ http://ggim.un.org/

¹⁷⁷ OGC "Call for Volunteers to advance UN-GGIM Core Standards Guide" memo to Technical Committee and Business Value Committee members. January 23, 2014.

¹⁷⁸UNGGIM's *A Guide to the Role of Standards in Geospatial Information Management,* (Draft version), May 30, 2014. Prepared cooperatively by the Open Geospatial Consortium (OGC); ISO/TC 211, *Geospatial Information/Geomatics*; and the International Hydrographic Organization (IHO). External identifier of this document: http://www.opengis.net/doc/WP/unggim-standards/1.0.

- Role and value of open geospatial standards
- Core geospatial standards and related best practices explained
- Implementation examples
- References (e.g., national, regional, and international cookbooks, Spatial Data Infrastructure guides, etc.)

6 It is anticipated that the UN Standards Guide will provide "Geospatial Standards and Related Best

- 7 Practices for Geospatial Information Management" that frames the phases of an organization's
- 8 geospatial capability maturation and the adoption and use of key geospatial standards used to
- 9 achieve those capability levels. It is hoped that the development of this Guide, will provide a line-
- of-sight for a sequence of standards identification and adoption for an organization to adopt and
- 11 implement.

12

13 14

15

16

17

19

20

21

2223

24

25

8.7 STAKEHOLDER PERFORMANCE GUIDE: STANDARDS

It is incumbent upon an organization's procurement documentation to ensure the inclusion of the appropriate standards compliance references when contracting for geoprocessing software, data, technology, applications and services; whereby promoting vendor neutrality. This will enable exploitation by a broad range of technology offerings leading to the purchase of solutions that

18 implement the use of standards-based products and interchangeable services and components.

While geospatial standards-based acquisition guidance in the form of procurement language and boiler plate templates does not readily exist across the community, there are several organizations and sources that provide lists of "key" or "baseline" geospatial standards and maintain status updates as new standards evolve. The Performance Guidance (Table 8-8) provides a summation of the key decision points to facilitate the identification, adoption, and use of geospatial standards for the efficient design, development, and implementation of geospatial system investments.

Table 8-8. Stakeholder Performance Guide: Standards

STAKEHOLDER PERFORMANCE GUIDE				
CHAPTER 8 – STANDARDS				
Role	Responsibility	Approach	Benefit	
Executive Leadership	 Develop and adopt Standards Policy within and across the Geospatial Executive Steering Committee and your Department or Agency. Ensure all geospatial procurements/awards have the appropriate Standards Compliance Section included in the contract language. Standards resourcing for subject matter expertise (SME) and SDO involvement. 	 Working with Executive Leadership across geospatial investments, the Office of the Chief Information Officer; Financial Management Office; and Grants Office, agree upon and include Standards-based acquisition language for procurements and awards. Review procurement action prior to sign-off and the assign Program Manager the responsibility to include the necessary language in the procurement/award action. Budget for a staffing position (e.g., full or part time) to perform standards guidance. Position would participate on and provide into to SDOs and cross organization geospatial investments. 	 Ensure contract continuity and compliance for consistent geospatial investments. Enforces vendor neutrality and promotes competition for industry standards adoption. Drives interoperability across investments. Ensures procurement/award consistency and compliance. Provides awareness and understanding of standards requirements, benefits and advancement in geospatial standards development and adoption. 	
Program Manager	 Coordinate across other internal Department and Agency investment PMs for identification and agreement on content for Standards Policy development. Prepare "boiler plate" standards-based procurement language for inclusion need contracts/awards. Determine resourcing requirements and availability for geospatial standards capability development for: Subject Matter Expert SDO participation 	 Draft Standards Policy for procurement and grants guidance. Work with and vet for completeness and currency across organization and review SDO listings. Work with OCIO, OFM, and Grants Offices to determine process for standards-based procurement / grant language inclusion within policy guidance and contract vehicles. Prepare Position Description for Geospatial Standards SME as a core competency within job category (e.g., GS-2210: Information Technology Management Series). Participate on and/or contribute to geospatial SDO initiatives. 	 Provides awareness and understanding of baseline and current standards requirements. Allows for a definition of "Value Proposition" of standards-based interoperability. Policy-based guidance for government and industry understanding and compliance. Increase internal capacity for geospatial standards understanding and compliance. 	
Solution Architect	 Document current standards in use within/across organization geospatial investments. Contribute to development of baseline standards for inclusion into Policy Guidance. Contribute to identification of SME resource for geospatial standards. Ensure awareness of geospatial standards for inclusion in system procurement and development. 	 Coordinate with SAs across organization's geospatial investments to identify and document geospatial standards usage. Develop baseline of key geospatial standards derived from Federal and SDO current and emerging standards documentation. Provide input for Position Description for Geospatial Standards SME. Participate on SDOs for awareness of geospatial standards development and update. 	Technical vetting and validation across investments for As-Is standards usage. Ensure broadest possible technical review and allows identification of gaps and deficiencies for enhancement. Strengthen breadth of geospatial standards awareness across organization's geospatial investments.	

2

1

9 PERFORMANCE REFERENCE MODEL

2 9.1 INTRODUCTION

- 3 Definition/Description (What) "links agency strategy, internal business components, and
- 4 investments, providing a means to measure the impact of those investments on strategic
- 5 outcomes."179

9

18

19

- 6 Purpose/Function (Why) to provide documentable value to all stakeholders by setting
- 7 manageable and measurable metrics to achieve the geospatial system investment goals as
- 8 defined by the stakeholders. The chapter will provide:
 - References to performance guidance and implementation approaches.
- Examples of performance indices.
- 11 Stakeholder Performance Guide (Who & How) driven by mission/business requirements and
- 12 the associated functional capabilities identified in the Operational Requirements Document,
- 13 performance is a shared responsibility that provides the Executive Leadership metrics to monitor
- 14 and take corrective action to address program progress and demonstrate benefit to the
- 15 stakeholders. Often administered by the Program Manager and documented by the Solution
- 16 Architects, performance is a measure of value.

17 Value is defined by the user ... but quantified by the usage.

9.2 APPLYING THE PERFORMANCE REFERENCE MODEL: APPROACHES

- 20 Performance spans all of the Reference Models of the Federal Enterprise Architecture (FEA)
- 21 guidance. The GIRA Chapters includes a Performance Guide Table for each of the three (3)
- 22 stakeholders (e.g., Executive Leadership, Program Managers, and Solution Architects). These
- 23 tables are combined within Appendix G as a consolidate geospatial investment performance
- indicators, but only serve as a starting point for consideration.
- 25 The Common Approach to Federal Enterprise Architecture¹⁸⁰ uses the performance reference
- 26 model to show the linkage between internal business components and the achievement of
- 27 business and customer-centric outputs and outcomes. Performance measures help support

¹⁷⁹ Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2, January 29, 2013, available at http://69.89.31.228/~mkerncom/wp-content/uploads/2013/02/Federal-Enterprise-Architecture-Framework-v2-as-of-Jan-29-2013.pdf.

¹⁸⁰ Office of Management and Budget, *The Common Approach to Federal Enterprise Architecture*, May 12, 2012, available at http://www.whitehouse.gov/sites/default/files/omb/assets/egov docs/common approach to federal ea.pdf

planning and decision-making based upon comparative determinations of which programs and services are more efficient and effective. The Performance Reference Model focuses on three main objectives:

- Produce enhanced performance information to improve strategic and daily decision-making.
- Improve the alignment and better articulate the contribution of inputs to outputs, thereby creating a clear "line of sight" to desired results.
- Identify performance improvement opportunities that span traditional organizational structures and boundaries.

One of the most visible uses of the Performance Reference Model is for the OMB reporting as part of Exhibit 300 investment proposals. Federal agencies are required to:¹⁸¹

- Describe the relationship between investment and agency strategic goals. A
 narrative explanation of the investment's specific contribution to mission delivery
 and management support functions is required in Section B for the Exhibit 300A.
 Investment owners must identify how the investment contributes to the agency
 target architecture and links to performance objectives in the published agency
 strategic plan.
- Provide investment-specific performance measures that quantify the intended performance benefits. Each measure must be categorized using a FEA Performance Measurement Category, and investment owners must ensure that the measures are balanced and drawn from multiple measurement categories. Performance metrics will be reported on the IT Dashboard.
- **Report on investment results** using these measures monthly, quarterly, semiannually and annually.

Reporting on investment results, using the Governance processes established through the Executive Steering Committee (see Chapter 2), provides an opportunity to validate success and make course corrections to meet changing stakeholder requirements (see Section 3.3). The *Federal Shared Services Implementation Guide*¹⁸² recommends when developing their organization's strategic plans and performance goals, Executive Leadership and Program Managers should evaluate the prior performance of their investments. This presents an opportunity to question and assess the following:

- What is the performance of existing processes and services?
- What existing capabilities can be improved?

¹⁸¹ Office of Management and Budget, Federal Enterprise Architecture Framework, Version 2, January 29, 2013.

¹⁸² https://cio.gov/wp-content/uploads/downloads/2013/04/CIOC-Federal-Shared-Services-Implementation-Guide.pdf

- What is the cost structure of current capabilities?
- How efficient is service delivery?

3

5

What new capabilities are needed and funded by the organization?

4 The Shared Services Implementation Guide also recommends that the Agencies should objectively

- and continuously assess their IT investment portfolios throughout the investment lifecycle as part
- 6 of Capital Planning and Portfolio Management oversight. Each checkpoint should be considered
- 7 an opportunity to re-evaluate whether an investment is still performing as desired and continues
- 8 to deliver the level of business value and capabilities required by end users and key stakeholders.
- 9 For this reason, capital planning, business, and IT Program Managers should discuss whether
- there is an opportunity to leverage an existing shared service before embarking on development
- of a new initiative that will incur significant costs, as well as risks.
- 12 The Segment Architecture Analysis of the Geospatial Platform, Version 1.0¹⁸³ describes
- performance architecture as a means to align strategic goals and objectives with specific metrics
- that can be applied to processes, systems, and technology in order to evaluate success against
- those goals. The performance metrics creates a reporting framework to measure the geospatial
- activities and investments across the enterprise. Improved performance is realized through
- greater focus on mission, agreement on goals and objectives, and timely reporting of results. The
- 18 Segment Architecture Analysis also outlines the ways in which these performance metrics should
- 19 evolve in order to align geospatial initiatives across an enterprise's stovepipes and incorporate
- 20 additional considerations critical to geospatial functionality. The document concludes by
- providing high-level recommendations for the development of a "Geospatial Transition Roadmap
- and Milestones" for the federal geospatial community to consider; including nine (9) government-
- 23 wide level governance initiatives.
- 24 The Geospatial Profile of the Federal Enterprise Architecture, Version 2.0¹⁸⁴ notes that "the PRM is
- of particular use to the development of fledgling geospatial programs across government because
- 26 it provides a structure for analyzing both means and ends. Using performance measures allow
- 27 agencies to define how much more effective their business processes are by incorporating
- 28 geospatial resources, approaches, or methods.
- 29 All activities of an agency's geospatial program—developing policies and using standards,
- 30 implementing geospatial services and geo-enabling functions within the organization, and
- 31 implementing and providing geospatial data services both inside and outside the agency—can
- benefit by evaluating performance. There are two primary measures for evaluating performance:

¹⁸³ http://www.fgdc.gov/geospatial-lob/draft-segment-architecture-review/Segment-Architecture-Analysis-of-the/view

¹⁸⁴ http://www.fgdc.gov/initiatives/resources/geospatial-profile-of-the-FEA-v2-march-2009.pdf

- Measures of the performance of business processes incorporating geospatial resources and investments (how much does the business process save by using geospatial technology and data, how many users does it support).
 - Measures of the maturity of a geospatial program responsible for developing an agency's geospatial architecture (is the program progressing towards offering better services to more customers and does its geospatial data meet quality standards)."

9.3 PERFORMANCE INDICES

Performance measures are often seen as an administrative burden and additional cost to the system investment. However, performance metrics, if reflective of the stakeholder requirements, provides awareness of the value of the investment and enables effective management for operations and maintenance.

"You cannot manage what you cannot measure."

14 – Anonymous

The Enterprise Architecture and Geospatial communities of practice have several performance indices that may be used in part or whole to help design and develop meaningful measures for investments. Performance indices (e.g., Maturity Models) may provide a normalizing or level-setting functional for an organization to better understand the range of capabilities and investments and also contribute to the baseline assessment activities (see Section 3.4) when an organization performs its Operational Requirements Document (Section 3.3).

One of the challenges of any maturity model is the general lack of a Return on Investment (ROI) indicator for moving from one level to the next in the maturity progression ladder. A maturity or capability model may have ~ 5 levels of maturity and while an organization assesses its maturity to be a "3" there are generally no explicit cost/benefit to determine the value proposition for moving to the next level. In fact, there may be diminishing returns and the stakeholders will need to determine the optimal level of geospatial proficiency that meets the needs of the entire investment. However; a performance management framework for geospatial capabilities that are embedded within a larger system environment may include the necessity to tie the value to the overall or 'parent' enterprise architecture investment.

9.3.10FFICE OF MANAGEMENT AND BUDGET: ENTERPRISE ROADMAP

OMB's Memorandum for *Increased Shared Approached to Information Technology Services* "provides Federal Agencies with policy guidance and management tools to use in increasing shared approaches to information technology (IT) service delivery across mission, support, and commodity areas." The policy memo directs Federal Agency Chief Information Officers to submit an "Enterprise Roadmap" each year that documents an agency's current and future views of its business and technology environment from an architecture perspective. In the 2013 submission of the Enterprise Roadmap includes:¹⁸⁶

- 1. Business and Technology Architecture (Main Body): a high-level, integrated description of the agency's IT-related strategic goals, business objectives, and enabling IT capabilities across all operating units, and program areas.
- 2. Enterprise Architecture (EA) Maturity Measurement Template (Appendix 1): a self-evaluation of the maturity of the Agency's EA Program.
- 3. EA Outcomes and Measurements Template (Appendix 2): a self-evaluation of the effectiveness of the agency's enterprise architecture program, examples of contributions to beneficial outcomes, areas for improvement, and measurement of value using the attached template.
- 4. *IT Asset Inventory* (Appendix 3) (Optional): a list of IT systems and applications that support mission, administrative, and commodity IT services, using the attached template and the Federal Enterprise Architecture Reference Models that are provided in the Common Approach. This Appendix will be considered "For Official Use Only."
- The EA Maturity Measurement Template (see Appendix G.1) provides a matrix that includes the primary evaluation categories (e.g., Spending, Systems, Services, Security) and requires the inclusion of IT investment Inventory and Outcomes with descriptions for; Area of Measurement, Specific Measurement Indicators, Measurement Method and Targets (Timeline), and Comments/Artifacts. Depending upon the category of Inventory or Outcome, the Areas of Measurement may include:

Table 9-1. EA Maturity Measurement Template: Areas of Measurement

INVENTORY & OUTCOME	AREA OF MEASUREMENT
Inventories	Completeness
	Accuracy
	Ratio

¹⁸⁵ OMB Memo: Increasing Shared Approaches to Information Technology Services, May 2, 1012, available at http://www.whitehouse.gov/sites/default/files/omb/assets/egov_docs/sharedapproachmemo_0502.pdf

¹⁸⁶ OMB Memorandum to Agency Chief Architects, *Guidance on 2013 Federal Agency Enterprise Roadmaps*, March 29, 2013.

INVENTORY & OUTCOME	AREA OF MEASUREMENT
Outcomes	Cost Savings/ Avoidance
	Reduction of Duplication
	Efficiency
	IT Enablement

9.3.2ISE INFORMATION INTEROPERABILITY FRAMEWORK: INTEROPERABILITY MATURITY MODEL

The Information Sharing Environment (ISE) Interoperability Framework (I²F) is used to guide the implementation of the ISE information sharing capabilities.¹⁸⁷ The ISE I²F leverages existing systems architecture guidance, suggested standards, tools, and methodologies to foster the linkage of systems as well specifying the development of common artifacts that are intended to enable disparate architectures to improve information sharing.

The Interoperability Maturity Model of the ISE I²F is aligned with the OMB guidance *Federal Enterprise Architecture Framework* and *The Common Approach to Federal Enterprise Architecture* and is broken down by domains (e.g., Business, Data, Applications, Infrastructure, Security, and Performance). The model establishes characteristics for each level of interoperability (e.g., ad hoc, repeatable, enhanced, managed, and optimized) for each interoperability requirement. Each row in the maturity model represents a functional area within the domain. Each column represents a different stage of maturity. Interdependences between functional areas exist but the goal is to assess a system independently for each functional area.

Within the I²F Performance Domain maturity model, it is divided into functions or process groups (rows) and maturity levels (column). The maturity model is then followed by several supporting questions.

Table 9-2. I²F Performance Domain Maturity Model Metrics

	(0)	①	②	③	④	⑤
	ABSEN	T AD HOC	REPEATABLE	ENHANCED	MANAGED	OPTIMIZED
Metric	perform that pro of sight strategic the inve	zed lance metrics vide direct line between c planning and stment review do not exist.	Formalized performance metrics exist and align with strategic goals of organization as well as to applicable policy, guidance, and laws.	Formalized per metrics that id common performed elements across investments of exists.	entify ormance ss	Formalized performance metrics are used to inform gap analysis of interoperability requirements and adhere to relevant performance goals.

¹⁸⁷ Program Manager – Information Sharing Environment (PM-ISE), *Information Interoperability Framework (I²F)*, Version 0.5, March 2014, available at http://ise.gov/ise-information-interoperability-framework.

9.3.3DHS COMMON OPERATING PICTURE: KEY PERFORMANCE INDICATORS AND MEASURES

The Department of Homeland Security has chartered an Executive Steering Committee (ESC) for its Common Operating Picture (COP)/User Defined Operating Picture (UDOP) Domain. The Components of DHS have invested in multiple COP/UDOP capabilities to support situational awareness for law enforcement, emergency management, intelligence, and homeland security/defense mission activities. The goal of the COP ESC has been to increase COP interoperability, effectiveness, and shared capabilities while reducing the Department's collective operational costs by managing COP systems as enterprise mission service investments. It is expected to promote and guide the development and operation of, and investment in the DHS Common Operating Picture domain. The COP ESC will provide analytical support and provide recommendations, guidance, and procedures for improving the sharing of data, information, infrastructure, tools, and services across DHS COP investments.

In support of the COP ESC, the DHS Geospatial Management Office prepared the *DHS Sensitive But Unclassified COP/UDOP Segment Architecture*¹⁸⁸ document is to provide a holistic and conceptual view of the future consolidated or interoperable state of the COP domain for Homeland Security. This initial version focused upon the target technical architectural areas: business, data, services, technology, security, and performance. It presents a Target Architecture based on a common services framework that relies on shared services and enterprise delivery of core data, software, and infrastructure using approved standards. This shared services approach ensures data and system interoperability and reliable exchange of information in a usable and geospatial format.

The target performance architecture for the DHS COP segment architecture prepared a performance management scorecard (Appendix G.2) to tracking progress and effectiveness toward achieving the strategic goals and objectives for the COP domain. The scorecard is based on the key performance indicators (KPIs) to include; Governance, Information Sharing, Mission Enablement and Technology Management. These scorecard metrics were established from the COP Domain priorities for interoperability, effectiveness, authoritative/trusted information in a geospatial format, standards-based information exchanges, reliability, and shared capability.

9.3.4NATIONAL STATES GEOGRAPHIC INFORMATION COUNCIL: GEOSPATIAL MATURITY ASSESSMENT

The National States Geographic Information Council's (NSGIC) Mission is to promote statewide geospatial coordination activities in all states and to be an effective advocate for states in national geospatial policy and initiatives, thereby enabling the National Spatial Data Infrastructure

¹⁸⁸ Department of Homeland Security, *COP/UDOP Sensitive But Unclassified Segment Architecture*, Version 1.0 (DRAFT), April 27, 2012, prepared by the Geospatial Management Office.

(NSDI).¹⁸⁹ NSGIC maintains a Geospatial Maturity Assessment (GMA) that is a "baseline assessment methodology to routinely and continuously monitor and validate statewide geospatial capabilities." ¹⁹⁰ The GMA included eighty three (83) questions that characterized their geospatial programs. The assessment is over one-half data focused, but also includes questions on staffing and budget, strategic and business planning, and interagency coordination and data sharing.

9.3.5URBAN AND REGIONAL INFORMATION SYSTEMS ASSOCIATION: GIS CAPABILITY MATURITY MODEL

The Urban and Regional Information Systems Association (URISA)¹⁹¹ promotes the effective and ethical use of spatial information and information technologies for the understanding and management of urban and regional systems. URISA members and participants typically use geospatial and other information technologies to solve challenges in government agencies. URISA provides educational programs, offers volunteer GIS expertise through its GISCorps program, and assists government agencies with benchmarking GIS maturity through its GIS Management Institute®.

"The URISA GIS Capability Maturity Model¹⁹² is a key component of the GIS Management Institute. Its primary purpose is to provide a theoretical model of a capable and mature enterprise GIS operation within a designated organization. The URISA Model is intended to serve the GIS community as a stand-alone document to define the framework for an effective enterprise GIS. The Model was developed initially with a focus on local government agencies (e.g., cities, counties, regional agencies, and other similar entities) but it is intended for future use by any enterprise GIS. As a stand-alone document, the Model is intended to facilitate discussion amongst GIS managers and the decision makers who deploy and fund GIS to maximize effectiveness and return on investment from a given level of investment."

24 The Capability Maturity Model assumes two (2) broad areas of GIS operational development:

- Enabling Capability the technology, data, resources, and related infrastructure that can be bought, developed, or otherwise acquired to support typical enterprise GIS operations. Enabling capability includes GIS management and professional staff.
- Execution Ability the ability of staff to utilize the technology at their disposal (subject to separate assessment as part of the Model).

190 http://www.nsgic.org/geospatial-maturity-assessment/

¹⁸⁹ http://www.nsgic.org/

¹⁹¹ http://www.urisa.org/main/about-us/

¹⁹² http://www.urisa.org/clientuploads/directory/GMI/GISCMM-Final201309%28Endorsed%20for%20Publication%29.pdf

9.4 STAKEHOLDER PERFORMANCE GUIDE: PERFORMANCE

The Performance Guide provides several key considerations and decision points that may influence the design and development of the performance metrics necessary to assess the most effective and efficient design, development, and implementation of the geospatial system investment. Appendix G.3 provides a consolidated Performance Guide for all of the reference models (e.g., Business, Data, Applications/Services, Infrastructure, Security, and Performance).

Table 9-3. Stakeholder Performance Guide: Performance

STAKEHOLDER PERFORMANCE GUIDE				
CHAPTER 9 – PERFORMANCE				
Role	Responsibility	Approach	Benefit	
Executive Leadership	 Define mission context for geospatial investments across the enterprise. Ensure Performance metrics and indicators are included in all CPIC (OMB 300/53) geospatial investments. 	 Provide overall mission context and expected contribution of geospatial to/within programs to Program Managers, and align program success to improved performance of business functions. Using Performance indicators for each reference model (e.g., Business, Data, Applications/Services, Infrastructure, Security, and Performance) prepare matrix for ESC review and adoption and monitoring. 	 Creates quantifiable measures and expected outcomes (mission and resource impact) of a geospatial investment. Ensures OMB reporting compliance and senior leadership commitment to managed/measured success of investment. 	
Program Manager	 Define measures of effectiveness and success criteria for geospatial investments under oversight. ESC to oversee cost, schedule, and scope of geospatial investments across enterprise. 	 Provide clear guidance to Solution Architects for requirements and dependencies of required solutions. Communicate with Executive Leadership and stakeholder community (mission holders) to foster an understanding of the value of current efforts with the overall mission success. 	 Creates clarity as to the value of programs being managed to overall mission effectiveness. Enables easier management through a better understanding of how measures of effectiveness translate into system requirements and benefits. 	
Solution Architect	 Derive functional and technical requirements and associated quantifiable performance success measures given target objective. Oversee technical implementation and schedule and provide status to leadership and recommended course corrections as needed. 	 Analyze program requirements and measures of effectiveness and identify solution elements that will enable the program to meet success criteria. Create a clear understanding of how the project scope, schedule, and budget is progressing and provides line-of-sight with respect to the overall program and enterprise requirements. 	Demonstrable solution effectiveness, tied directly to executive-level interests which enables an end-to-end picture of how delivered solutions fit into an enterprise-level mission Enables clear communication with the Project Managers and Executive Leadership regarding schedule and scope of system delivery.	

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	This page intentionally left blank.
12	

1 APPENDIX A:

2 GOVERNANCE

A.1 EXECUTIVE STEERING COMMITTEE CHARTER TEMPLATE

5 [Note: Replace underlined text with organization specific information.]

6	EXECUTIVE STEERING COMMITTEE CHARTER
7	FOR
8	GEOSPATIAL SYSTEM INVESTMENT (GSI)

9 **PURPOSE**

- 10 This Charter defines the mission, authority, membership, responsibilities, and operating principles
- 11 for the <u>Department/Agency's</u> Executive Steering Committee (ESC) for geospatial system
- 12 investment coordination. The GSI ESC is charted by the Department/Agency's sponsoring body. (if
- 13 applicable).

14 MISSION

- 15 The GSI ESC will promote and guide the development and operation of, and investment in the
- 16 Department/Agency's geospatial technology domain.

17 **OBJECTIVE**

- 18 The objective of the GSI ESC is to increase geospatial interoperability, effectiveness, and shared
- 19 capabilities while reducing the Department/Agency's collective operational costs by managing
- 20 geospatial systems as enterprise mission service investments.

21 BACKGROUND

- 22 The operational organizations with the Department/Agency have invested in multiple geospatial
- 23 capabilities to support mission activities.
- 24 [Note: Additional, organization mission specific information can be included, especially if member
- representation would include non-geospatial equities such as OGC, Finance, Policy, Civil Right Civil Liberties,
- 26 CIO, etc.]

SCOPE

1

11

- 2 The GSI ESC will provide governance and guidance, oversight of, and recommendations
- 3 concerning, all aspects of the Department/Agency's geospatial domain. This includes investments,
- 4 systems, data, policies, and procedures needed to ensure mission partners have an enduring
- 5 capability to effectively, efficiently, and rapidly access needed data, geospatial referencing of
- data, and information; integrate and fuse data, provide timely, accurate, and tailored displays of
- 7 data and geographic views; facilitate collaborative planning; and enhance situational awareness.
- 8 The GSI ESC will oversee the review of geospatial equities and provide recommendations,
- 9 guidance, and procedures for improving the sharing of data, information, infrastructure, tools,
- and services across <u>Department/Agency's</u> geospatial investments.

AUTHORITY

- 12 The GSI ESC has the authority to oversee and make recommendations regarding the
- 13 <u>Department/Agency's</u> geospatial domain. The <u>GSI</u> ESC will execute its duties within the scope of
- 14 this Charter, as informed by any applicable laws, regulations, Department/Agency's directives,
- and any additional assignments of responsibility from senior governance bodies. The GSI ESC will
- work to align the geospatial domain with applicable strategic goals and objectives established by
- 17 the Department/Agency's and senior governance bodies. As the need arises for decisions outside
- 18 the level of authority of the GSI_ESC, the GSI_ESC will formulate recommendations for
- 19 consideration by the Department/Agency's sponsoring body.
- 20 The GSI ESC may also charter and oversee advisory bodies, subcommittees, working groups,
- 21 integrated project teams, etc., as necessary to assist the GSI ESC.

22 **MEMBERSHIP**

- 23 GSI ESC Chair and/or Co-Chairs are designated positions and serve for a period of ______.
- 24 [Note: designation assumes that the ESC is sponsored by a Department/Agency as required by that
- 25 organizations policy guidance. If not sponsored, then the positions may be by volunteer or election. Service
- 26 duration may be indefinite or specified time frame, usually 2 years.]
- 27 GSI ESC membership is designated positions from the organization's executive leadership and
- 28 serves for a period of .
- 29 GSI ESC membership is subject to change at the direction of the <u>Department/Agency</u> or by mutual
- 30 agreement of the members based on the needs of their Department/Agency and the ESC. A roster
- of the individuals who hold those positions shall be maintained by the GSI ESC and updated as
- 32 necessary.

- 1 GSI ESC members must have the authority to represent and make decisions on behalf of their
- 2 offices/organizations, and are expected to fully participate in the work of the GSI ESC. If principal
- 3 members cannot attend, they will designate a single alternate to consistently participate on their
- 4 behalf. The designated alternate should be from the same organization as the regular member
- 5 and will be delegated the same powers as the regular member at the GSI ESC meeting.

6 **ESC Co-Chairs**:

- Department/Agency #1
- Department/Agency #2

9 **ESC Members**:

- 10 Voting Members:
- 11 [Note: Generally the operational mission owner often with existing geospatial investment. If a
- Department/Agency has more than one Program or Office with geospatial equities, that Department/Agency
- 13 should coordinate across their constituencies to ensure awareness and involvement. However, if the ESC
- 14 allows multiple representatives from a Department/Agency the voting should remain "one Department/Agency
- one vote," so as to not to unduly influence decision-making approval authorities.]
- <u>Department/Agency Mission Area #1</u>
- Department/Agency Mission Area #2
- Department/Agency Mission Area #3
- Department/Agency Mission Area #4
- Department/Agency Mission Area #N
- 21 Non-Voting Members:
- 22 [Note: Generally the non-operational mission support providers with no geospatial investment but perhaps
- 23 geospatial needs impacts as exampled below.]
- Office of the Chief Information Officer
- Office of Research and Development
- Office of Chief Procurement Officer
- Office of the Chief Financial Officer
- Office of the General Counsel
- Office of Legislative Affairs
- Privacy Office
- Office for Civil Rights and Civil Liberties

Office of Policy

2

7

8

9

11

13

14 15

16

17

18 19

20

21

23

24

25

26

27

28

29

ROLES AND RESPONSIBILITIES

3 ESC	Co-Chair(s)
--------------	-------------

- Serve as the executive champion of the mission and work of the GSI ESC.
- Develop processes and priorities for the work of the <u>GSI</u> ESC to ensure that relevant
 issues are elevated to the <u>GSI</u> ESC and addressed promptly.
 - Set the schedule, agenda, and guest list for <u>GSI</u> ESC meetings with assistance from the ESC Secretariat and in consultation with the GSI ESC members.
 - Co-Chair the <u>GSI</u> ESC meetings:
- Review action items
 - Facilitate discussion and collaboration
- Identify consensus decisions or initiate voting
 - Elevate unresolved issues, or issues outside the scope of ESC authority, to the <u>Department/Agency's</u> sponsoring body [if applicable] and other appropriate senior governance bodies.
 - Ensure appropriate reporting of <u>GSI</u> ESC activities and decisions to senior governance bodies components, and other stakeholders as appropriate.
 - Recommend <u>GSI</u> ESC operational changes to the appropriate senior executives or governance bodies.
 - Communicate taskings to subcommittees, working groups or integrated project teams as appropriate.

22 ESC Members

- Provide strategic recommendations; identify and communicate issues and concerns in a clear and timely manner.
- Serve as a liaison between the geospatial domain and the member's functional area and/or organization; ensure organizational support for the activities of the <u>GSI</u> ESC.
 - Execute activities, as assigned, in support of the GSI ESC.
- Identify subcommittee, working group and/or integrated project team members to represent their respective business function(s) and Department/Agency.

NON-MEMBERS

1

9

10

11

12

13

14

15

16

17

18

19

20

25

28

- 2 The GSI ESC Co-Chairs and members may invite subject matter experts to attend GSI ESC meetings
- 3 to present information and participate in discussions, as appropriate. Members may also invite an
- 4 appropriate number of support staff to attend GSI ESC meetings in order to facilitate the
- 5 member's GSI ESC participation. Other observers may attend and participate in meetings at the
- 6 discretion of the Co-Chairs. The Chair may exclude non-members in situations the Co-Chairs
- 7 deems sensitive or inappropriate for non-member review, or if non-member attendance is not
- 8 otherwise practical.

ESC Secretariat

- The <u>Department/Agency</u> will serve as Secretariat and provide logistical support for ESC deliberations. It will:
- Develop meeting agendas and recommend agenda priorities in conjunction with the Co-Chairs.
- Plan and schedule <u>GSI</u> ESC meetings and meeting rooms.
- Consolidate and disseminate meeting agendas and briefing materials in advance of the meeting.
 - Assist the <u>GSI</u> ESC to adhere to criteria and thresholds for issue consideration, documentation requirements, and other procedures as established by the GSI ESC.
 - Track and report all <u>GSI</u> ESC action items, decisions, and recommendations to conclusion.
- Develop and disseminate all GSI ESC meeting minutes.
- Utilize a collaboration <u>GSI</u> ESC website [if applicable] to manage and report <u>GSI</u> ESC
 activities and serve as the GSI ESC site administrator.

24 **ESC OPERATIONS**

Frequency of Meetings

- 26 The GSI ESC will meet on a schedule determined by the Co-Chairs based on the needs of the
- 27 geospatial domain, but no less than every other month.

Attendance, Quorum

- 29 The Co-Chairs, GSI ESC Voting Members, and a representative from the Secretariat are required to
- 30 attend all meetings.

- 1 GSI ESC Voting Members must notify the Co-Chairs at least one day in advance of the meeting
- 2 when unable to attend and are responsible for arranging for the attendance of an approved
- 3 alternate.
- 4 At a minimum, sixty percent (60%) of GSI ESC Voting Members (either the approved regular or
- 5 alternate members) must be in attendance to constitute a quorum for a meeting and eighty
- 6 percent (80%) voting.

7 Decision Making

- 8 The Co-Chairs will strive to reach decisions through consensus of the committee members. Once a
- 9 consensus is reached, the Co-Chairs will clearly summarize the consensus decision, which will be
- 10 recorded in the minutes.
- 11 If the Co-Chairs determine that a consensus decision or recommendation cannot be reached
- 12 within a reasonable time, the Co-Chairs may either call for a vote or escalate the issue to a senior
- decision authority.
- 14 In the event of a vote, each GSI ESC Voting Member (either the approved regular or alternate
- member) has one vote. The Co-Chairs do not vote except in the event of a tie, in which case they
- 16 may break the tie or decide to escalate the issue to a senior decision authority. If the Co-Chairs
- cannot agree, the issue must be elevated to a senior decision authority.
- 18 The Co-Chairs may invoke electronic comment and/or voting (or "E-Vote") via email or the GSI
- 19 ESC team site.
- 20 [Note: the ESC may decide an electronic voting protocol and time duration for responding to votes where no
- 21 response equals concurrence and a NO vote should be scheduled for discussion and resolution when
- 22 possible.]

23

Communication

- 24 Read-ahead information will be provided to the membership at least three business days in
- advance of meetings.
- 26 Meeting minutes and action items will be distributed no later than three business days after the
- 27 meeting. Members shall submit comments on the minutes within five business days after receipt.
- 28 The minutes from the previous GSI ESC meeting shall be reviewed and approved at the next
- 29 subsequent GSI ESC meeting.
- 30 A teleconference line may be established for the GSI ESC meetings at the discretion of the Co-
- 31 Chairs.

1 2	Non-member individuals may be included on comdeemed appropriate by the Co-Chairs.	munications distribution lists for any reason
3	EFFECTIVE DATE AND TERMINATION	
4 5 6	This Charter shall be effective upon approval by the Chairs. This Charter will remain in effect until ame Department/Agency and/or mutual agreement of the	ended or replaced or until terminated by the
7		
8	SIGNATORY APPROVAL	
9	Department/Agency #1	Date
10	Department/Agency #2	 Date
11		

A.2 INFORMATION SHARING AGREEMENT CHECKLIST¹⁹³

- 3 Please provide the requested information in the space provided below and return this form to the
- 4 Geospatial Executive Steering Committee.

1

2

5	Α.	GENERAL INFORMATION
6	1.	Requestor Information:
7		Organization:
8		Phone Number:
9	2.	Intended recipient/end user:
10	3.	Provider Information:
11		Organization:
12		Phone Number:
13	4.	Provide a general description of the information/data to be shared.
14	5.	List the system(s) associated with the shared information/data.
15	6.	Provide the purpose for the information sharing relationship.
16	В.	INTERNAL INFORMATION SHARING REQUESTS
17	1.	Describe the use(s) for which the recipient/end user organization will obtain the information.
18	2.	Number of individual users contemplated:
19	3.	All users have "need to know" information to perform job functions?Yes No
20	4.	Describe how "need to know" will be verified for each user and each access event.
21	5.	Department/Agency Component:
22 23		 a. Source/Originator of the information (i.e., what organization originally collected the information):
24		Name of organization:
25		Department/Agency?Yes No
26		If no, complete 5b. If yes, skip to 6.
27		b. Was information obtained subject to a written ISAA or other agreement?Yes No
28		If yes, complete 5c. If no, skip to 6.
29 30		c. Confer with Office of General Council (OGC) re: whether existing agreement is compliant and covers the contemplated information sharing:

¹⁹³ Department of Homeland Security, *Information Sharing and Access Agreements Guidebook and Templates*, revision version 2.1, October 2010.

1		New ISAA with originating party needed
2		Internal Department/Agency Sharing permitted under existing agreement
3	6.	Office of General Counsel (OGC):
4 5		a. Confer with OGC re: whether there are any legal prohibitions to recipient obtaining/receiving the information:
6		No legal prohibitions to recipient obtaining/receiving the information
7		(If there are legal prohibitions, work with OGC to attempt to mitigate or resolve them.)
8		b. Confer with OGC re: whether recipient may further disseminate information (if applicable):
9 10		New ISAA must restrict further dissemination of information within Department/Agency
11 12		New ISAA must restrict further dissemination of information outside of Department/Agency
13		No restrictions on further dissemination of data (subject to a new ISAA)
14	7.	Purpose for which information was originally collected.
15		a. Identify applicable SORNS, if any.
16	8.	List any conditions required to properly size/scope the required data elements.
17		a. List any mandated data exchange protocols that must be followed.
18 19	9.	Are there other Department/Agency Components with concurrent jurisdiction/need for the same information? $__$ Yes $__$ No
20		If yes, describe:
21	10.	Personally Identifiable Information (PII):
22		a. Does the information include PII?Yes No
23		If yes, describe:
24		If yes, go to 10b. If no, skip to 10c.
25		b. Is use of anonymized data possible and sufficient for recipient purposes?Yes No
26		If no, explain:
27 28 29		 c. Conferred with Department/Agency Privacy Office re: privacy considerations and need for PIA? Yes No
30	11.	Does the data require any context to be properly understood?Yes No
31		If yes, describe:
32		a. Will training be provided to accomplish this?Yes No
33		If yes, describe:
34 35	12.	Describe how the parties will protect the information from unauthorized access, misuse, disclosure during transmission, use and maintenance.
36	13.	What is the classification level of the information?

1 14. Describe auditing functions/trails/logs to be maintained by the recipient.

C. EXTERNAL INFORMATION SHARING REQUESTS

2

35

3		te: This section should be used in conjunction with the DARP Questionnaire (Appendix A.3) for
4	da	ta requests from non-Department/Agency external parties.
5	1.	Source/originator of information (i.e., what organization originally collected the information):
6		Name of organization:
7	2.	DARP Questionnaire completed and submitted?Yes No
8 9	3.	Review existing ISAAs to determine whether sharing is covered under an existing ISAA?Yes No
10	4.	Purpose for which information was originally collected:
11		a. Identify applicable SORNS, if any:
12	5.	Civil Rights and Civil Liberties – Confer with Civil Rights and Civil Liberties (CRCL) re:
13 14		a. Whether there are any prohibitions/concerns related to recipient obtaining information? Yes No
15 16		b. Whether information may be used, in whole or in part, to interfere with an individual's exercise of lawful First Amendment activities?Yes No
17		(Note: For requests made by external parties, this step will be part of the DARP process.)
18	6. 1	Privacy – Confer with Office of Privacy (PRIV) re:
19 20		a. Whether the proposed sharing and use of the information is compatible with "routine uses" identified in an applicable SORN?Yes No
21 22		b. Whether there are any prohibitions/concerns related to recipient obtaining information?Yes No
23 24	7.	Conferred with OGC and Geospatial Executive Committee re: whether there are any prohibitions/concerns related to recipient obtaining information?Yes No
25 26	8.	Conferred with OGC, CRCL, and PRIV re: necessary restrictions on additional dissemination of information shared:
27		OGC:Yes No
28		a. Describe restrictions on further dissemination to be incorporated into ISAA.
29	9.	List any conditions required to properly size/scope the required data elements.
30	10	. List any mandated data exchange protocols that must be followed.
31 32	11.	. Are there other Department/Agency Components with concurrent jurisdiction/need for the same information?Yes No
33		If yes, describe:
34	12	. Personally Identifiable Information (PII):

a. Does the information include PII? ___Yes ___ No

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

1	If yes, describe:			
2	If yes, go to 13b. If no, skip 12b.			
3 4	 b. Is use of anonymized data possible and sufficient for the recipient's purposes? Yes No 			
5	If no, explain:			
6 7	 c. Confer with Department/Agency Privacy Office re: privacy considerations and need for Privacy Impact Assessment (PIA)?Yes No 			
8	(If a PIA is required, work with your Office of Privacy to resolve any issues.)			
9	13. Contextual Understanding:			
10	a. Does the data require any context to be properly understood?Yes No			
11	If yes, describe:			
12	If yes, go to 13b. If no, skip 14b.			
13	b. Will training be provided to accomplish this?Yes No			
14	If yes, describe:			
15	14. How will recipient authenticate individual users/access events to the data?			
16	15. What is the classification level of the information?			
17				
18				

A.3 DATA ACCESS REQUEST PROCESS – QUESTIONNAIRE¹⁹⁴

- 3 This questionnaire is intended to facilitate the creation of an Information Sharing Access
- 4 Agreement (ISAA) between the requesting department/agency (Requesting Agency) and
- 5 provisioning department/agency (Providing Agency). This questionnaire is a preliminary
- document and does not bind or otherwise constrain either party. The ISAA will serve as the official
- 7 data access agreement between both parties.
- 8 Information Sharing and Access Agreement (ISAA): An ISAA is an agreement that defines the
- 9 terms and conditions of information/data exchanges between two or more parties. The term
- 10 encompasses agreements any form, including Memoranda of Understanding, Memoranda of
- 11 Agreement, Letters of Intent, etc.
- 12 Please respond to the questions listed below in and be as specific as possible. Upon completion
- of the form, please submit the form to ______.
- 14 SECTION 1: INITIATE REQUEST FOR PROVIDING AGENCY DATA (Completed by
- 15 Requesting Agency)

1

2

- 16 A. Points of Contact
- 17 1. Requesting Agency/Department?
- 18 2. What is the general mission of the requesting agency?
- 19 3. Requesting agency POC?
- 20 4. Requesting agency General Counsel POC?
- 21 5. Requesting agency technical POC?
- 22 6. Requesting agency Privacy POC?
- 23 7. Requesting agency Civil Rights and Civil Liberties POC?
- 24 **B. Data Request**
- 25 1. Requesting access to which system(s) or data set(s)?
- 26 2. What data elements are needed?
- 27 3.

a. How do you envision receiving this data? (i.e., account access, bulk transfer, other)?

¹⁹⁴ Department of Homeland Security, Information Sharing and Access Agreements Guidebook and Templates, revision version 2.1, October 2010.

- b. For a data transfer scenario how often does the requesting agency envision receiving the
 data (e.g., real-time, hourly, daily, weekly, etc.)?
- 3 4. Are there any known or potential technical constraints? If yes, please describe.

4 C. Purpose

- 5 1. Why does the requesting agency need the data?
- 6 2. What will the data be used for, and how will it be used? (Please be specific)
- 7 3.
- a. With whom, internal to your Department/Agency might the information derived from Providing Agency data be shared with? (Please be specific as to the other components within your Department/Agency.)
- b. If you plan to share the data with others external to your Department/Agency, please list the third parties and describe the circumstances and means by which the data will be shared.
- 14 (Note: Any sharing external to your Department/Agency will be predicated upon the express authorization of that sharing by Providing Agency).
- 4. What is the anticipated number of people within your Department/Agency who will have access to the information derived from the system(s)?
- 18 5. What benefits, if any, are there to the Providing Agency mission to provide your 19 Department/Agency with the data?
- 6. If Providing Agency is expected to receive any information in return, can Provider presume that it will be able to share this information across other Provider's Components and Offices that have the need for the information in the performance of their official duties?
- 23 (Note: If this is NOT the case, the Requestor must work with Providing Agency to have the 24 Provider Component send a request for an exemption.)
- 7. If your request is for account access to a Provider system, what is the anticipated number of users from your Department/Agency?

27 D. Authorities – Requesting Agency

- 28 1. What is your Department/Agency's authority, under law, to use the data for the purpose stated above? (Please provide a specific citation to the relevant statute, regulation, or link to other document.)
- 2. What SORN(s) cover(s) the system(s) into which the requested data will be entered? (Please provide federal register citation.)

33 E. Privacy and Civil Liberties Protections

1. Redress: What mechanisms will the Requesting Agency use to correct out-of-date or expunged data in their own system?

- Data Integrity/Deconfliction: How will the Requesting Agency notify Providing Agency when it
 finds incorrect or conflicting information, or updates to the data?
- 3 3. Accountability: Assuming Providing Agency grants express authorization, how will the Requesting Agency share the data with third parties? What mechanisms will the Requesting
- Agency use to ensure the data is limited to authorized users, for the purpose authorized
- under the SORN/planned MOU (i.e., account controls, audit logs). Please describe the circumstances and means by which data would be shared with third parties.
- 4. Auditing: Will the requesting agency audit the use of PII in the system into which the requested data will be placed?
- 5. Data Minimization: Is the request only seeking that PII which is directly necessary to accomplish the specified purpose?
- 12 6. Please describe the privacy and civil liberties training the requesting agency provides to employees and contractors who will be accessing Provider systems or using the system(s) into which the requested data will be placed.
- 7. Does the Requesting Agency plan to use the system(s) the requested data will be entered into to conduct data mining?
- 17 8. Does the system(s) the requested data will be entered into permit retrieval of information via 18 queries based on religion, race, national origin, or ethnicity? Will the Requesting Agency use 19 this function?
- 9. Is a written policy for privacy and civil rights and civil liberties protections in place that applies to the requesting agency's use of the requested data? (Y/N) If yes, please provide the policy.
- 10. Does the system(s) into which the requested data will be entered have a PIA? (Please provide a citation or link to any relevant PIAs.)

24 F. Information Security Controls

- Detail the security safeguards against risks such as loss, unauthorized access or use,
 destruction, modification, or unintended or inappropriate disclosure the Requesting Agency
 intends to implement.
- 28 2. Does the requesting agency have a data breach policy in place to respond to an incident?

30 SECTION 2: PARTIES ACCOUNTABLE TO ADJUDICATE REQUEST IN A TIMELY

- 31 MANNER (Completed by Providing Agency and Communicated to Requesting
- 32 Agency)

29

33 A. Points of Contact

- 34 1. Reviewing official?
- 35 2. System/Data Steward POC?
- 36 3. Privacy POC?

1	4.	General Counsel POC?		
2	5.	5. Civil Rights/Civil Liberties POC?		
3	6.	Technical POC?		
4	В.	Authorities		
5	1.	1. What system(s) contain the information requested?		
6	2.	2. If the request seeks a subset of data, can it be parsed in the requested manner?		
7	3. What SORN routine use covers the sharing of this information with the Requesting Agency?			
8	4. Is the proposed use of the requested data discussed in the PIA for the requested database?			
9				
11 12	fait	e true, complete, and correct to the best of my kn th.	owledge and belief and are made in good	
		Requesting Agency/Department Official	Date	
13				
		Providing Agency Official	Date	
14				

A.4 STANDARD TEMPLATE – EXTERNAL INFORMATION SHARING¹⁹⁵

- 3 Templates are provided as a guide to writing ISAAs and may be adapted to suit any type of
- 4 information sharing arrangement. Information to be completed by the drafting party is indicated
- 5 in [brackets]. Sample language and additional instructions are noted in *italics*.
- 6 NOTE: This template is for reference guidance only and should be reviewed by your
- 7 Department/Agency Office of General Council (OGC) for review and approval prior to its use or
- 8 establishing formal agreements.

9

1 2

10

19

25

- **MEMORANDUM OF AGREEMENT** 11 12 BETWEEN **DEPARTMENT/AGENCY #1** 13 [INTERNAL PARTY] 14 AND 15 **DEPARTMENT/AGENCY #2** 16 [EXTERNAL PARTY] 17 **REGARDING** 18
- 20 **1. INTRODUCTION AND PURPOSE.** The Department #1 [INTERNAL PARTY] and Department #2 [proposed recipient, External Party], hereinafter collectively referred to as the "Parties," have

[SUBJECT MATTER]

- 22 entered into this Memorandum of Agreement ("MOA" or "Agreement") to govern the collection,
- use, access, disclosure, security, retention, and other usage of data and information described
- 24 herein for the purpose of [briefly describe purpose].
 - 2. BACKGROUND.
- 26 [Provide a brief description of INTERNAL PARTY responsibility related to subject matter of
- agreement and authority to share].
- 28 [Provide a brief description of EXTERNAL PARTY responsibility related to subject matter of
- agreement and authority to share.]
- 30 [If access to a system is to be provided, **also add** a brief description of system.]

¹⁹⁵ Department of Homeland Security, Information Sharing and Access Agreements Guidebook and Templates, revision version 2.1, October 2010.

1

2

- **3. DEFINITIONS.** As used in this Agreement, the following terms will have the following meanings:
- a. INFORMATION: INTERNAL PARTY shall share [specify the information or system to be made
- 4 available or exchanged. Include specific information on the sources of the data and data fields to
- 5 be shared or exchanged]. **EXTERNAL PARTY** shall [specify the information or system to be made
- 6 available or exchanged. Include specific information on the sources of the data and data fields to
- 7 be shared or exchanged]. Collectively, all information described under this subpart is
- 8 "Information," under the terms of this Agreement.
- 9 b. INFORMATION SHARING ENVIRONMENT (ISE): Include this definition if Parties are members of
- the ISE. The Information Sharing Environment (ISE) as established by section 1016(b)(1)(A) and
- defined in section 1016(a)(3) of the Intelligence Reform and Terrorism Prevention Act of 2004
- 12 (IRTPA), (as amended by the Implementing Recommendations of the 9/11 Commission Act of
- 13 2007).
- 14 c. INFORMATION INCIDENT: (a) The loss of control, compromise, unauthorized disclosure,
- 15 unauthorized acquisition, unauthorized access, or any similar term referring to situations where
- 16 persons other than authorized users, and for an other than authorized purpose, have access or
- potential access to the Information in usable form, whether physical or electronic; and/or (b) any
- 18 violation of any of the terms of this Agreement. The term encompasses both suspected and
- 19 confirmed incidents.
- 20 d. PERSONALLY IDENTIFIABLE INFORMATION (PII): means any information that permits the
- 21 identity of an individual to be directly or indirectly inferred, including other information that is
- 22 linked or linkable to an individual. For example, when linked or linkable to an individual, such
- 23 information includes a name, social security number, date and place of birth, mother's maiden
- name, account number, license number, vehicle identifier number, license plate number, device
- 25 identifier or serial number, internet protocol address, biometric identifier (e.g., photograph,
- 26 fingerprint, iris scan, voice print), educational information, financial information, medical
- 27 information, criminal or employment information, and information created specifically to identify
- or authenticate an individual (e.g., a randomly generated number).
- 29 e. PROTECTED INFORMATION: Include this definition if Parties are members of the ISE.
- 30 Information related to terrorism, homeland security, or weapons of mass destruction as those
- 31 terms are used in the Intelligence Reform and Terrorism Prevention Act of 2004 (IRTPA), (as
- 32 amended by the Implementing Recommendations of the 9/11 Commission Act of 2007). The term
- 33 includes information about U.S. citizens and legal permanent residents that is subject to
- 34 information privacy, civil rights, and civil liberties protections required under the U.S. Constitution
- 35 and Federal laws of the United States. Under INTERNAL PARTY policy, any PII that is collected,
- used, maintained, and/or disseminated in connection with a mixed system is treated as a system
- 37 of records subject to the administrative protections of the Privacy Act regardless of whether the
- information pertains to a U.S. citizen, legal permanent resident, visitor, or alien.

- 1 f. [Define additional terms specific to this Agreement.]
- 2 4. AUTHORITY. The information sharing and enhanced cooperation among the Parties to this
- 3 Agreement is authorized under and complies with the provisions of:
- 4 a. **INTERNAL PARTY** authorizing legislation citation;
- 5 b. [Insert Component specific authorities;]
- 6 c. 5 U.S.C. § 552a, Privacy Act of 1974; [Insert specific INTERNAL PARTY System of Records Notice,
- 7 Date and Federal Register Citation];
- d. Public Law 107-347, §208, "The E-Government Act of 2002; [Insert specific INTERNAL PARTY
- 9 Privacy Impact Assessment, as appropriate];
- 10 e. [If parties are part of the federal ISE, include:] Public Law 108-458, "Intelligence Reform and
- 11 Terrorism Prevention Act (IRTPA) of 2004," as amended;
- 12 f. [If parties are part of the federal ISE, include:] Public Law 110-53, "Implementing
- 13 Recommendations of the 9/11 Commission Act of 2007;"
- 14 g. [If parties are part of the federal ISE, include:] Program Manager's Office, Information Sharing
- 15 Environment, "Privacy Guidelines," December 4, 2006;
- 16 h. [If parties are part of the federal ISE, include:] Privacy and Civil Liberties Policy Guidance
- 17 Memorandum 2009-01.
- i. [list all additional applicable statutory and regulatory authorities for each party].
- 19 **5. RESPONSIBILITIES.** The following roles and responsibilities have been defined for each of the
- 20 parties to this Memorandum of Agreement (MOA):
- 21 A. DATA SENSITIVITY. It is the intent of the Parties to conduct the exchange of the Information at
- 22 the [Enter the sensitivity or classification level of the information to be exchanged. Use the
- 23 highest sensitivity or classification for any of the Information to be shared, e.g., Controlled but
- 24 Unclassified] level. Specific technical and security details appropriate to this level of data
- 25 sensitivity are set forth in the SAFEGUARDS section, below, [optional clause: and in separate
- 26 technical documentation, titled [insert documentation title or other direction] and attached as
- 27 Attachment A to this Agreement and incorporated herein.]
- 28 B. DELIVERY OF DATA. [Enter a description of the requirements pertinent to the exchange of
- information/data among and between the parties, using one of the 3 options provided. If direct
- access to a system is allowed, use option 3.]
- 31 Option 1: Use if separate documents define technical standards. Must use this option if the DATA
- 32 SENSITIVITY optional clause was used and no direct access of the system is contemplated. The
- 33 technical standards related to transfer of data between INTERNAL PARTY EXTERNAL PARTY as
- 34 provided in this Agreement are attached and incorporated into this Agreement at Appendix
- 35 [letter]. In general, the Parties agree to use efficient, commercially available network and

- 1 database technology that meets or exceeds industry standards to securely store and transfer data
- 2 in a manner that will allow data to be transferred and updated in a real time or near real time
- 3 manner. The Parties are committed to updating the technologies employed to implement this
- 4 Agreement to ensure maximum efficiency and data-sharing as data volumes increase and more
- 5 efficient technologies become available.
- 6 OR
- 7 Option 2: INTERNAL PARTY will electronically transmit the Information to the [title of EXTERNAL
- 8 PARTY person responsible for receiving the Information]. INTERNAL PARTY will transmit the
- 9 Information to EXTERNAL PARTY via an agreed upon secure delivery system based on best
- practices and strong privacy and data security protections.
- 11 OR
- 12 Option 3: Use if direct access to a system is to be provided. [Insert language that describes
- delivery and security parameters for direct access to a system by external users. Specify the
- 14 security parameters that are exchanged among/between systems that authenticate requests and
- 15 classes of service as being within the proper scope of this Agreement. Describe the number and
- types of users that will be permitted access. Also, any additional security parameters that are
- 17 required to allow the system to determine whether a user is authorized to receive the
- information and/or services requested and whether all details of the transaction fall within the
- 19 scope of user services authorized by this Agreement (such as personal accountability) should be
- 20 specified here. See example below]
- 21 **Example: INTERNAL PARTY** will establish [insert number] user accounts providing access to the
- 22 [system] programs for EXTERNAL PARTY personnel at specified locations, including [specified
- 23 locations, if any] [optional clause: and locations where EXTERNAL PARTY and INTERNAL PARTY
- 24 personnel are co-located]. **EXTERNAL PARTY** agrees to limit access to the [system] to only
- 25 individuals to whom access accounts have been properly issued and who have successfully
- 26 completed the training required under this Agreement. In no case will more than [insert same
- 27 number from above] distinct individuals be provided access to the [system]. **INTERNAL PARTY** will
- transfer records on a timely, periodic basis to **EXTERNAL PARTY** from the [system] programs, as
- 29 described in this Agreement. The periodic transfer of records will begin as soon as practicable.
- 30 The specific technical and operational requirements for the establishment of user accounts and
- 31 the periodic transfer of data as described in this section are set forth in [name of separate
- 32 documentation], attached at [Appendix identification] and incorporated herein.
- 33 C. USE.
- 34 The information shared in accordance with this Agreement will be used only as described and for
- 35 the purposes stated in this Agreement, and in a manner consistent with any statutory or
- regulatory requirements, including privacy compliance requirements.
- 37 Add if applicable: Each party will use the data only for the purpose stated in [statutory citation].
- 38 [Describe any additional limits on authorized use of information].

- 1 D. RECORDS.
- 2 The Parties will retain the Information for only as long as is needed to fulfill the purposes stated in
- 3 Section 1. In no instance will the retention period for any data item exceed [fill in time period] or
- 4 the maximum period permissible by applicable legal and regulatory requirements or official
- 5 retention policies. Each Party will dispose of the Information accessed under this Agreement in
- 6 accordance with its own records retention authorities and policies, as well as applicable laws and
- 7 regulations, whichever is shorter.
- 8 [Describe any additional specific requirements for disposition/retention of records].
- 9 E. DISSEMINATION.
- 10 The Parties will limit access to information covered under this Agreement to only those
- 11 authorized personnel who have a mission need for the data to carry out their official duties. The
- 12 Information will not be disseminated outside INTERNAL PARTY without the expressed consent of
- 13 [External Party]. The Information will not be disseminated outside of EXTERNAL PARTY without
- 14 the express consent of INTERNAL PARTY.
- 15 Before any information originating from INTERNAL PARTY records can be disclosed to any third
- party other than those identified in the DISSEMINATION section above (for example Congress,
- 17 Government Accountability Office, the courts, and the general public), the EXTERNAL PARTY will
- 18 contact INTERNAL PARTY to determine the appropriate action or response. Should INTERNAL
- 19 PARTY and EXTERNAL PARTY agree to EXTERNAL PARTY's disclosure of the information,
- 20 EXTERNAL PARTY shall document the disclosure and provide such documentation to INTERNAL
- PARTY. Likewise, before any information originating from EXTERNAL PARTY records can be
- 22 disclosed to any third party other than those identified in the DISSEMINATION section above (for
- example Congress, Government Accountability Office, the courts, and the general public),
- 24 INTERNAL PARTY will contact EXTERNAL PARTY to determine the appropriate action or response.
- 25 Should INTERNAL PARTY and EXTERNAL PARTY agree to INTERNAL PARTY's disclosure of the
- 26 information, INTERNAL PARTY shall document the disclosure and provide such documentation to
- 27 EXTERNAL PARTY. For the purposes of disclosure under this Agreement, Components within
- 28 **INTERNAL PARTY** are not considered third parties or agencies.
- 29 [Optional clause] Added to respond to (in part) INTERNAL PARTY concern relating to applicability
- 30 of state and local laws to INTERNAL PARTY data: This is the only formal preemption of state and
- 31 local privacy laws for federal data of which we are aware, so any need for further guidance on this
- point should be addressed to the OGC for specific ISAAs.
- 33 Dissemination of information from one Party to another shall not be considered a release of
- 34 information to the public, nor shall it constitute a waiver of any exemption to the relation of
- 35 information under the Freedom of Information Act (FOIA), 5 U.S.C. §522 or similar state law.
- 36 Add, if applicable:
- 37 Notwithstanding any other provision of this Agreement, pursuant to 6 U.S.C. § 482, information
- 38 obtained by a State or local government from a Federal agency shall remain under the control of

- 1 the Federal agency, and State or local law authorizing or requiring such a government to disclose
- 2 information shall not apply to such information. The state or local agency shall: (a) withhold such
- 3 information from any response; (b) release such information only with the expressed approval of
- 4 the Federal agency; or (c) refer the request to the originating Federal agency for a direct response
- 5 to the requester.
- 6 Each Party shall ensure that access to [insert marking level] information is limited to those
- 7 persons who possess requisite security clearances [optional clause: and who have executed a
- 8 non-disclosure' agreement prohibiting unauthorized use and disclosure of information.] All
- 9 **EXTERNAL PARTY** personnel who receive user account access to the [system] programs must be
- 10 verified as having a current [required security level, e.g., secret] or higher security clearance
- 11 before being allowed access to the information.
- 12 F. SUPPORT. [Describe the nature of analytic or technical services to be offered by each
- 13 organization].
- 14 G. SAFEGUARDS. The Parties agree to maintain reasonable physical, electronic, and procedural
- 15 safeguards designed to appropriately protect the Information shared under this Agreement
- 16 against loss, theft, or misuse, as well as unauthorized access, disclosure, copying, use,
- modification or deletion. When the information is no longer used by the Parties, the Parties will
- destroy all electronic data from their systems as well as all paper records that they have in their
- 19 possession as a result of this Agreement in such a manner as to render it unreadable and
- 20 unrecoverable.
- 21 AND if appropriate:
- 22 INTERNAL PARTY considers the Information to be [category of information] under [statutory and
- 23 regulatory citation] and will be handled in accordance with requirements for handling of [category
- 24 of information].
- 25 [Add additional safeguards related to the transmission, storage, and retention of the Information]
- 26 H. TRAINING. [Enter the details of any security awareness or training requirements and the
- assignment of responsibility for conducting it. If existing training will be used, so state. If the
- 28 information shared includes PII, include the additional clause below.]
- 29 Example: Upon request from INTERNAL PARTY, EXTERNAL PARTY will provide sufficient training
- 30 and technical assistance to implement the transfer of [system] information and ensure
- 31 appropriate interpretation of such information. This includes general training of a core group of
- 32 users in the functions of [system] to ensure accurate interpretation of the information. The core
- 33 users would be utilized in a train the trainer program.
- 34 If the information to be shared includes PII, also include the following:
- 35 The Parties, including all personnel with access to the Information, shall be appropriately
- 36 educated and trained regarding the proper handling of personally identifiable information and
- 37 proper care of the information systems to ensure the overall safeguarding and security of the

- 1 Information. Each Party will ensure that its employees, including contractors with access to any of
- 2 the Information, have completed privacy training on the handling of personally identifiable
- 3 information which includes information on applicable laws, regulations and policies related to
- 4 information privacy and security.
- 5 I. PRIVACY.
- 6 The collection, use, disclosure, and retention of personally identifiable information shall be
- 7 limited to that which is necessary for purposes of the Parties as set forth in this Agreement.
- 8 Personally identifiable information shall be protected by administrative, technical and physical
- 9 safeguards appropriate to the sensitivity of the information. Personally identifiable information
- 10 will only be disclosed to authorized individuals with a need to know and only for uses that are
- 11 consistent with the stated purposes under this Agreement and for which the information was
- 12 originally collected.
- 13 Add, if applicable:
- 14 The Parties are members of the Information Sharing Environment (ISE) as established by section
- 15 1016(b)(1)(A) of the Intelligence Reform and Terrorism Prevention Act of 2004 (IRTPA), (as
- amended by the Implementing Recommendations of the 9/11 Commission Act of 2007). As such,
- 17 the Parties understand and acknowledge that their collection, use, maintenance, and
- dissemination of protected information under this Agreement must conform to the requirements
- 19 established for ISE members by the President, the Program Manager for the ISE (PM-ISE), and the
- 20 PM-ISE's Privacy Guidelines Committee. The Parties also acknowledge that they will collect, use,
- 21 maintain and disseminate protected
- 22 J. CORRECTION AND REDRESS. If Information includes PII, include the following:
- 23 Personally identifiable information shared and/or maintained under this Agreement shall, to the
- extent feasible, be as accurate, complete, and current as necessary for the purposes identified in
- 25 this Agreement. The Parties shall cooperate with each other in this regard. The EXTERNAL PARTY
- 26 will, in a timely manner, take appropriate action with regard to any request made by INTERNAL
- 27 PARTY for access, additions, changes, deletions, or corrections of PII. In addition, the EXTERNAL
- 28 **PARTY** will, in a timely manner, notify **INTERNAL PARTY** of any data errors that it discovers.
- 29 The EXTERNAL PARTY shall maintain an ability to locate and alter PII provided under this
- 30 Agreement. Additionally, the EXTERNAL PARTY shall correct any disseminated information based
- on the Information shared under this Agreement that is later deemed to be erroneous. Location
- 32 and correction of records shall be accomplished in not more than three working days and
- 33 **EXTERNAL PARTY** will provide written confirmation to **EXTERNAL PARTY** of the corrections made.
- 34 K. COOPERATION/DECONFLICTION. [Describe any coordination and/or deconfliction
- 35 responsibilities]
- 36 The Parties shall work together to the greatest extent possible to achieve the maximum
- 37 preventative, preemptive, and disruptive effect on potential threats, including coordinating
- 38 simultaneous and complementary activities when appropriate. The parties agree to coordinate

- 1 operational activities to the greatest possible extent. Specifically, each party shall take all
- 2 reasonable steps to ensure coordination and de-confliction of homeland-security-related law
- 3 enforcement or intelligence activities under its authority, with such activities of the other party.
- 4 If Parties contemplate coordination of investigative or enforcement activities include the
- 5 following:
- 6 Where the Parties have a mutual investigative interest based on information shared pursuant to
- 7 this Agreement, the Parties will coordinate with each other to determine the appropriate
- 8 investigative/enforcement course of action. In such matters, unless there are exigent
- 9 circumstances requiring immediate action, the EXTERNAL PARTY will verify information and
- 10 coordinate with INTERNAL PARTY before taking action on leads or disseminating intelligence
- 11 products developed as a result of information shared pursuant to this Agreement. In the event of
- 12 exigent circumstances, the EXTERNAL PARTY will notify the designated INTERNAL PARTY
- 13 **EXTERNAL** representative as soon as possible but no longer than 24 hours after taking the action.
- 14 This section does not apply to matters in which INTERNAL PARTY and EXTERNAL PARTY do not
- 15 have a mutual investigative interest.
- 16 L. REPORTING AND COMPLIANCE. [Use this section to describe the responsibilities concerning the
- 17 reporting of and responses to information sharing incidents for both organizations.]
- 18 The Parties will provide notice, written unless otherwise specified, of any information incidents.
- 19 Such notice is to be provided to the INTERNAL PARTY point of contact listed in this agreement
- 20 immediately after the party first learns of the unauthorized information incident. The Parties
- agree to cooperate with any Party's investigation or auditing of such information incidents and
- 22 measures taken in response to same.
- 23 To further safeguard the privacy, security, confidentiality, integrity and availability of the
- 24 connected systems and the information they store, process and transmit, the Parties agree to
- 25 maintain records of information provided to each other under the terms of this Agreement
- 26 consistent with applicable law, as well as established records retention policies and guidance of
- the respective Parties.
- 28 The Parties shall designate responsible officials to meet annually, or at the request of any Party, to
- 29 discuss and review the implementation of this Agreement. Any disagreement over the
- 30 implementation of this Agreement shall be resolved in accordance with the ISSUE RESOLUION
- 31 paragraph, below.
- 32 M. AUDITING. [Enter a description of how the audit trail responsibility, if any, is to be shared by
- 33 participating systems and what events each shall note. Also be sure to identify audit timeframes
- and schedules.]
- 35 Both Parties shall work together to develop review standards to conduct annual self-audits of
- their compliance with the privacy, redress, and security requirements set forth in this Agreement.
- 37 The results of such audits shall be exchanged with the other party. The [official to receive reports]
- 38 shall be provided copies of the self-audits of both Parties for review. As part of this responsibility,

- 1 the EXTERNAL PARTY further agrees to conduct its own annual audits of compliance with the
- 2 terms of this Agreement, and to provide the results of these audits to [title of INTERNAL PARTY
- 3 person to receive audit reports].
- 4 The EXTERNAL PARTY will cooperate fully with any INTERNAL PARTY audit of the collection, use,
- 5 access, disclosure, security, and retention of Information under this Agreement, and/or of
- 6 compliance with this Agreement. The EXTERNAL PARTY agrees to provide the INTERNAL PARTY
- 7 with timely and reasonable access to records and information demonstrating compliance with this
- 8 Agreement, upon request.
- 9 Additional optional language: INTERNAL PARTY may also verify compliance through a Computer-
- 10 Based Training course and an automated certification test. All EXTERNAL PARTY [system] users
- will be required to pass this certification test in order to access any functions or data in [system].
- 12 N. [Enter any additional specific roles or requirements of each participating party.]
- 13 O. Sanctions
- 14 EXTERNAL PARTY will report to INTERNAL PARTY in writing any instance in which information
- 15 under this MOA is accessed, disseminated, or used in an unauthorized manner. Such notice is to
- be provided immediately after the party first learns of the unauthorized access, dissemination, or
- 17 use.
- 18 Any user who is determined by [external group] or INTERNAL PARTY to be in systemic or
- 19 repeated violation of applicable laws and procedures governing access to and use of the
- 20 information under this Agreement will have access to the information subject to this Agreement
- 21 revoked, and may be prosecuted or fined, when appropriate, under applicable federal or state
- 22 law, or may be subject to administrative or disciplinary actions.
- 23 **6. POINTS OF CONTACT.** The individuals responsible for implementation of this MOA and the
- 24 resolution of issues hereunder shall be:
- 25 [Identify the POCs for INTERNAL PARTY and EXTERNAL PARTY, including office symbol, address
- and phone number (fax number and e-mail or internet addresses can also be included).]
- 27 **7. SEVERABILITY.** Nothing in this Agreement is intended to conflict with current law or regulation
- 28 or the directives of the INTERNAL PARTY or EXTERNAL PARTY. If a term of this agreement is
- 29 inconsistent with such authority, then that term shall be invalid, but the remaining terms and
- 30 conditions of this agreement shall remain in full force and effect.
- 31 8. NO PRIVATE RIGHT. This MOA is an agreement between INTERNAL PARTY and EXTERNAL
- 32 PARTY. It does not create or confer any right or benefit, substantive or procedural, enforceable by
- 33 any third party against the Parties, the United States, or the officers, employees, agents, or
- 34 associated personnel thereof. Nothing in this MOA [or its appendices] is intended to restrict the

- 1 authority of either party to act as provided by law, statute, or regulation, or to restrict any party
- 2 from administering or enforcing any laws within its authority or jurisdiction.
- 3 9. FUNDING. This MOA is not an obligation or commitment of funds, nor a basis for transfer of
- 4 funds. Unless otherwise agreed to in writing, each Party shall bear its own costs in relation to this
- 5 MOA. Expenditures by each Party will be subject to its budgetary processes and to the availability
- 6 of funds and resources pursuant to applicable laws, regulations, and policies. The Parties
- 7 expressly acknowledge that this in no way implies that Congress will appropriate funds for such
- 8 expenditures.
- 9 10. ISSUE RESOLUTION. Throughout the course of this Agreement, issues such as scope of the
- 10 Agreement, interpretation of its provisions, unanticipated technical matters, including
- improvements, and other proposed modifications can be expected. Both parties agree to appoint
- 12 their respective points of contact to work in good faith towards resolution. Disputes arising under
- or relating to this Agreement shall be resolved only through consultations between the Parties.
- 14 Such disputes shall not be referred to any outside Party or to any other settlement without the
- 15 consent of both Parties. This Agreement shall be governed United States law exclusively.
- 16 11. EFFECTIVE DATE. The terms of this agreement will become effective on [insert the effect
- 17 date].
- 18 12. ENTIRE AGREEMENT. This MOA [including all appendices] constitutes the entire agreement
- 19 between the parties.
- 20 13. MODIFICATION. This agreement may be modified upon the mutual written consent of the
- 21 parties.
- 22 **14. TERMINATION.** The terms of this agreement, as modified with the consent of both parties,
- 23 will remain in effect until [date, completion of project, or upon agreement of parties.] The
- 24 agreement may be extended by mutual written agreement of the parties. Either party upon
- 25 [number] days written notice to the other party may terminate this agreement.
- The forgoing represents the agreement reached by the **INTERNAL PARTY** and **EXTERNAL PARTY**.
- 27 **APPROVED BY:**
- 28 [Give the name and position of the official signing and dating for the INTERNAL PARTY. If known,
- 29 give the name and position of the official signing and dating for the **EXTERNAL PARTY**.]

30

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

[Name]	Date
[Position]	
INTERNAL PARTY	
[Name]	
[Name] [Position]	 Date

3

A-26

1 APPENDIX B:

2 BUSINESS REFERENCE MODEL

B.1 BASELINE GEOSPATIAL ASSESSMENT MATRIX: CORE CAPABILITY

Enterprise Investment	Visualization	Geo- Analysis/ Processing	Reporting	Search & Discovery	Alerts & Notifications	Collaboration	Content Mgmt	Resource Mgmt	Data Mgmt	Asset Mgmt	Decision Support	IT Security	Other
Org #1	С	С	С	P	Р	P	P	С	С	Р	Р	С	
Org #2	С	С	С	С	С		P	С	С	С		С	
Org #3	С	С	С	С	С	С			С		С	С	
Org #4	С	С	С	С	С			С	С			С	
Org #5	С	С	С	С	С	С	С	С	С		С	С	
Org #6	С	С	С	С	С	С	С		Р	С		Р	
Org #7	Р				Р							Р	
Org #8	С	С				С			С		С	С	
Org #9	С				С	С					С	С	
Commonality	9	7	6	6	8	6	4	4	7	3	5	9	0
Score Percent													
(%)	100%	78%	67%	67%	89%	67%	44%	44%	78%	33%	56%	100%	0%

7

6

3

1 APPENDIX C:

3

4

6 7

8

DATA REFERENCE MODEL

C.1 BASELINE GEOSPATIAL ASSESSMENT MATRIX: DATA INPUTS

							Common	
Data Inputs	Org #1	Org #2	Org #3	Org #4	Org #5	Org #6	Score	Pct %
Email	Р	Р	С	С	С	С	6	1009
SMS / Text Messages	P	С	С	P	С	С	6	1009
Internet Media	P		С	P	С	С	5	839
Critical Infrastructure	С	С	С	С	С	С	6	1009
Suspicious Activity Reports	Р	Р	С		С	Р	5	839
Weather Service Forecasts / Warnings	Р	С	С	С	С	С	6	1009
Natural Hazards	Р	С	С	С	С	С	6	1009
Base Maps (see GIRA Appendix F-2)	Р	С	С	С	С	С	6	1009
Business Directories	Р	Р	С	С	С		5	839
Personnel / Blue Force Tracking	Р	С	С				3	50%
Asset / Vessel Tracking	Р	С	С	С			4	679
Elevation & Terrain	Р	С	С	С			4	679
Navigation & Reference Grids	Р	С	С				3	50%
Population / Demographics	С	С	С			С	4	679
Travel Conditions	Р	С	С	С		С	5	839
Political Jurisdictions	Р	С	С	С			4	679
Tax Parcels		Р	С				2	339
Law Enforcement	Р		С				2	339
Emergency Services	Р		С			Р	3	50%
Health & Disease Outbreaks	Р	P	С			С	4	679
Aerial Photography	С	С	С	С	С	С	6	1009
Satellite Imagery	С	С	С	С	С	С	6	1009
Traffic Camera / Feeds	Р	С	С	С	С	С	6	1009
Camera Feeds / live video	Р	С	С	С	С	С	6	1009
Business Partners Operating Status		P				P	2	339
Personal Identifiable Information (PII)		Р				Р	2	339
Classified / FOUO sensitivie data		Р				Р	2	339
Others							2	339
Status C - Current P - Planned	Ī				-			09

C - 1

C.2 BASELINE GEOSPATIAL ASSESSMENT MATRIX: DATASETS

2

Datasets ¹	Over Hd	Ora #2	Ora #2	Oratio	Ora-HE	Ora #C	Commo	
	Org #1	Org #2	Org #3	Org #4	Org #5	Org #6	Score	Pct %
Base Map ² (* indicates OMB A-16 Framework Layer) Baseline (Maritime)		ı			С			1 17
Biological Resources		С	С	С				3 50
Boundaries			С	С				2 3
Cadastral*	С	Р	·					2 3
Cadastral* (Offshore)	_	-	Р	Р	С	С		4 6
Climate					С			1 1
Cultural and Demographic Statistics		Р	Р		С			3 5
Cultural Resources			C	С		С		3 5
Digital Ortho Imagery*			С	С				2 3
Earth Cover (Land Use / Land Cover)	С	Р						2 3
Elevation Bathymetric*	_		Р	Р	С	С		4 6
Elevation Terrestrial*					С			1 1
Buildings and Facilities		Р	Р		С			3 5
ederal Land Ownership Status			-		С			1 1
Flood Hazards		С	С	С	_			3 5
Geodetic Control*	-	_	С	С				2 3
Geographic Names	С	Р						2 3
Geologic			Р	Р	С	С		4 6
Government Units*		1	r	r	С			1 1
Housing			С	С	_	С		3 5
Hydrography*			С	С		С		3 5
nternational Boundaries		1	С	С				2 3
aw Enforcement Statistics	С	Р						2 3
Marine Boundaries			Р	Р	С	С		4 6
Offshore Minerals		1	-		С			1 1
Outer Continental Shelf Submerged Lands		Р	Р		С			3 5
Public Health			,		С			1 1
Public Lands Conveyance (patent) Records			С	С		С		3 5
Shoreline					С			1 1
Soils	С	Р			_			2 3
Fransportation*	_		Р	Р	С	С		4 6
Fransportation (Marine)			-		C			1 1
/egetation		Р	Р		C			3 5
Natershed Boundaries		<u> </u>	<u> </u>		c			1 1
Wetlands			С	С	_	С		3 5
Others								,
Agriculture/Food			l		<u> </u>			
Animal Health Surveillance	С	Р	ı					2 3
Mobile Food	_		Р	Р	С	С		4 6
Processing / Packaging / Production				,	С			1 1
Product Distribution		Р	Р	-	С			3 5
Product Distribution			-		С			1 1
-					С		•	1 1
Product Transportation		 			С		-	1 1
Supply		 	-	-	С	-	ł	1 1
Support Facilities					С		-	
Other Ranking / Finance		<u> </u>	l				•	1 :
Banking / Finance							1	1 :
Banking and Credit					С			1
Securities / Commodities / Financial Investments					С			

Chamical and Hazardaus Materials						_		
Chemical and Hazardous Materials			С					1 17%
Manufacturing Facilities								
Release	_	С						1 17%
Storage	С							1 17%
Superfund Sites	С	Р				С		3 50%
Transportation Routes	С					С		2 33%
Other	С					С	2	2 33%
Commercial Assets							_	
Industry	С	P	С	С		С	g	83%
Lodging	С					С	2	2 33%
Manufacturing	С					С	2	2 33%
Mining	С					С	2	2 33%
Public Venues	С					С	2	2 33%
Retail Facilities	С					С		2 33%
Other						-		0%
Dams								3.0
Dam Types		T					1	
Defense Industrial Base		I	L	L	J	I	L	
Defense Industrial Base		<u> </u>			1	<u> </u>	l	
Emergency Services							ļ	
American Red Cross		<u> </u>	<u> </u>	l	1		l	0%
Emergency Management / Operations Centers								0%
Emergency Resources								0%
Fire								0%
Law Enforcement								0%
Rescue and Emergency Medical Services								0%
Others								0%
Energy						•		
		1	1		1	ı	ı	0%
Electricity								0% 0%
Electricity Natural Gas								0%
Electricity Natural Gas Petroleum								0% 0%
Electricity Natural Gas Petroleum Other								0% 0%
Electricity Natural Gas Petroleum Other Event Impact								0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact								0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure								0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes								0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location								0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling								0% 0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other								0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling								0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal								0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks								0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other								0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other Government Facilities								0% 0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other Government Facilities Federal								0% 0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other Government Facilities Federal State/Local/Tribal/Territory								0% 0% 0% 0% 0% 0% 0% 0% 0% 0%
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other Government Facilities Federal State/Local/Tribal/Territory GSA								0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other Government Facilities Federal State/Local/Tribal/Territory GSA COOP Sites								0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other Government Facilities Federal State/Local/Tribal/Territory GSA								0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other Government Facilities Federal State/Local/Tribal/Territory GSA COOP Sites								0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other Government Facilities Federal State/Local/Tribal/Territory GSA COOP Sites Foreign Judicial Military Installations								0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0
Electricity Natural Gas Petroleum Other Event Impact Animal Impact Damage - Infrastructure Evacuation Routes Event Location Impacted Area Impact-Human Modeling Other Field Operating Locations Federal Blue Force Tracks Other Government Facilities Federal State/Local/Tribal/Territory GSA COOP Sites Foreign Judicial								0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

Telecommunications				
Broadcasting				0%
Communications				0%
Internet				0%
Priority / Emergency Assets				0%
Satellite				0%
Transport Facilities				0%
Wired				0%
Wireless				0%
Other				0%
Threat / Suspicious Activity				
Reports				0%
Surveillance				0%
Aviation				0%
Intermodal				0%
Maritime				0%
Mass Transit				0%
Railroad				0%
Road				0%
Other				0%
Water				
Raw Water Storage				0%
Raw Water Supply				0%
Treated Water Distribution Systems				0%
Treated Water Storage		, and the second		0%
Wastewater Facilities				0%
Other				0%

 $Sources: 1) \ GeoCONOPS \ v5.0, Appendix \ B: Authoritative \ Data \ Matrix, \\ GeoCONOPS \ located \ at - \ http://www.napsgfoundation.org/attachments/article/81/GeoCONOPS_v5.pdf$

 $Sources:\ 2)\ Basemaps:\ OMB\ Circular\ A-16\ Supplemental\ Guidance,\ Appendix\ E:\ National\ Geospatial\ Data\ Asset\ Themes\\ *-indicates\ A-16\ Framework\ theme$

1 APPENDIX D:

2 APPLICATIONS/SERVICES REFERENCE

3 MODEL

5

7

8

9

D.1 APPLICATIONS AND SERVICES FUNCTIONALITY CATEGORIES

	Ops	ОНА	DNDO	Mgmt	CIS	DOD			
							Comi	mon	
Category	Org #1	Org #2	Org #3	Org #4	Org #5	Org #5	Score	:	Pct %
Geospatial: Visualization	С	С	Р	С	С	С		6	100%
Geospatial: Analysis / Processing	С	С		С	С	С		5	83%
Reporting	С	С		Р	С	С		5	83%
Search & Discovery	Р	С		С		С		4	67%
Alerts & Notifications	Р	С	Р	Р	С	С		6	100%
Collaboration	Р	С			С	С		4	22%
Content Management	Р	С			С	С		4	22%
Resource Management	С				С	С		3	50%
Data Management	С	Р		С	С	С		5	83%
Modeling	С	Р	Р	Р	Р	С		6	100%
Analytics	С	С	Р	С	С	С		6	100%
IT Security	С	Р	Р	С	С	С		6	100%
Other									0%

D - 1

D.2 FUNCTIONALITY OF APPLICATIONS AND SERVICES

2

D.		Org	Org	Org	Org	Org	Org	Common	
Functionality	Category	#1	#2	#3	#4	#5	#6	Score	Pct (%)
GIS Visualization	Geospatial	С	С	С	С	С	С	6	100%
ANSI 415 Map Symbology	Geospatial	С		С		Р	Р	4	67%
Mil 2525B Map Symbology	Geospatial						Р	1	17%
Geocode Address / Place	Geospatial	С	С	С	С	С	С	6	100%
Reverse Geocode	Geospatial	С	P	С		С	P	5	83%
Batch Geocode	Geospatial	P	P	С		С	С	5	83%
Gazeteer	Geospatial	P	С	С		C	С	5	83%
Translate Coordinate Systems / Grids	Geospatial	P	С	С			С	4	67%
Decimal Degrees	Geospatial	P	C	C	С	С	С	6	100%
Decimal Minutes Seconds	Geospatial	P	c	С	_	c	С	5	83%
Other Coordinate Systems / Projections	Geospatial	,	_	c		c		2	33%
US National Grid		Р	С	С			С	4	67%
	Geospatial	P		С	С		C	3	50%
Military Reference Grid	Geospatial	P	Р	C	·		С	5	83%
Add Custom GIS data	Geospatial	P	P			C C	C		
Export Data Layers	Geospatial		-	С	_			5	83%
Print Map	Geospatial	С	Р	С	С	С	С	6	100%
Export Map	Geospatial	Р	Р	С	С	С	С	6	100%
GIS analysis / processing	Geospatial	С	С				С	3	50%
Imagery Visualization	Digital Photography / Streaming Video	С	P	С	С		С	5	83%
Streaming Video	Digital Photography / Streaming Video	P	P	С	С		С	5	83%
Live Camera Feeds	Digital Photography / Streaming Video	P	P	С	С		С	5	83%
Reporting	Reporting	С	P	С	С	С	С	6	100%
Reporting Templates	Reporting	С	P	С	С	С	С	6	100%
Standard Form Generation	Reporting	P	P	С	С	С	С	6	100%
Export Reports / Output	Reporting	С	P	С	С	С	С	6	100%
Search Tools	Search & Discovery	P	С	С	С	С	С	6	100%
Auto-ingest / Harvesting	Search & Discovery	P	С	С	С	С	С	6	100%
Unstructured Text / Document Search	Search & Discovery	P	P	С	С	С	С	6	100%
Cataloging	Search & Discovery	P		С		С	С	4	67%
Indexing	Search & Discovery	P		С		С	С	4	67%
Tagging	Search & Discovery	P		С		С	С	4	67%
Geotagging	Search & Discovery	P	P	С		С	С	5	83%
Entity Extraction	Search & Discovery	P	С	С			С	4	67%
Triage / Filtering	Search & Discovery	P	С	С			С	4	67%
Federated Queries	Search & Discovery	P	P				С	3	50%
Contextual Search	Search & Discovery	Р	Р				С	3	50%
Rank Profiles / Best Bets	Search & Discovery	Р					С	2	33%
Taxonomy Integration	Search & Discovery	Р	Р			С	Р	4	67%
Alert Notification Tools	Alerts & Notifications	Р	С	С	С	С	С	6	100%
Publish Alerts	Alerts & Notifications	Р	P		С	С	С	5	83%
Subscribe to Alerts	Alerts & Notifications	Р	P	С	С	С	С	6	100%
Manage Alerts	Alerts & Notifications	P	P	С	С	C	С	6	100%
Messaging Services	Alerts & Notifications	P	C	C	С	С	С	6	100%
Chat	Collaboration	P		С		С	С	4	67%
Email	Collaboration	P		С	С	С	С	5	83%
Videoconferencing	Collaboration	P	1	C		С	С	4	67%
Shared Workspace	Collaboration	P	-	С		_	С	3	50%
•	Collaboration	P		С		С	С	4	67%
Message Boards		P	Р	C	С	С	C	5	83%
Customer Segmentation / Communities of Interest	Content Management	C	P		C	С	C		67%
Input Forms	Content Management		Р					4	
Workflow Management	Content Management	С				С	С	3	50%

GEOSPATIAL INTEROPERABILITY REFERENCE ARCHITECTURE (GIRA)

Secure / Restricted Access	IT Security	С	С	С	С	С	P	6	100%
User Account Management	IT Security	С	С	С	С	С	С	6	100%
Identity Management	IT Security	С	С		С	С	С	5	83%
Access Controls	IT Security	С	Р	С	С	С	С	6	100%
Change Detection	Analytics		Р			С		2	33%
Line of Sight	Analytics		Р			С		2	33%
Flood Inundation / Modeling	Analytics		P			С		2	33%
Population Interpolation	Analytics	Р	P	С		С		3	50%
Service Area Analysis	Analytics	P	С			С		3	50%
Nearest Point	Analytics	P	С		С	С		4	67%
Routing Analysis	Analytics	С	С		P	С		4	67%
Surface Profile	Analytics		P			С		2	33%
Calculate Viewshed	Analytics		P			С		2	33%
Plume Modeling	Analytics		P	С		С		3	50%
Suspicious Activity Report Analysis	Analytics	P	P			С	С	4	67%
Search & Rescue Report Analysis	Analytics		P					1	17%
Recidivist Analysis	Analytics							0	0%
Point Context Service	Analytics	Р	P	С	С	С	С	6	100%
Distance and Azimuth Service	Analytics	Р	P	С	С	С	С	6	100%
Employee Proximity Analysis	Analytics							0	0%
Point/Poly Buffer Analysis	Analytics	P	P	С	С	С	С	6	100%
Drift Modeling	Analytics							0	0%
Optimized Effort Allocation	Analytics							0	0%
Probability of Success (POS) reporting	Analytics							0	0%
Search Pattern Generation and Edit	Analytics						С	1	17%
Range and Bearing Measurement	Analytics	Р	P	С	С	С	С	6	100%
Wind and Current Vector Field Display	Analytics	Р	P	С	С	С	С	6	100%
Prability Densitu Graphic Support (heat maps)	Analytics							0	0%
Temporal Animation	Analytics						С	1	17%

1

2

APPENDIX E:

4

6 7

8

INFRASTRUCTURE REFERENCE MODEL

E.1 BASELINE GEOSPATIAL ASSESSMENT MATRIX: INFRASTRUCTURE

Infrastrcuture	Core Capability	Org #1	Org #2	Org #3	Org #4	Org #5	Org #6	Score	Pct
Initial Operating Capability	System Maturity Level	С				С		2	33%
Full Operating Capability	System Maturity Level			С	С		С	3	50%
Prototype	System Maturity Level		С					1	179
Other	System Maturity Level							0	0%
COTS Solution	Software Components	С	С	С	С	С	С	6	100%
GOTS Solution	Software Components	С					С	2	33%
Open Source Solution	Software Components						С	1	179
Custom Solution	Software Components	С	С			С		3	50%
Internal Hosting	Hosting Capability		С	С				2	339
External Hosting	Hosting Capability					С	С	2	33%
Datacenter	Hosting Capability	P					С	2	33%
Disaster Recovery / Failover Capability	Hosting Capability	P	P	С	P	С		5	83%
Certification & Accreditation Complete	IT Security	Р	P	С	С	С	P	6	100%
Authority to Operate	IT Security	P	С	С	С	С	Р	6	100%
Section 508 Compliance	User Accessibility	С				С		2	33%
NIEM Compliant	Information Exchange	P					С	2	33%
Unclassified	System Designation		С	С	С		С	4	67%
Sensitive But Unclassified	System Designation	P				С	P	3	50%
Classified	System Designation						Р	3	50%
Public	System Designation		С				Р	2	339
Network #1	Operating Environment	P					С	2	33%
Network #2	Operating Environment							0	0%
Network #3	Operating Environment							0	09
Other Network	Operating Environment					С	С	2	33%
Data Exchange Agreements	System Overview		P		С			2	339
Service Level Agreements	System Overview				Р			1	179
< 1,000 Current Users	System Capacity	С	С	С		С	С	5	83%
1,000-5,000 Current Users	System Capacity	P						1	179
>10,000 Current Users	System Capacity							0	0%
> 5,000 Surge Users	System Capacity		С					1	179
5,000-10,000 Surge Users	System Capacity							0	0%
> 10,000 Surge Users	System Capacity	P						1	179
Mobile Version	Interoperability	Р	Р	С	Р	С		5	839

E - 1

E.2 BASELINE GEOSPATIAL ASSESSMENT MATRIX: TECHNOLOGY

2

Technology	Core Capability	Org #1	Org #2	Org #3	Org #4	Score	Pct
Internet Explorer	Web Browser	С	С	С	С	4	100%
Chrome	Web Browser			С		1	25%
Firefox	Web Browser	С	С	С		3	75%
Opera	Web Browser					0	0%
Safari	Web Browser					0	0%
Other Web Browsers	Web Browser					0	0%
Windows OS	Operating System	С	С	С	С	4	100%
Linux OS	Operating System			С	С	2	50%
UNIX	Operating System					0	0%
Other OS	Operating System					0	0%
Anakam	IT Security	Р				1	25%
Open SSO	IT Security	Р				1	25%
Active Directory	IT Security		С			1	25%
Other IT Security	IT Security	С				1	25%
.Net Framework	Programming Framework	С			С	2	50%
Flash	Programming Framework		С			1	25%
JAVA	Programming Framework		С		С	2	50%
Other Frameworks	Programming Framework			С		1	25%
AJAX	API				С	1	25%
FLEX	API			С		1	25%
Silverlight	API	С		С		2	50%
Rest	API		С			1	25%
Other APIs	API			С		1	25%
ESRI Flex API	API		С			1	25%
ESRI Silverlight API	API					0	0%
ESRI Javascript API	API					0	0%
ESRI ArcExplorer API	API					0	0%
Oracle	Database Software	С		С	С	3	75%
SQLServer	Database Software	Р	С	С		3	75%
MySQL	Database Software			С		1	25%
Other Database	Database Software			С		1	25%
ESRI ArcGIS Server	GIS Software	С	С	С		4	100%
GoogleEarth Enterprise Server	GIS Software					0	0%
Pitney Bowes AddressBroker	Geocoding Software					0	0%
BingMaps Geocoder	Geocoding Software	С				1	25%
GoogleMaps Geocoder	Geocoding Software					0	0%
ArcGIS Online Geocoder	Geocoding Software		С			1	25%
Other Geocoder	Geocoding Software					0	0%

Technology	Core Capability	Org #1	Org #2	Org #3	Org #4	Score	Pct
reamonagy	core capability	018 112	OIG #Z	018 110	OIB II-I	Score	ru
OpenMap	GIS Visualization					0	0
BingMaps	GIS Visualization	С	С	С		3	75
GoogleMaps	GIS Visualization					0	0
ArcGIS Online	GIS Visualization		С			1	25
Other GIS Visualization	GIS Visualization					0	0
DRMS Reporting Software	Reporting Software					0	0
Microsoft SQL Server Report	Reporting Software	Р				1	25
Oracle Reports	Reporting Software					0	0
ArcGIS Server Reports	Reporting Software		С			1	25
Other Reporting Software	Reporting Software					0	0
Microsoft Exchange Email	Email	Р				1	25
ListServ	Email					0	0
Real-Time Alert Manager	Email					0	0
Google Mail (Gmail)	Email		С			1	25
Jabber Chat	Chat	Р	С			2	509
Pokein.com	Chat					0	09
VideoConferencing	VTC	Р				1	25
Apache Tomcat Webserver	Web Server		С			1	259
Microsoft IIS Webserver	Web Server	С			С	2	50
IBM Websphere	Web Server					0	09
Other Webserver	Web Server					0	0
Sharepoint Portal	Portal Technology			С		1	259
ESRI GeoPortal / Portal Toolkit	Portal Technology					0	0
Other Portal	Portal Technology					0	0
GoogleSearch	Search Technology					0	0
Microsoft Search	Search Technology					0	0
FAST Search	Search Technology	Р				1	259
Lucene OpenSearch	Search Technology					0	0
Tripwire Analytic Capability	Search Technology					0	0
Apache Solr	Search Technology					0	0
Other Search Technology	Search Technology					0	0
ESRI GeoPortal Search	Search Technology		С			1	259
GeoFinder for the Environment	Search Technology					0	09

E-3

4

Technology	Core Capability	Org #1	Org #2	Org #3	Org #4	Score	
XML Format	Information Exchange	Р	С	С	С	4	
JSON	Information Exchange		С			1	
OGC WMS	Information Exchange	Р	С	С	С	4	
OGC WMTS	Information Exchange	Р		С	С	3	
OGC WCS	Information Exchange	Р		С	С	3	
OGC WFS	Information Exchange	Р	С	С	С	4	
KML	Information Exchange	Р	С	С		3	
GeoRSS	Information Exchange	Р	С	С	С	4	
SMS	Information Exchange	Р	С	С		3	
Email	Information Exchange	Р	С	С	С	4	
ESRI Native	Information Exchange		С		С	2	
REST	Information Exchange	Р	С			2	
GeoPDF	Output Format		Р			1	
JPEG	Output Format	С	Р			2	
PNG	Output Format	С				1	
PDF	Output Format	С	Р			1	
PPT	Output Format		Р			1	
RTF	Output Format					0	
Word	Output Format					0	
Other File formats	Output Format					0	

E-4

1 APPENDIX F:

SECURITY REFERENCE MODEL

₃ F.1 ICAM LANDSCAPE

4	F.1.1	FEDERAL IDENTITY, CREDENTIAL, AND ACCESS
5		MANAGEMENT (FICAM)

- 6 The FICAM Roadmap lays out an architecture and common terminology for use across
- 7 organizations. This ensures a common understanding of terms, so when a document uses a term
- 8 it means the t thing to the author and the reader.
- 9 FICAM 2.0 divides the ICAM mission space into seven types of services—four of which have active
- 10 PM-ISE-related efforts:
- **Digital Identity** capture and validate information to uniquely identify an individual, and manage that information over its lifecycle
- Credentialing bind an identity to a physical or electronic token
- Authentication verify a claimed identity is genuine and based on valid credentials
- **Authorization** grant or deny requests for services, data, or to enter a physical facility
- 17 FICAM also defines the **Privilege Management**, **Cryptography**, and **Auditing** service types which
- do not currently have active PM-ISE-related efforts.
- 19 Additionally, while FICAM includes the concept of Federation, it is not a defined FICAM service
- 20 type.

25

26

- Federation the capability to perform the FICAM types of service between
- 22 organizations
- 23 As a conceptual architecture, FICAM is a combination of many technical solutions, policies, and
- 24 processes: you won't find a FICAM for sale in a catalog.

F.1.2 STATE IDENTITY CREDENTIAL AND ACCESS MANAGEMENT (SICAM)

- 27 The SICAM Guidance and Roadmap outlines a strategic vision for a state-based trusted digital
- 28 identity environment. This NASCIO sponsored guidance provides a state-oriented architecture,
- 29 analogous to, but wholly separate from, FICAM, that is comprised of programs, processes, and

- 1 technologies addressing trust, interoperability, security, and process improvement enabling states
- and their partners to ensure the integrity of the data entrusted to them.

3 F.1.3 THE SBU FABRIC

- 4 The primary source of governance for the ICAM landscape for the SBU Fabric is the Federal CIO
- 5 Council and its various subordinate organizations, as supported by GSA's Office of Government
- 6 wide Policy (OGP) Information Assurance and Trusted Access Division (IATAD).

7 F.1.3.1 FICAM TRUST FRAMEWORK SOLUTIONS

DIGITAL IDENTITY

CREDENTIALS

- 8 FICAM TFS provides a mechanism for non-federal entities to become approved issuers of
- 9 credentials trusted by the federal government for secure citizen and business facing online service
- 10 delivery.

11 F.1.3.2 NATIONAL IDENTITY EXCHANGE FEDERATION

DIGITAL IDENTITY

CREDENTIALS

- 12 NIEF is one of several non-federal entities undergoing approval under the FICAM TFP. Once
- 13 approved, credentials issued by NIEF members will be trusted under the FICAM framework and
- 14 will be eligible for acceptance by appropriate federal IT systems.

15 F.1.3.3 NIEF QUICKSTART

FEDERATION

- 16 NIEF QuickStart is a joint effort between NIEF and NASCIO to expand participation in the NIEF
- 17 federation by lowering the bar to entry.

18 F.1.3.4 NATIONAL STRATEGY FOR TRUSTED IDENTITIES IN

19 CYBERSPACE

DIGITAL IDENTITY FEDERATION

- 20 NSTIC applies similar third-party credentialing concepts to the Citizen-to-Business and Citizen-to-
- 21 Government use case. For example, NSTIC envisions a citizen using a University-issued credential
- to access an IRS website in order to submit tax returns.

23 F.1.3.5 TRUSTMARK

FEDERATION

- 24 TrustMark is an effort to enable interoperability between various disjointed, siloed identity
- 25 federations without requiring explicit bilateral agreements.

26 F.1.3.6 GLOBAL FEDERATED IDENTITY AND PRIVILEGE

27 MANAGEMENT

DIGITAL IDENTITY AUTHENTICATION AUTHORIZATION CREDENTIALS FEDERATION

- 1 GFIPM is a collection of SAML-based specifications that allow systems and agencies to securely
- 2 exchange user identity and attribute information to facilitate authentication and authorization
- 3 decisions. GFIPM defines both the protocol for exchange of attributes as well as the attribute set
- 4 (vocabulary) available (and required) for exchange.

F.1.3.7 BAE PILOT ON SBU

AUTHORIZATION

FEDERATION

- 6 The BAE Pilot on SBU is an effort to allow Texas Department of Public Safety (DPS) users on an
- 7 internal network access to controlled content on RISSNet, an external system, without their
- 8 having to be provisioned access in advance based on attributes maintained by the Bureau of
- 9 Justice Assistance (BJA). RISSNet requests the user's attributes on demand from BJA, enabling
- 10 immediate, automated access decisions.

11 F.1.3.8 PERSONAL IDENTITY VERIFICATION

AUTHENTICATION

CREDENTIALS

- 12 PIV is a federal-wide credential, bearing name, photo, affiliation, and other information, issued
- under HSPD-12 that provides for both physical and logical (PKI-based) access capabilities. PIV is
- 14 defined in the FIPS 201 standard.

15 F.1.3.9 PIV INTEROPERABLE

AUTHENTICATION

CREDENTIALS

- 16 PIV-I is a way for non-federal credentials to be treated as trustworthy as equivalent federal PIV
- 17 credentials.

5

18 F.1.3.10 FIRST RESPONDER AUTHENTICATION CREDENTIAL

AUTHENTICATION

CREDENTIALS

- 19 FRAC is a major initiative to develop a FIPS-201 compliant smart identity credentialing system for
- 20 emergency response officials (EROs) that is interoperable between local, state, and federal
- 21 organizations. FRAC credentials will provide EROs the ability to quickly and easily access
- 22 government facilities in the event of a disaster.

23 F.1.3.11 IISC SBU IDENTITY AND AUTHORIZATION ATTRIBUTES

24 FEDERATION

AUTHORIZATION

FEDERATION

- 25 IISC SBU IAAF is an emerging effort establishing the governance and technical means to share
- 26 identification and authorization attributes among members in a secure, scalable, and cost-
- 27 effective manner. IISC SBU IAAF members represent federal, state, and local interests. An
- 28 Attribute Registry Service effort is ongoing to facilitate use of these attributes.

F.1.4 THE SECRET FABRIC

- 2 The primary source of governance for the ICAM landscape for the Secret Fabric is the Committee
- 3 for National Security Systems.

1

F.1.4.1 SECRET FABRIC ATTRIBUTE EXCHANGE 4

AUTHORIZATION

FEDERATION

- The SFAE is a BAE-based attribute exchange, initially between DHS and an Intelligence Community 5
- 6 element. SFAE will operate in much the same way as the BAE Pilot on SBU.

F.1.4.2 FICAM ON SECRET IMPLEMENTATION GUIDANCE 7

DIGITAL IDENTITY AUTHENTICATION AUTHORIZATION

CREDENTIALS

- The FICAM on Secret Implementation Guidance provides a roadmap of sequenced activities, 8
- 9 milestones, and timelines for the implementation of FICAM on the Secret fabric in alignment with
- 10 Priority Objective 4 of the National Strategy for Information Sharing and Safeguarding.

SECRET FABRIC TOKEN F.1.4.3 11

AUTHENTICATION

CREDENTIALS

- 12 The Secret Fabric Token is a physical smart card being issued for logical access to the Secret
- 13 Fabric. This card will replace login names and passwords, providing for better security. While
- 14 similar to the way PIV is used for login to the SBU fabric, the Secret Fabric Token is not a PIV, is
- 15 not used for physical access, and does not have a name, photo, or other identifying information
- 16 printed on it.

F.1.5 THE TOP SECRET/SCI FABRIC 17

- The primary source of governance for the ICAM landscape for the TS/SCI Fabric is the IC CIO. 18
- 19 The TS/SCI fabric is managed by the Intelligence Community (IC). The IC Identity, Access and
- 20 Authorization (IAA) effort is responsible for ICAM on the TS/SCI fabric. More information is
- available via classified networks. 21

F.1.6 RELATED SPECIFICATIONS 22

BACKEND ATTRIBUTE EXCHANGE F.1.6.1 23

- 24 BAE is a SAML-based specification that allows systems to securely exchange user identity and
- 25 attribute information to facilitate authorization decisions. Unlike GFIPM, BAE does not define an
- 26 attribute vocabulary, merely the protocol for the exchange of whatever attributes are agreed-to
- 27 by the members of the federation.

F.1.6.2 XML ACCESS CONTROL MARKUP LANGUAGE

- 2 XACML is an open OASIS specification that provides a common machine-readable language for
- 3 expressing security policy. XACML allows organizations to express complex access control policies,
- 4 including those based on user attributes, data tags, and other environmental or contextual
- 5 information.

1




Figure F-1. ICAM Components

6 7

APPENDIX G:

5

PERFORMANCE REFERENCE MODEL

G.1 ENTERPRISE ARCHITECTURE OUTCOMES AND MEASUREMENTS TEMPLATE

PERSPECTIVES	INVENTORY & OUTCOME	AREA OF MEASUREMENT	SPECIFIC MEASUREMENT INDICATOR	MEASUREMENT METHOD & TARGETS (TIMELINE)	COMMENTS AND ARTIFACTS
Spending "Ensure effective	Inventories	Completeness	% of IT investments going through the IRB that have been reviewed by the EA Team		
IT spending through informed decision making"			% of the Agency IT spend represented in the Enterprise Roadmap		
Š		Accuracy	% of IT investments approved by the IRB aligned to the Target Architecture		
		Ratio	O&M to DME Spending		
	Outcomes	Cost Savings/ Avoidance	# of dollars saved or how the EA Program contributes in cost savings or avoidance		
		Reduction of Duplication	# of duplicate investments EA helped identify		
		Efficiency	% of IT governance processes that EA participates in		
			% of acquisitions aligned to the standards product list		
Systems "Ensure IT supports the	Inventories	Completeness	% of Agency's systems identified in Agency's Technical and Application Architectures (i.e., IRM and ARM)		
Mission" "Derive Cost Savings through	Outcomes	Cost Savings/ Avoidance	# of dollars saved or how the EA Program contributes in cost savings through system consolidation		
system consolidation"		Reduction of Duplication	# of duplicate systems EA helped identify		
		Efficiency	% of cycle time reduced or how the EA Program contributes to reduction in cycle time		
			# of FTEs reduced or how the EA Program contributes to alignment of FTEs to Agency's missions		
		IT Enablement	EA contribution to new IT adoption, using Technical and/or Application Architecture		

PERSPECTIVES	INVENTORY & OUTCOME	AREA OF MEASUREMENT	SPECIFIC MEASUREMENT INDICATOR	MEASUREMENT METHOD & TARGETS (TIMELINE)	COMMENTS AND ARTIFACTS
Services "Identify services	Inventories	Completeness	% of Agency services defined in Business Architecture (i.e., PRM and BRM)		
for adoption or expansion		Accuracy	% of Agency services that are up to date and accurate		
throughout the Agency"	Outcomes	Cost Savings/ Avoidance	Cost savings/ avoidance gained from consolidating and sharing services		
		Reduction of Duplication	# of duplicate services EA helped identify		
		Efficiency	% of survey participants rating EA services satisfaction (e.g., high / medium / low)		
			# of new shared services implemented every two years		
Security	Inventories	Completeness	% of investments mapped to the SRM		
"Increased IT Security"		Accuracy	% of Security Architecture that is accurate and up to date		
	Outcomes	Cost Savings/ Avoidance	# of dollars saved or how the EA Program contributes in security cost savings		
		Reduction of Duplication	# of duplicate security implementations EA helped identify		
		Efficiency	# of FTEs reduced or how the EA Program contributes to alignment of FTEs to Agency's missions		
		IT Enablement	How EA contributes in improving security architecture for new IT adoption		
Others	Inventories				
	Outcomes				

G.2 DHS COMMON OPERATING PICTURE (COP): PERFORMANCE MANAGEMENT SCORECARD

					G	OVER	NAN	CE		11	IFORI	MATI	ON SI	IARIN	G	M	IISSIC	ON EN	ABLE	MEN	т	TEC	HNOL	OGY I	MAN	AGEM	ENT
	OVERALL SCORE	Total Anticipated Investments	Total IT Investments Tracked	Steering Committee Engagement	Working Groups Participation	Investment Transition Plans	Investment Aligned to Architecture	Shared Investment/ Collaboration Activities	Governance SCORE	Enterprise Data Sharing Agreements	Datasets Geocoded/ Geotagged	Datasets Compliant with	Data Services Registered to COP/GII	Data Services Published using Symbology Standards	Information Sharing SCORE	Enterprise Services Adoption	Data Service Adoptions	Symbology Standards Adoption	Enterprise Software Adoption	Liscensed Data/Services Adoption	Mission Enablement SCORE	ELAs for Common Software	ELAs for Commercial Data/Services	Cost Avoidance for Software	Cost Avoidance for Licensed	Cost Avoidance for Shared Investment/Collaboration	Technology Management SCORE
Agency 1																											
Agency 2																											
Agency 3		Ш																									
Agency 4		Ш																									
Agency 5		Ш																									
Agency 6		Ш																									
COP ESC→																											
	3								3						4						3						5
Score Legen	ıd:		No	ot So G	Good	0	1	2	3	4	5	Real	ly God	d													

4

INDICATOR	MEASURES	DESCRIPTION	
Governance	Executive Steering Committee Engagement	This score measures the level of participation in governance activities such as decisions, policy, and attendance at ESC meetings.	
	Working Group Participation	This score measures the level of participation in collaborative working groups and participation in COP ESC Governance or Resources and Capabilities working group activities.	
	Investment Transition Plans	This score measures the number of investments that have submitted transition plans for alignment to the COP architecture. This score is a percentage of the number of investments with transition plans against the number of investments.	
	Investments Aligned to Technology Architecture	This score measures the number of investments that are aligned to the COP architecture based on COP ESC review and/or implementation of an approved transition plan.	
	Shared Investments/ Collaboration Activities	This score indicates Component involvement in shared investments or collaboration activities.	
Information Sharing	Enterprise Data Sharing Agreements	This score measures the number of enterprise data sharing agreements in place to support operating data requirements.	
	Datasets Geocoded/ Geotagged	This score measures the number of datasets that have been geocoded/geotagged based on operating data requirements.	
	Data Services compliant with NIEM/ OGC Standards	This score measures the number of data services that are NIEM / OGC compliant to ensure interoperability.	
	Data Services Registered to COP/ GII	This score measures the number of data services that have been registered to the COP / GII based on operating data requirements.	
	Data Services published using	This score measures the number of data services that have	

INDICATOR	MEASURES	DESCRIPTION	
	Symbology Standards	been published using symbology standards based on operating data requirements.	
Mission Enablement	Adoption of Enterprise Services	This score measures the number of investments that have adopted enterprise services described in the COP architecture.	
	Adoption of Data Services	This score measures the number of investments that have adopted data services described in the COP architecture.	
	Adoption of Symbology Standards	This score measures the number of investments that have adopted symbology standards described in the COP architecture.	
	Adoption of Enterprise Software	This score measures the number of investments that have adopted enterprise software described in the COP architecture.	
	Adoption of Licensed Data / Services	This score measures the number of investments that have adopted licensed data or services described in the COP architecture.	
Technology Management	Enterprise Licensing Agreements for Common Software	This score measures the number of enterprise licensing agreements for common software.	
	Enterprise Licensing Agreements for Commercial Data/ Services	This score measures the number of enterprise licensing agreements for commercial data or services.	
	Cost Avoidance from Enterprise Licensing of Software	This score measures the amount of cost avoidance derived from enterprise licensing of common software.	
	Cost Avoidance from Enterprise Licensing of Commercial Data/ Services	This score measures the amount of cost avoidance derived from enterprise licensing of commercial data or services.	
	Cost Avoidance from Shared Investment/ Collaboration Activities	This score measures the amount of cost avoidance derived from shared investment or collaboration activities such as cross-component mission project or partnerships.	
Overall	Total Anticipated Investments	This measure is a count of investments identified during portfolio reviews across the HLS enterprise architecture.	
	Total Investments Tracked	This measure represents the number of investments used in tracking Component progress.	
	Overall Score	This is an average of the indicator scores and indicates a level of maturity of the COP Domain.	

G.3 STAKEHOLDER PERFORMANCE GUIDE

G.3.1 GOVERNANCE

	STAKEHOLDER PERFORMANCE GUIDE							
		GOVERNANCE						
Role	Responsibility	Approach	Benefit					
Executive Leadership	 Establish and/or Co-Chair to Chartered governance (ESC/IPT) body. Signatory to establish Investment Technology Acquisition Review (ITAR) framework. Signatory to ISAs for access or dissemination of data and/or services. 	 Work with other Executives to frame Charter goals/objectives and commitment to level-of-effort support/involvement. Establish review board with CIO/CFO representation and consider policy to ensure participation and commitment. Establish or follow General Council process and review and maintain repository of Agreements. 	 Signatory with defined responsibility and stated measurable results (e.g., ELAs with % cost reduction, shared services with defined Steward, etc.). Promotes interoperability, reduces redundant investments, and allows for cost share. Reduce cost for data acquisition and/or document need for establishing an Enterprise License Agreement. 					
Program Manager	 Coordinate across other internal Department/Agency investment PMs for recommendations to Execs for strategic and tactical objectives. Staff and perform Working Group tasks as defined within the ESC/IPT Charter. Develop performance measures and target end-state (To-Be) environment. Ensure geospatial (sub-system at a minimum) is identified within the CPIC submission process. 	 PMs identify and prioritize capability gaps and planned investments to determine To-Be end-state vs. As-Is environment and prepared business plan and value proposition for Execs approval. Recommend Working Group priority, short-term/high-value tasks and deliver early results to demonstrate benefits. Within Charter define Working Group roles/responsibilities and prepare a work plan with Plan of Action & Milestones (POA&M). Within the annual CPIC submission (e.g., 53/300) process, ensure geospatial capability is identified so that search and identification across system investments can be performed. 	 Early adoption/visibility to strengthen long-term commitment from Executive Leadership. Working Group member awareness of multiple investments across enterprise promotes coordination resulting in leveraged investments. Results oriented for measurable and quantifiable results demonstrating value of collaboration. Facilitates the search and identification of geospatial investments (especially for smaller systems) across the entire enterprise to foster participation within the Executive Steering Committee and technical solution teams. 					
Solution Architect	 SME and reach back for Working Group participation. Validate technical requirements for work plan. 	 Develop baseline assessment and perform capability gap analysis for As-Is and To-Be environments. Develop technical approach for work plan tasks and POA&M. 	 Technical vetting and validation across investments for desired To-Be end-state environment. Ensure broadest possible technical review, adoption and acceptance. 					

G.3.2 BUSINESS

	STAK	EHOLDER PERFORMANCE GUIDE	
		BUSINESS	
Role	Responsibility	Approach	Benefit
Executive Leadership	 Establish and/or Co-Chair to Chartered governance (ESC/IPT) body. Signatory to establish Investment Technology Acquisition Review (ITAR) framework. Signatory to ISAs for access or dissemination of data and/or services. 	Work with other Executives to frame Charter goals/objectives and commitment to level-of-effort support/involvement. Establish review board with CIO/CFO representation and consider policy to ensure participation and commitment. Establish or follow General Council process and review and maintain repository of Agreements.	 Signatory with defined responsibility and stated measurable results (e.g., ELAs with % cost reduction, shared services with defined Steward, etc.). Promotes interoperability, reduces redundant investments, and allows for cost share. Reduce cost for data acquisition and/or document need for establishing an Enterprise License Agreement.
Program Manager	 Coordinate across other internal Department/Agency investment PMs for recommendations to Execs for strategic and tactical objectives. Staff and perform Working Group tasks as defined within the ESC/IPT Charter. Develop performance measures and target end-state (To-Be) environment. 	 PMs identify and prioritize capability gaps and planned investments to determine To-Be end-state vs. As-Is environment and prepared business plan and value proposition for Execs approval. Recommend Working Group priority, short-term/high-value tasks and deliver early results to demonstrate benefits. Within Charter define Working Group roles/responsibilities and prepare a work plan with Plan of Action & Milestones (POA&M). 	 Early adoption/visibility to strengthen long-term commitment from Executive Leadership. Working Group member awareness of multiple investments across enterprise promotes coordination resulting in leveraged investments. Results oriented for measurable and quantifiable results demonstrating value of collaboration.
Solution Architect	 SME and reach back for Working Group participation. Validate technical requirements for work plan. 	 Develop baseline assessment and perform capability gap analysis for As-Is and To-Be environments. Develop technical approach for work plan tasks and POA&M. 	 Technical vetting and validation across investments for desired To-Be end-state environment. Ensure broadest possible technical review, adoption and acceptance.

3

G.3.3 DATA

	STAK	EHOLDER PERFORMANCE GUIDE	
		DATA	
Role	Responsibility	Approach	Benefit
Executive Leadership	 Authorize a Business Needs Analysis to identify geospatial data requirements using the Baseline Assessment Matrix: Data. Agreed upon data authorized source to reduce redundancy and determine Enterprise License Agreement (ELA) opportunity with data provider/vendor. Require any/all funded data creation or enhancement initiatives (e.g., contract award, cost-share, grant, etc.) include metadata standard compliance. 	 Work with other Executives to acknowledge the need to reduce data costs by leveraging investment and performing the Baseline Assessment based upon mission/business needs. Based upon business/mission need during Data Matrix assessment, may require Service Level Agreement and cost share for availability and Enterprise License Agreement (ELA) with vendor/provider. Working with Exec Leadership approach Chief Procurement Officer to require contract language for the inclusion for all financial obligations. 	 Signatory with defined responsibility and stated measurable results (e.g., IT Asset Inventory for OMB Open Data Policy reporting and a quantifiable data resource inventory). The inventory would facilitate the identification of desired datasets; identifies redundant data assets for decommissioning; identifies opportunities to reuse or extend a data asset rather than creating a new one; and the opportunity to reduce redundancy costs based upon the establishment of enterprise licensing agreements and allows for cost share for economies of scale. Provides a way to uniformly describe data, thereby supporting its discovery and sharing resulting in cost avoidance. Compliance with government <i>Open Data Policy</i>.
Program Manager	 Coordinate across organization's geo investment PMs for completion of Data Matrix and document business/mission functional requirements that drive data needs. Determine which dataset will be used enterprise-wide based upon data content, currency and availability. Work with PMs across enterprise to perform review of internally produced data includes metadata with a common taxonomy and cataloged for discovery. Post datasets in open standards to appropriate catalogs for discovery. 	 PMs prepare Data Matrix and schedule survey and follow-on interviews to clarify Data findings with business owners to understand functional needs. Detailed assessment of datasets and how they meet the mission/business functional requirements. May require ELA with broader use terms and additional attributes requiring cost-share. Review procurement vehicles to ensure metadata standard compliance language. Develop a common taxonomy for cataloging the metadata enhanced data resources. Ensure enterprise data are exposed or 'harvestable' to appropriate web catalog services. 	 Awareness and understanding of enterprise data requirements and business/mission owner functional needs that drive data. Reduced contracting for vendor provided data, ELA discounts for volume-based pricing, data Steward responsibility as opposed to multiple posting/storage of datasets. Ability to identify, search, discover and share datasets across the enterprise. Facilitates the search and identification of geospatial data sharing. Compliance with government <i>Open Data Policy</i>.

	STAKEHOLDER PERFORMANCE GUIDE						
	DATA						
Role	Responsibility	Approach	Benefit				
Solution Architect	 Data Assessment Matrix design and development. Ensure data are cataloged and available in open standards and posted to web catalog service. 	 Assist the data matrix interview with mission/business owner to determine functional requirements that drive data and application needs. Develop technical approach for ensuring enterprise data resources are available, vetted and provided in compliance with open data requirements. 	 Technical vetting and validation across investments for desired To-Be end-state environment. Understand functional requirements to optimize application development and data resource acquisition. Facilitates the search and identification of geospatial data sharing. Compliance with government Open Data Policy. 				

G.3.4 APPLICATIONS/SERVICES

	STAKEHOLDER PERFORMANCE GUIDE							
		APPLICATIONS/SERVICES						
Role	Responsibility	Approach	Benefit					
Executive Leadership	 Authorize the Application and Service inventory using the Baseline Assessment and catalog App/Svc capabilities across the enterprise using a common taxonomy. As part of the Investment Technology Acquisition Review (ITAR) framework, require all new applications and services be compared against the App/Svc Catalog to determine shared first requirement. Apply the Shared Services Implementation Step-wise Process to geospatial investment. 	 Work with other Executives to acknowledge the need to reduce data costs by leveraging investment and performing the Baseline Assessment based upon mission/business needs. Establish review board with CIO/CFO representation and consider policy to ensure participation and commitment. During annual budget review/planning cycle or with proposed new investments review against process. 	 Signatory with defined responsibility and stated measurable results (e.g., IT Asset Inventory for OMB Open Data Policy reporting and a quantifiable App/Svc resource inventory). Promotes interoperability, reduces redundant investments, and allows for cost share. Reduce cost for App/Svc development/acquisition alignment to Share-First policy. 					
Program Manager	 Coordinate across other internal Department/Agency investment PMs to establish Geospatial Taxonomy Working Group and Geospatial App/Svc Catalog. Staff and perform inventory and of existing/proposed App/Svc investment. Staff and perform Shared Services Implementation Step- wise Process to assess geospatial investments. 	 Initiate the Taxonomy development and perform App/Svc inventory for documenting App/Svc and creating a catalog. Perform Baseline Assessment: Apps/Svcs across enterprise and populate catalog. Develop repetitive process for evaluating investment to share services. 	 Shared awareness of investment and value of geospatial capabilities across the organization. Basis for shared service capabilities. Provides baseline for shared service investment and leveraged capability Catalog meets Share First policy and forms basis for reduced investment. 					
Solution Architect	 SME and reach back for Taxonomy Working Group participation. Perform technical evaluation of App/Svc investments to determine commonality and alignment. 	 Develop baseline assessment and perform inventory of App/Svcs. Technical review of services for alignment to TRM and Infrastructure compatibility (Section 6.3). 	 Cross enterprise collaboration for technical exchange and comparison. Ensure broadest possible technical review, adoption and acceptance. 					

3

G.3.5 INFRASTRUCTURE

STAKEHOLDER PERFORMANCE GUIDE				
	CHAPTER 6 – INFRASTRUCTURE			
Role	Responsibility	Approach	Benefit	
Executive Leadership	 Executive Steering Committee authorization and commitment to perform Baseline Assessment Matrix: Infrastructure and Technology. Approve/disapprove a proposed IT solution depending upon its compliance with Enterprise Architecture for inclusion within CPIC process. Ensure Cloud Option assessment is performed as part of a proposed IT solution. 	 Task Program Managers responsible for geospatial system oversight to perform develop and execute the Baseline Assessment. Ensure that the infrastructure/technology Baseline Matrix capabilities are aligned to EA and proposed new infrastructure/technology aligns to and not duplicative of existing capabilities. Task Program Manger to apply cloud process review as option for IT solution. 	 Provides input for CPIC (53/300) and reporting to OMB as well as establishes the enterprise baseline of the As-Is geospatial investments across the organization. Promotes interoperability, reduces redundant investments, and allows for cost share. Complies with Cloud First policy and provides economies for implementation. 	
Program Manager	 Coordinate across organization's geospatial investments to ensure committed participation in Baseline Assessment. Identify opportunities for shared infrastructure and/or technology based upon Baseline Assessment Matrix comparison. Review report of finding for cloud options for IT solution and make recommendations to Executive Leadership. 	 PMs identify and prioritize capability gaps and planned investments aligned to Operational Requirements Document (ORD) and prepare recommendations and/or options for Execs approval. Based upon gap analysis, identify candidate investments to leverage, eliminate or new develop based upon ORD priorities. Coordinate Cloud assessment process evaluation for IT solution architecture. 	 Cross organization agreement for prioritized geospatial system development priorities and leveraged resource commitment. Reduce duplicative IT footprint and identify opportunity to leverage or reprioritize investments. Complies with Cloud First policy and provides economies for implementation. 	
Solution Architect	 Develop the Infrastructure Assessment Matrix from across the entire organization's geospatial investments. Vet 'new' technology insertions to EA and Technical Reference Model to ensure alignment with organization's To-Be environment. Prepare report of finding for cloud options for IT solution. 	 Work with other organization SAs to ensure a complete baseline assessment and perform capability gap analysis for As-Is and To-Be environments. Determine 'optimal' solution if duplicative investments and ensure alignment to EA for 'new' technology. Perform Cloud assessment process evaluation for IT solution architecture. 	 Ensure broadest possible technical review, adoption and acceptance. Technical vetting and validation across investments for desired To-Be end-state environment and alignment to EA target ensures compatibility and reduces IT footprint cost. Provides awareness of architecture investment and solution options. 	

3

STAKEHOLDER PERFORMANCE GUIDE			
SECURITY			
Role	Responsibility	Approach	Benefit
Executive Leadership	 Identify appropriate access policy for system data necessary to ensure responsible information sharing according to mission need. Ensure risk management function for the organization is established and applies repeatable, consistent evaluation criterion. Embrace the use of reusable, shared services for IdAM and security capabilities within the agency, and ensure Enterprise Architecture provides for adoption of federal shared services, particularly IdAM and security services, as they become available. Empower organizational enterprise architect to direct the inclusion of relevant IdAM and security standards in organizational IT acquisition actions by holding systems accountable for EA compliance. 	 Understand Policy Requirements: Mission need for system information security Business processes that incorporate the system information Severity of risk of unauthorized disclosure Risk management function should be staffed sufficiently and empowered to reconcile interests of stakeholders. Clear risk management criteria formed with input from all relevant stakeholders (security, privacy, CR/CL, mission owners). Designate organizational Executive Agents responsible for implementing IdAM and Security EA and policy. Responsible for: Organization. EAs represent organization at relevant intergovernmental committees, governance bodies, and WGs. Develop acquisition strategy that requires transition of solutions to repeatable shared services. EA functions include: Organizational process for approval of systems to ensure EA for IdAM and Security (services and standards). If compliance not currently feasible, POA&Ms to be required. Engage organizational acquisitions and procurement functions to ensure contractual commitments and acquisitions are consistent with IdAM and Security EA and implementation plans. Recommend restriction of funding of noncompliant systems. 	 A clear statement of information sharing policy can be vetted through the relevant stakeholders and then digitally implemented within mission systems to efficiently execute the mission. Provides consistent feedback that can be incorporated for system design and avoids delays from inability to plan due to ambiguous guidance or interference from dissatisfied stakeholders. Assist in complying with Federal policy guidance and drives cost efficiencies through shared, common services. Ensures that system planning incorporates appropriate guidance from an early stage to avoid delays or wasted expenditures resulting from noncompliant system architecture. Incorporating EA function into organizational approval process provides enforcement mechanism for EA compliance at an early stage, when noncompliance can be more easily mitigated.

STAKEHOLDER PERFORMANCE GUIDE			
SECURITY			
Role	Responsibility	Approach	Benefit
Program Manager	 Ensure access policy requirements for the system information are included in system acquisition, tech refresh actions, and system engineering lifecycle. Ensure compliance/evaluation/approval of the system in accordance with the organizational risk management framework. Ensure requirements for relevant IdAM requirements are included in procurement language. 	Identify access policy rules that have been enumerated for information contained in the system. Program Manager actively engages with relevant governance bodies from system planning phase onward (see Table 7-1). Give EA organization visibility into each phase of system lifecycle. EA communicates emerging requirements to Program Managers. Draft and include approved guidance with system acquisition, tech refresh actions, and system engineering lifecycle documentation.	 Assist in complying with Federal policy guidance and drives cost efficiencies through shared, common services. Assists in CPIC reporting requirements and drives early security awareness and compliance resulting in cost savings. Assists in CPIC reporting requirements and drives early security awareness and compliance resulting in cost savings.
Solution Architect	 Ensure solution roadmap aligns with FICAM Roadmap. Ensure solution meets requirements of organizational risk management framework. Implement solution that is compliant with EA model for IdAM and security as well as organizational FICAM implementation plans. Implement solution with sufficient interfaces to take advantage of enterprise IdAM and security services. 	 Detail functionality for currently available capabilities and provide POA&Ms demonstrating alignment for future capabilities. Clear system with risk management function during planning stage. If system is operational, coordinate roadmap to satisfy RM function. Solution is described in terms of functional and technical requirements, which are mapped to service types and components of the relevant EA model. Interfaces are defined sufficiently to show interoperability of system with repeatable shared services and standards. 	 Ensures flexibility and adaptability of systems to incorporate upcoming capabilities. Expedites development by coordinating risk management requirements into system planning and design phase rather than waiting for approval after build is complete. Ensures that solutions are engineered or selected to meet all relevant requirements from the planning and design phase. Ensures that the solution is designed and sufficiently technically implemented to provide flexibility to interoperate with emerging IdAM and security capabilities without the need for extensive re-engineering.

G.3.7 STANDARDS

STAKEHOLDER PERFORMANCE GUIDE			
STANDARDS			
Role	Responsibility	Approach	Benefit
Executive Leadership	 Develop and adopt Standards Policy within and across the Geospatial Executive Steering Committee and your Department or Agency. Ensure all geospatial procurements/awards have the appropriate Standards Compliance Section included in the contract language. Standards resourcing for subject matter expertise (SME) and SDO involvement. 	 Working with Executive Leadership across geospatial investments, the Office of the Chief Information Officer; Financial Management Office; and Grants Office, agree upon and include Standards-based acquisition language for procurements and awards. Review procurement action prior to sign-off and the assign Program Manager the responsibility to include the necessary language in the procurement/award action. Budget for a staffing position (e.g., full or part time) to perform standards guidance. Position would participate on and provide into to SDOs and cross organization geospatial investments. 	 Ensure contract continuity and compliance for consistent geospatial investments. Enforces vendor neutrality and promotes competition for industry standards adoption. Drives interoperability across investments. Ensures procurement/award consistency and compliance. Provides awareness and understanding of standards requirements, benefits and advancement in geospatial standards development and adoption.
Program Manager	Coordinate across other internal Department and Agency investment PMs for identification and agreement on content for Standards Policy development. Prepare "boiler plate" standards-based procurement language for inclusion need contracts/awards. Determine resourcing requirements and availability for geospatial standards capability development for: Subject Matter Expert SDO participation	 Draft Standards Policy for procurement and grants guidance. Work with and vet for completeness and currency across organization and review SDO listings. Work with OCIO, OFM, and Grants Offices to determine process for standards-based procurement / grant language inclusion within policy guidance and contract vehicles. Prepare Position Description for Geospatial Standards SME as a core competency within job category (e.g., GS-2210: Information Technology Management Series). Participate on and/or contribute to geospatial SDO initiatives. 	 Provides awareness and understanding of baseline and current standards requirements. Allows for a definition of "Value Proposition" of standards-based interoperability. Policy-based guidance for government and industry understanding and compliance. Increase internal capacity for geospatial standards understanding and compliance.
Solution Architect	 Document current standards in use within/across organization geospatial investments. Contribute to development of baseline standards for inclusion into Policy Guidance. Contribute to identification of SME resource for geospatial standards. Ensure awareness of geospatial standards for inclusion in system procurement and development. 	 Coordinate with SAs across organization's geospatial investments to identify and document geospatial standards usage. Develop baseline of key geospatial standards derived from Federal and SDO current and emerging standards documentation. Provide input for Position Description for Geospatial Standards SME. Participate on SDOs for awareness of geospatial standards development and update. 	 Technical vetting and validation across investments for As-Is standards usage. Ensure broadest possible technical review and allows identification of gaps and deficiencies for enhancement. Strengthen breadth of geospatial standards awareness across organization's geospatial investments.

G.3.8 PERFORMANCE

STAKEHOLDER PERFORMANCE GUIDE			
PERFORMANCE			
Role	Responsibility	Approach	Benefit
Executive Leadership	 Define mission context for geospatial investments across the enterprise. Ensure Performance metrics and indicators are included in all CPIC (OMB 300/53) geospatial investments. 	 Provide overall mission context and expected contribution of geospatial to/within programs to Program Managers, and align program success to improved performance of business functions. Using Performance indicators for each reference model (e.g., Business, Data, Applications/Services, Infrastructure, Security, and Performance) prepare matrix for ESC review and adoption and monitoring. 	 Creates quantifiable measures and expected outcomes (mission and resource impact) of a geospatial investment. Ensures OMB reporting compliance and senior leadership commitment to managed/measured success of investment.
Program Manager	 Define measures of effectiveness and success criteria for geospatial investments under oversight. ESC to oversee cost, schedule, and scope of geospatial investments across enterprise. 	 Provide clear guidance to Solution Architects for requirements and dependencies of required solutions. Communicate with Executive Leadership and stakeholder community (mission holders) to foster an understanding of the value of current efforts with the overall mission success. 	 Creates clarity as to the value of programs being managed to overall mission effectiveness. Enables easier management through a better understanding of how measures of effectiveness translate into system requirements and benefits.
Solution Architect	 Derive functional and technical requirements and associated quantifiable performance success measures given target objective. Oversee technical implementation and schedule and provide status to leadership and recommended course corrections as needed. 	 Analyze program requirements and measures of effectiveness and identify solution elements that will enable the program to meet success criteria. Create a clear understanding of how the project scope, schedule, and budget is progressing and provides line-of-sight with respect to the overall program and enterprise requirements. 	 Demonstrable solution effectiveness, tied directly to executive-level interests which enables an end-to-end picture of how delivered solutions fit into an enterprise-level mission. Enables clear communication with the Project Managers and Executive Leadership regarding schedule and scope of system delivery.